DAILY RAINFALL. 1921 1930

FLINTSHIRE

BODFARI	CAE GWYN	1921	1930
"	NANTLYS	1921-22, 25	- 1930
BUCKLEY	HAWARDEN W.W.	1925 - 28,	1929
CILCAIN	CILCEN HALL	1926	1930
"	RES.	1923, 25-28,	1930
CONNAH'S	QUAY MOLD ROAD	1928	1930
"	" PENGWLADYS	1927	1930
HAMMER	GREDINGTON	1921	1930
HAWARDEN	BRIDGE	1921	1930
"	COUNTY SCHOOL	1921	1930
NORTHOP	SOUGHTON HALL	1925	1930
MOLD	ALUN COUNTY SCHOOL		1930
"	MOUNT PLEASANT	1927	1930
"	THE PARK		1921
MOSTYN	VICARAGE	1921	1930
OVERTON	BRIDGE		1921
"	FAIRLEIGH	1921	1930
PRESTATYN.		1929	1930
RHYL	SEWAGE WKS	1921	1930
ST ASAPH.	BRYN ASAPH.	1924	1925
"	" ST BEUNO's COLLEGE	1921-23, 25, 28-	1930
SHOTWICK	AREODROME SEALAND.	1922	1930

FORM A. 1. METEOR ... ORGANIZATION.

92 1 .....

BODFARI.

CAE GWYN

FLINTSHIRE.

1921 – 1930

Kept at Cae G...

in the County of ...

by Edei...

ng ..... 10 AM

on 2½ Miles Bodfari

Rain Gauge 5 in.

e above Ground ft. 6 in.

„ Sea Level 542 ft.

ult entered to the previous day.

IMPORTANT

If an Observer prefe... requested to add the reading at 9 a.m. ... it at the end of this paragraph. Full ... ng of rain gauges, and particulars as to ... *ainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.06	.10	—	.01	—	—	.33	.03	—	.15	.03	1
2	.29	—	—	—	.14	—	—	.68	—	.30	.54	—	2
3	.03	—	.09	—	.04	—	—	.01	—	.91	.23	—	3
4	—	—	.07	—	—	—	—	.20	—	.09	.08	.08	4
5	.01	—	.15	.07	.01	—	—	.25	—	—	.26	.03	5
6	—	—	—	—	.03	—	—	.01	—	.35	.19	.05	6
7	.20	—	.04	—	—	—	—	.38	—	—	.12	—	7
8	.01	—	—	—	—	—	—	.01	—	—	.26	.01	8
9	—	—	—	.06	.05	—	—	.12	.11	—	—	—	9
10	.11	.01	—	—	—	—	—	.21	.05	.08	—	.13	10
11	.10	—	.04	—	.10	—	—	.18	.30	—	—	—	11
12	.50	.06	.01	—	—	.04	—	.22	.30	—	—	.06	12
13	.02	—	.24	.42	—	.02	—	.04	.12	.25	.06	—	13
14	.02	.01	.13	.10	.16	—	.03	.13	.01	.01	.03	.33	14
15	.01	—	.10	.10	—	—	.22	.05	.01	—	.02	.02	15
16	.22	.01	.02	.20	.05	—	.09	.14	—	—	—	.02	16
17	.20	—	.03	.03	—	—	—	.05	—	—	—	—	17
18	.01	.03	.04	—	—	—	—	—	—	—	—	.03	18
19	.01	—	.03	—	—	.15	—	—	—	.08	—	—	19
20	—	—	.02	—	—	.05	.02	.03	—	—	.05	—	20
21	—	—	—	.12	—	.02	—	—	—	.02	.22	.14	21
22	—	—	.15	.06	—	—	.29	—	—	.34	—	.27	22
23	—	—	—	—	—	—	.07	—	.07	.05	—	.01	23
24	—	.36	—	.01	—	—	.04	—	—	—	—	.48	24
25	.16	—	.17	.07	—	.10	.09	.08	—	—	—	.02	25
26	.05	—	.05	—	.15	.11	.01	.01	—	—	—	.21	26
27	—	—	.04	—	.20	—	—	.05	—	—	—	.35	27
28	—	—	.09	—	.36	—	.45	.45	—	—	—	.05	28
29	.04	—	—	—	.02	—	.05	.03	—	—	—	.06	29
30	.10	X	—	—	.05	—	.01	—	—	—	.02	.16	30
31	1.28	X	—	X	.12	X	.13	.06	X	.07	X	.01	31
TOTAL	3.42	.54	1.55	1.24	1.49	.49	1.50	3.72	1.00	2.55	2.23	2.55	YEAR'S TOTAL 22.28
Days with .01 in. or more	21	7	20	11	15	7	13	24	9	12	14	22	175
Days with .04 in. or more	13	3	14	9	12	5	90	18	6	10	11	13	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Lee Grange Freemeirchwin

in the County of Flint

by Edith M Morgan

Lat. N Long.

Time of Observation 10 AM

Nearest Railway Station 2½ Miles Bodfari

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·06	·10	—	·01	—	—	·33	·03	—	·15	·03	1
2	·23	—	—	—	·14	—	—	·68	—	·30	·54	—	2
3	·03	—	·09	—	·04	—	—	·01	—	·91	·23	—	3
4	—	—	·07 (01)	—	—	—	—	·20	—	·09	·08	·08	4
5	·01	—	·15	·07	·01	—	—	·25	—	—	·26	·03	5
6	—	—	—	—	·03	—	—	·01	—	·35	·19	·05	6
7	·20	—	·04	—	—	—	—	·38	—	—	·12	—	7
8	·01	—	—	—	—	—	—	·01	—	—	·26	·01	8
9	—	—	—	·06	·05	—	—	·12	·11	—	—	—	9
10	·11	·01	—	—	—	—	—	·21	·05	·08	—	·13	10
11	·10	—	·04	—	·10	—	—	·18	·30	—	—	—	11
12	·50	·06	·01	—	—	·04	—	·22	·30	—	—	·06	12
13	·02	—	·24	·42	—	·02	—	·04	·12	·25	·06	—	13
14	·02	·01	·13	·10	·16	—	·03	·13	·01	·01	·03	·33	14
15	·01	—	·10	·10	—	—	·22	·05	·01	—	·02	·02	15
16	·22	·01	·02	·20	·05	—	·09	·14	—	—	—	·02	16
17	·20	—	·03	·03	—	—	—	·05	—	—	—	—	17
18	·01	·03	·04	—	—	—	—	—	—	—	—	·03	18
19	·01	—	·03	—	—	·15	—	—	—	·08	—	—	19
20	—	—	·02	—	—	·05	·02	·03	—	—	·05	—	20
21	—	—	—	·12	—	·02	—	—	—	·02	·22	·14	21
22	—	—	·15	·06	—	—	·29	—	—	·34	—	·27	22
23	—	—	—	—	—	—	·07	—	·07	·05	—	·01	23
24	—	·36	—	·01	—	—	·04	—	—	—	—	·48	24
25	·16	—	·17	·07	—	·10	·09	·08	—	—	—	·02	25
26	·05	—	·05	—	·15	·11	·01	·01	—	—	—	·21	26
27	—	—	·04	—	·20	—	—	·05	—	—	—	·35	27
28	—	—	·09	—	·36	—	·45	·45	—	—	—	·05	28
29	·04	—	—	—	·02	—	·05	·03	—	—	—	·06	29
30	·10	X	—	—	·05	—	·01	—	—	—	·02	·16	30
31	1·28	X	—	X	·12	X	·13	·06	X	·07	X	·01	31
TOTAL	3·42	·54	1·55	1·24	1·49	·49	1·50	3·72	1·00	2·55	2·23	2·55	YEAR'S TOTAL 22·28
Days with ·01 in. or more	21	7	20	11	15	7	13	24	9	12	14	22	175
Days with ·04 in. or more	13	3	14	9	12	5	90	18	6	10	11	12	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3873

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928

Kept at Cae Glwyn, Tremarchion

in the County of Flint

by Edith M. Morgan

Lat. N. Long.

Time of Observation 10. A.M.

Nearest Railway Station Bodfari, 2½ Miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following. .05

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.11	.34	—	.15	.01	.04	—	.30	—	.20	.05	1
2	.05	.47	.02	—	.04	—	—	—	—	—	.01	.03	2
3	.08	.25	—	—	—	—	.10	.13	—	.01	.50	—	3
4	—	.37	.07	—	.05	—	—	—	.04	—	.07	—	4
5	.06	—	.01	.10	—	—	1.50	—	—	.15	.35	—	5
6	.55	—	.17	—	—	—	.12	—	—	—	.33	—	6
7	.08	—	.03	.02	—	—	.20	.12	—	—	.04	.02	7
8	—	—	.03	—	—	—	.50	.74	—	—	.09	.11	8
9	—	—	—	—	—	—	.02	.03	—	—	.01	—	9
10	.01	—	—	.02	—	—	—	.02	—	—	.03	—	10
11	.08	—	—	—	—	—	—	.17	.05	—	—	.01	11
12	.01	.04	—	.29	—	.20	.13	.23	.40	.13	—	—	12
13	.45	—	—	.06	—	.32	.13	—	.05	—	—	—	13
14	.01	—	—	.05	—	—	—	—	.40	—	—	.32	14
15	.25	.10	—	.29	—	—	—	—	.02	—	—	.03	15
16	.43	.18	—	—	—	—	.07	.12	—	—	—	.05	16
17	.07	.04	—	—	.07	.01	.16	—	.14	—	—	.14	17
18	.25	.07	—	—	.02	.07	—	.15	.29	—	.04	.28	18
19	.01	.09	.43	—	—	—	—	.01	.07	.05	.03	.23	19
20	.02	.13	—	—	—	—	—	—	—	—	—	.19	20
21	.01	.13	.01	.18	.04	—	.09	—	—	—	—	.08	21
22	.01	.12	—	.03	.17	.08	.02	.18	—	—	.05	.11	22
23	—	.02	—	.08	.04	—	—	.05	—	—	.03	.62	23
24	.05	.03	.13	—	—	.50	.20	.15	—	—	—	.02	24
25	.11	.05	.14	.55	—	.15	—	—	.10	—	—	.01	25
26	.20	.04	.02	.06	—	.10	—	.04	—	—	.01	.28	26
27	.11	.15	.09	—	—	.09	.14	—	.50	.01	.12	.13	27
28	.04	.01	—	—	—	.07	—	.24	.23	—	.03	—	28
29	.04	X	.05	—	—	.07	.15	—	—	—	.10	.35	29
30	—	X	.10	.07	—	.01	—	.01	.20	.12	—	.35	30
31	.23	X	.05	X	—	X	.04	.61	X	—	X	.01	31
TOTAL	3.21	2.40	1.69	1.80	.58	1.68	3.61	3.00	2.79	.47	2.04	3.42	YEAR'S TOTAL 26.69
Days with .01 in. or more	16 25	9 19	10 16	8 13	6 8	6 13	6 17	6 17	5 14	3 6	12 18	10 22	188 99 142
Days with .04 in. or more	9 18	6 16	4 10	5 10	5 7	5 10	4 15	2 13	4 13	1 4	5 11	3 15	53.

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3903

REGISTER OF RAINFALL IN 1923.

4 JAN 1924.

Kept at CAE·GWYN·TREMEIRCHION
in the County of FLINT.
by Edith M Morgan.

Lat. N Long.
Time of Observation 10·AM
Nearest Railway Station 2½ Miles · Bodfari
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 534 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following. ·01

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·09	·13	—	—	—	·07	·10	·15	—	·26	·05	1
2	·06	—	·08	—	—	—	—	·01	—	·30	·04	·21	2
3	·01	—	08	—	—	—	—	—	·13	·30	·11	·10	3
4	—	·02	·03	·08	—	·08	—	—	·01	·06	·07	·04	4
5	·31	·10	—	·13	·40	·11	—	—	—	·01	·07	—	5
6	·25	·02	·06	·11	—	—	—	·30	·11	·12	·15	·02	6
7	·08	·57	·11	·02	—	—	·05	—	—	·01	·04	·04	7
8	·14	·01	—	—	·03	·02	—	·02	—	·23	·75	·13	8
9	·04	·12	—	—	·11	—	·03	·01	·05	—	·13	—	9
10	·24	·08	—	·33	·23	—	—	—	—	·06	·01	—	10
11	·02	·03	·03	·11	·18	—	—	—	·06	—	—	—	11
12	·09	·10	—	·11	·03	·16	—	·02	·04	·31	·15	·06	12
13	·05	·28	—	—	·05	—	—	—	·16	·98	·34	—	13
14	·01	·11	—	·04	·07	—	—	·03	—	·18	·05	·01	14
15	·05	—	·02	—	·18	·03	·25	—	·47	·01	·20	—	15
16	—	·03	—	—	·10	—	—	·07	·05	·01	·38	—	16
17	·06	·30	—	—	·01	—	—	·07	·43	—	·02	—	17
18	·01	·20	—	—	·04	·01	·06	·27	·14	·06	·10	·17	18
19	·09	·01	—	—	·03	—	·10	·21	·19	—	·12	·05	19
20	·01	·02	—	—	—	—	·01	·10	·20	·05	·03	·19	20
21	·01	·03	—	—	·06	·01	—	·12	·06	·12	—	·54	21
22	·05	·03	—	—	·81	—	·03	·04	—	·02	—	·23	22
23	—	·01	—	—	—	—	·11	·14	·64	·10	—	·23	23
24	—	·28	—	·04	·01	—	·07	·03	·14	·22	—	·03	24
25	—	·22	—	·07	·01	·22	·01	·07	·03	·18	—	·27	25
26	—	·13	—	—	·03	—	—	·01	—	·40	—	·17	26
27	—	·18	·04	·02	·44	—	·75	·03	·01	·66	—	·37	27
28	·06	·07	—	·02	·10	—	·39	·04	·01	·05	·05	·01	28
29	·13	X	—	·06	—	—	·40	·38	—	·10	·15	·13	29
30	·11	X	·10	·07	—	·04	·18	·10	—	—	·01	·30	30
31	·13	X	—	X	—	X	—	·17	X	—	X	·85	31
TOTAL	2·06	3·04	·68	1·21	2·92	·68	2·53	2·34	3·08	4·54	3·23	4·20	30·54 YEAR'S TOTAL 30·54
Days with ·01 in. or more	24	25	10	14	20	9	15	23	20	24	22	23	216 168
Days with ·04 in or more	18	15		11	13	5	12	15	16	19	18	19	

(*237) Wt. 10569—9158. 9,000. 8/23. T. S. 128.

FOR OFFICIAL USE. 3698

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL IN 1924.

JAN 1925

Kept at CAE·GWYN·TREMEIRCHION
in the County of FLINT.
by Edith M. Morgan.

Lat. N Long.
Time of Observation 10·AM
Nearest Railway Station BODFARI. 2½
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 534 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. '22

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	·04	—	·02	·35	·02	·50	—	—	·18	—	1
2	·02	—	·04	—	·04	·08	·01	·10	—	·09	·12	·03	2
3	—	·01	·07	—	·02	·06	·22	·17	—	—	—	—	3
4	—	·02	—	—	·02	—	·10	·05	·01	—	—	·45	4
5	—	—	·11	—	·15	·07	·04	·05	·02	·17	·06	·14	5
6	—	·04	—	—	·06	·07	·03	·10	·08	·29	—	·02	6
7	·01	·01	—	·11	·20	·03	—	—	·31	·03	—	·19	7
8	·05	—	—	·03	·07	·14	—	—	·47	·16	—	·10	8
9	·01	·04	—	·03	·08	·18	—	—	·32	·08	—	—	9
10	·03	—	—	·11	·06	·15	·09	—	·02	·21	·10	—	10
11	·11	—	—	·06	·17	·37	—	—	·06	—	·10	—	11
12	·31	·02	—	·01	·10	·03	·01	·46	·20	—	·04	·02	12
13	·06	—	—	·55	·09	—	—	·20	·10	—	—	·12	13
14	·01	·05	—	·01	—	—	—	—	—	—	—	—	14
15	·01	·10	—	—	·06	·01	·01	—	—	—	—	·16	15
16	·04	—	—	—	—	—	·03	·12	·10	·07	—	—	16
17	·04	·03	—	—	—	·28	·05	·09	—	—	—	—	17
18	·09	—	—	—	·53	—	—	—	—	·18	·04	—	18
19	·07	—	—	—	·74	—	—	·09	·06	·06	—	—	19
20	·27	·01	—	—	·02	—	·90	·34	·05	·19	—	—	20
21	·24	·02	—	·04	·03	—	·38	·10	·37	·60	—	—	21
22	·03	—	·10	·01	·04	—	—	·44	·38	—	—	·26	22
23	·01	·01	·15	·12	·12	—	·14	·50	·36	—	—	·08	23
24	—	·12	·01	·02	·12	—	·11	·08	·06	—	—	·25	24
25	—	·01	—	·04	·01	—	·14	·05	·15	·02	·13	·18	25
26	·10	—	—	·11	·06	·05	—	·21	·06	·40	·21	·11	26
27	—	·01	—	·06	·01	—	·40	·03	—	·08	·03	·12	27
28	·14	—	—	·09	—	·06	·75	·42	·05	·04	·06	—	28
29	—	·11	—	·30	—	·03	—	·07	—	·07	·05	·30	29
30	—	×	—	·23	·15	·01	·40	·06	·13	·16	—	·13	30
31	—	×	—	×	1·16	×	·19	·04	×	—	×	·07	31
TOTAL	1·66	·64	·52	1·93	4·13	1·97	4·02	4·27	4·36	2·90	1·12	2·73	YEAR'S TOTAL 30·25
Days with ·01 in. or more.	15	14	4	11	16	11	9	10	10	9	6	5	218
Days with ·04 in. or more	6	3	3	4	8	6	3	9	6	6	5	2	63

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Caergwyn Tremeirchion

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 534 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following. '07

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·01	·04	—	—	·02	—	·41	·03	—	·05	—	1
2	·10	—	—	·03	—	—	·36	·03	·12	·01	·05	—	2
3	·31	—	—	·07	—	—	—	·01	·01	·02	·08	—	3
4	—	·01	—	·13	·12	—	—	·01	·02	·01	·20	—	4
5	—	·21	—	·10	·05	—	—	·80	·37	—	·25	—	5
6	—	·10	—	·10	·06	—	·47	·03	—	·02	·64	—	6
7	—	·11	·15	—	·17	—	—	·09	·17	·01	·83	·04	7
8	—	·03	·06	·01	·09	—	·08	·01	·44	—	·15	·16	8
9	—	·60	—	—	·18	—	·13	—	·47	—	·32	·05	9
10	·04	·47	·02	·03	—	—	—	·50	·20	·04	—	·02	10
11	—	·42	—	·02	·05	—	—	—	·09	—	—	·02	11
12	—	·12	—	—	·01	—	—	·23	—	·73	—	·03	12
13	—	—	·09	·02	—	—	—	·01	—	·01	—	·08	13
14	·17	—	·01	·12	—	—	—	—	—	·06	—	—	14
15	—	—	—	—	—	—	·03	—	·06	·72	—	·06	15
16	—	·16	—	·12	—	—	·02	—	·08	·01	—	—	16
17	—	·11	—	—	·17	—	—	—	—	—	—	·05	17
18	—	·28	—	·18	·31	—	·01	—	—	—	—	—	18
19	—	—	—	—	·40	—	—	—	·34	·54	—	·50 snow	19
20	—	—	·17	—	·13	—	—	·15	·07	·07	—	·03	20
21	—	·28	·15	—	·12	—	·13	·82	·15	·10	—	·03	21
22	—	·05	—	·08	·03	—	·90	·11	·11	·31	—	—	22
23	·03	·04	·04	·06	·92	—	·01	—	·11	·40	—	·26	23
24	—	—	·03	—	—	—	—	·06	·03	·14	—	·03	24
25	—	·27	·05	—	—	—	·19	—	·22	·12	—	·40	25
26	—	·19	—	·05	·25	—	·04	·06	·05	·40	·18	—	26
27	—	·09	—	—	·09	—	·30	—	·03	·02	·04	—	27
28	·17	—	—	·05	·04	—	·27	—	—	·01	—	·13	28
29	·25	—	—	—	·03	—	·03	—	—	—	·50	·35	29
30	·09	×	—	·01	·02	—	·01	—	—	·02	·26	·01	30
31	·31	×	—	×	—	×	·41	·09	×	·01	×	·04	31
TOTAL	1·69	~~2·35~~ 3.55	·81	1·18	~~2·22~~ 3.24	·02	9·39	~~3·38~~ 3.42	3·17	3·78	3·55	2·29	YEAR'S TOTAL ~~29·44~~ 30.09
Days with ·01 in. or more.	10 ~~2~~	19 ~~6~~	11 ~~8~~	14 ~~10~~	20 ~~9~~	1	17 ~~8~~	14 ~~9~~	21 ~~10~~	23 ~~14~~	13 ~~4~~	19 ~~13~~	~~98~~ 188
Days with ·04 in, or more.	9 ~~2~~	16 ~~2~~	8 ~~4~~	11 ~~5~~	16 ~~6~~	—	11 ~~2~~	11 ~~4~~	16 ~~5~~	12 ~~3~~	13 ~~4~~	12 ~~6~~	~~49~~ 135

764

(Signed) Edith M. Morgan [P.T.O.]

Bell 15 Months

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

3723

Kept at Cae Gwyn. Tremeirchion

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 534 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	·07	·19	—	—	·22	—	—	—	·30	—	·20	·01	1
2	·03	·05	—	—	—	—	—	—	·06	—	·08	·07	2
3	·22	·01	—	·05	—	—	—	—	—	—	—	·11	3
4	—	·05	·05	—	·05	—	·06	—	·06	—	·23	·04	4
5	·02	·11	·07	—	·36	—	·18	·44	·27	·01	·18	·17	5
6	·21	·08	·04	—	·18	—	·28	—	·08	·08	·17	—	6
7	·03	·50	—	—	·03	·15	—	·05	·01	·30	·07	·04	7
8	·01	—	·05	—	·31	·08	·03	—	·34	·36	—	—	8
9	—	—	·05	—	·05	·04	·01	·66	—	·06	—	—	9
10	—	—	·01	—	·14	—	·13	·11	—	·03	·26	—	10
11	—	—	—	—	·02	·01	—	·03	—	·05	·05	—	11
12	—	—	—	—	·42	·04	—	·13	—	·35	·04	·01	12
13	—	·06	—	·14	·12	—	—	—	—	·43	·07	·07	13
14	·05	·10	—	·03	·01	·50	—	·36	·04	·01	·10	·30	14
15	—	·03	—	·17	—	·03	—	·04	—	—	·42	—	15
16	·10	·04	—	·01	—	—	—	—	—	·01	·64	·02	16
17		—	—	·02	—	·06	—	·01	—	—	·02	·10	17
18	·09	·06	—	·07	—	—	1·66	—	—	—	·27	·02	18
19	—	·01	—	·03	—	—	·31	·02	1·17	·04	·03	—	19
20	—	—	—	·17	—	—	·07	—	—	—	·16	—	20
21		—	—	·01	—	—	·18	—	—	·14	·16	—	21
22	·19	—	—	—	—	—	—	—	—	—	—	—	22
23	·25	—	—	·04	—	—	·01	—	·21	—	—	—	23
24	·20	—	—	—	·16	·05	·22	·14	·01	·34	·55	—	24
25	—	—	—	·04	·01	—	—	·01	·17	·19	·03	—	25
26	—	—	—	—	·13	—	—	—	·58	—	·01	·01	26
27	·02	—	—	·08	·04	—	—	—	·11	—	—	—	27
28	·09	—	—	—	·06	—	1·40	—	·03	·07	—	·02	28
29	·03	X	—	·02	·08	—	·09	—	—	·01	—	—	29
30	—	X	—	·01	·02	—	—	·69	—	—	—	·01	30
31	·06	X	—	X	—	X	—	·01	X	—	X	·03	31
TOTAL	1·67	1·29	·27	·89	2·41	·96	4·63	2·70	3·44	2·50	3·74	1·03	YEAR'S TOTAL
Days with ·01 in. or more.	17 14	13 11	6	15 12	19 16	9 8	14 8	14 7	15 8	17 14	21 10	16 12	25·53
Days with ·04 in. or more.	11 5	10 6	5	8 5	14 5	7 5	11 3	9 2	12 4	13 5	17 5	8 4	54

(Signed) Edith M. Morgan

+ a less than 0 hours 1·17

[P.T.O.

3705

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 192 7.

Kept at Caegwyn, Treuddyn

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 534 ft.

18th August 1·70 fell in exactly 5 hours from 10 A.M. to 3 P.M.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. —

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·07	·001	·02	—	·05	·08	·04	·15	·23	—	1
2	·10	—	·09	·02	·06	—	—	·03	—	·08	·06	—	2
3	·06	—	·05	·09	·55	·06	·00	—	—	—	·04	—	3
4	·02	—	·05	·04		·005	·31	—	—	—	·06	—	4
5	·05	—	·16	·12	·005	·59	·50	—	—	—	·20	—	5
6	—	·04	·07	·01	—	·16	—	·10	·61	—	·23	·03	6
7	·11	·05	·18	·06	—	·04	·08	·11	—	—	·06	—	7
8	·06	·01	—	·11	—	—	·13	·44	·09	—	—	—	8
9	—	—	·08	·14	—	—	·005	·07	·01	—	·05	—	9
10	—	—	—	·02	—	—	—	·10	·27	—	—	—	10
11	·04	—	—	·08	—	—	·22	·03	·03	—	—	—	11
12	·09	—	—	—	—	—	·53	·26	·09	—	—	—	12
13	·20	·01	—	·06	·03	—	—	·31	·09	·19	·10	—	13
14	·03	—	—	·07	—	—	—	—	·75	—	·30	—	14
15	·10	—	—	—	·41	—	—	·50	·42	·20	·005	—	15
16	·08	—	—	—	·09	·48	—	·05	·23	·27	·01	—	16
17	·02	—	—	—	—	·03	—	·33	·25	—	—	—	17
18	—	—	—	—	—	·77	—	1·75	·29	·04	·57		18
19	—	·05	—	—	—	—	·03	·42		·04	·32	See entry letter	19
20		·23	—	—	·08	·05	·17	·33	·42	—	·37	·62	20
21	·14	·06	·005	—	·01	—	·20	·22		·12	·09	—	21
22	·02	·06	·20	—	—	·16	·06	·02	·55	·57	·04	·03	22
23	·04	—	·13	·01	—	·41	·03	·32	·36	—	·12	·05	23
24	·43	·01	·20	·08	—	·08	·03	·36	·65	·05	·01	·40	24
25	·03	·04	·54	·12	—	·34	·09	—	·38	·13	—	·02	25
26	·11	·22	·45	·08	—	·03	·03	—	·15	·16	—	—	26
27	·02	·19	·07	·07	—	·15	·20	·11	—	·01	—	—	27
28	·14	·15	·12	·07	—	·13	—	·31	·22	·04	·47	—	28
29	·08		·001	—	—	·06	·03	·01	·16	·10	—	—	29
30	·03	—	·05	·01	·06	·18	·05	·09	·03	·15	—	—	30
31	—	—	·63	—	·33	—	·01	—	—	·02	—	—	31
TOTAL	2·00	1·12	3·14	1·24	1·64	3·71	2·75	6·34	5·09	2·32	3·33	1·15	YEAR'S TOTAL 33·83
Days with ·01 in. or more.	15 24	9 13	8 17	5 19	7 11	7 17	7 19	7 23	7 24	7 17	8 19	4 6	106
Days with ·04 in. or more.	7 17	4 10	8 17	10 14	4 9	5 15	5 13	4 20	4 20	5 15	7 17	3	66

40-12-1-27
144w)

(Signed) Edith M. Morgan [P.S.O.]

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928

Kept at Caergwyn, Treuddyn

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 534 ft.

X 4" 10 minutes .43 fell

Jan. 1" low

Nov. 2" low

Totals Corr for Arith

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.01	—	—	—	—	—	—	—	—	—	—	1
2	.06	.26	.16	.01	—	—	—	—	.01	—	.10	.08	2
3	.005	.02	—	—	—	—	.06	—	—	.02	—	.04	3
4	.01	.24	.09	—	—	.01	.34	—	.30	.16	.18	—	4
5	.28	.03	—	—	—	.04	.02	.15	.08	.09	—	.03	5
X 6	—	—	.03	—	—	X 1.35 X	—	—	—	—	—	.10	6
7	—	—	—	.08	—		—	.07	.03	.36	.2	.27	7
8	.24	.04	—	—	—	.13	.09	—	.21	.03	—	.12	8 Snow
9	.10	—	—	.13	—	.08	—	—	.07	.38	—	.02	9
10	.05	.28	—	.05	—	.02	—	.01	.05	.12	.5	—	10
11	—	.17	—	.23	—	X .51 X	—	.21	—	.12	.23	.13	11
12	.05	.19	—	.52	—		—	.07	—	.005	.2	—	12
13	—	—	—	—	.04	.64	—	.13	—	—	.3	—	13
14	.04	.21	—	—	—	.06	—	.13	—	.61	.17	.04	14
15	.01	.14	—	—	.05	.01	—	.06	—	.02	.21	—	15
16	.17	.04	—	.03	.30	.01	—	.01	.01	—	.27	.08	16
17	.15	—	.04	—	.35	.10	—	—	.06	.01	—	—	17
18	.28	—	—	.03	.04	.12	—	—	—	.13	.1	.16	18
19	.03	—	.04	—	.67	.55	—	.15	.07	.09	.27	.24	19
20	—	—	.14	—	.03	.03	—	.10	.02	.27	.9	.005	20
21	.26	.03	.23	—	.20	.10	—	X .10 X	.10	.13	.9	.14	21
22	.05	—	—	.005	—	.01	.4		—	—	.13	—	22
23	.60	—	—	—	.02	.04	.11	.30	.14	.06	.17	.07	23
24	.07	—	.02	—	—	.03	.13	.10	.07	.11	.24	.11	24
25	.17	—	—	—	—	.20	—	.06	—	.03	.02	.06	25
26	.27	—	.005	—	.15	.08	[	.28	—	.20	.38	—	26
27	.02	—	—	—	.03	.005	]	.20	.14	—	.03	.09	27
28	.15	—	.02	—	—	.12	.4	.05	.02	.03	.06	.09	28
29	.46	.10	.17	—	—	.10	.03	.30	—	.04	.07	.07	29
30	—	X	.19	—	—	—	.12	—	—	.2	.05	.29	30
31	.14	X	—	X	—	X	.15	—	X	.68	X	—	31
TOTAL	3.65 2.68	1.76 1.50	1.35	1.08	1.88	4.33	1.06	2.38	2.88	3.61 3.35	1.92 2.92	1.33 2.35	YEAR'S TOTAL 28.49 25.34
Days with .01 in. or more.	25 10	14 6	11 6	9 5	11 6	25 12	5 11	20 7	16 10	11 7	23	29 11	209
Days with .04 in. or more.	20 6	10 2	8 3	5 2	8 3	17 5	9 3	18 5	11 5	16 4	18 4	18 9	158

364

June 14 - 12.52 up to date

5 days = 1.00

2.92 2.23

40-12-1-27 144w)

(Signed)..... P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929. (1929)

Kept at Caerwys Flint

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 534 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	—	—	—	.14	—		—	.22	—	.06	1
2	—	—	—	.05	—	—	—		.02	.03	.12	.10	2
3	—	.03	—	—	.10	.15	.27		.12	.06	—	.20	3
4	—	.05	—	.18	.23	.13	.02	.04	.03	—	—	.27	4
5	—	—	—	.01	.31	.18	.29	.10	—	.27	.13	.05	5
6	.02	—	—	—	.10	.08	.44	.10	—	.47	.08	.56	6
7	—	—	—	—	.20	—	—	.03	—	.08	.26	.41	7
8	—	.22	—	—	.06	.15	.12	—	—	.21	.03	.42	8
9	.21	.23	—	.10	—	—	.02	.07	—	.14	.50	.26	9
10	.03	—	—	—	.11	—	—	.02	—	—	.07	.15	10
11	—	—	—	—	.07	—	.05	—	.30	—	.70	.01	11
12	—	—	—	—	.01	—	.15	.03	—	—	.05	.02	12
13	.08	—	—	—	.12	.42	—	.10	—	—	.23	.01	13
14	.10	—	—	—	.09	—	—	.03	—	.02	—	.06	14
15	—	—	—	—	—	—	—	—	—	.06	.43	—	15
16	—	—	—	—	—	—	—	.04	—	.12	—	—	16
17	.07	—	—	—	—	—	—	.46	—	—	—	—	17
18	—	—	—	—	—	—	—	.03	.03	.15	.03	—	18
19	—	—	—	—	—	.04	—	.10	—	.13	—	—	19
20	—	—	—	—	—	—	—	.03	.04	.18	.02	.26	20
21	—	—	—	—	—	.23	.33	—	—	.03	.14	—	21
22	—	.15	—	—	—	—	.35	.04	—	—	.07	.05	22
23	—	.04	—	—	.01	.02	—	.45	—	.46	.20	.17	23
24	—	—	—	.02	—	—	—	.13	—	.14	.24	.27	24
25	—	from hail shower	—	.21	—	—	—	—	—	.15	.18	.07	25
26	—		—	.12	—	—	—	—	—	.16	.08	—	26
27	.23	—	—	.06	—	—	.01	.03	—	.16	.01	.20	27
28	.29	—	—	.07	—	—	.33	.02	.80	.60	.44	.25	28
29	.03	—	—	—	—	—	.01	—	.05	.05	.07	.26	29
30	—	×	—	—	—	—	.03	—	.86	—	.29	.05	30
31	.05	×	.01	×	—	×	.42	—	×	—	×	.03	31
TOTAL	1.12	.73	.01	.77	1.30	1.54	2.79	2.27	2.25	3.38	4.37	4.08	YEAR'S TOTAL 24.96
Days with .01 in. or more.	6	3	1	4	5	3	5	12	4	2	8	4	164
Days with .04 in. or more.	3	1	0	2	3	2	1	3	1	4	4	1	126

40-9999

(Signed) ..... P.F.O.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Cae Gwyn

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 534 ft.

Year 5" low
Letter (S) Never
no low values
Mno. E. Tobin Mowat
bac
Hemerchion
Asaph

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.14	—		—	—	—	.14	—	—	.50	—	1
2	.08	.03	—	—	—	—	.02	.25	—	—	.48	—	2
3	.22	—	.09	.40	—	—	.04	.60	—	.55	.12	—	3
4	.16	—	.10		—	—	—	.05	—	.07	—	—	4
5	.12	—	.24	.01	.46	—	—	.28	—	.25	—	—	5
6	—	—	.17	—	—	—	—	.03	.16	.17	—	.05	6
7	.04	—	—	.10	—	—	.11	—	.04	.13	.30	.27	7
8	.20	—	—	.25	—	—	—	—	.19	.28	—	.13	8
9	.26	—	.47	(.50)	.25	.19	—	.19	.02	—	—	.23	9
10	.36	—	.13	—	.33	.04	.03	.32	—	—	—	.29	10
11	.02	—	.10	.15	.07	.02	—	.32	.22	.11	.05	.18	11
12	.11	—	.01	.06	.06	.005	—	.17	.005	—	—	.28	12
13	.24	—	.32 Snow	.48	—	—	.38	.11	.54	—	—	—	13
14	.37	—	.05	.01	—	—	.10	—	.005	—	.08	.19	14
15	—	Snow .15	.36	—	—	—	.13	.04	—	.10	.06	.18	15
16	—	—	.06	—	—	—	.04	—	—	.06	—	.12	16
17	.04	—	.05 Snow	.01	.04	—	.14	.19	.06	.08	—	—	17
18	—	—	.03	.02	—	.27	.39	.05	.50	.04	.35	—	18
19	.02	—	.27	—	.09	.10	—	—	—	.05	.05	—	19
20	—	—	.13	.10	.005	.01	.81	.30	.45	.03	.04	—	20
21	.01	—	.005	—	.005	—	—	.19	—	.20	.25	—	21
22	—	—	—	—	—	.30	.17	.08	.08	.33	.45	—	22
23	.01	—	—	.18	.03	.40	.12	—	.03	.08	.15	.12	23
24	—	—	—	.40	—	—	—	—	—	.50	.29	—	24
25	.16	.03	—	.10	—	—	—	—	.18	.20	.08	.03	25
26	1.11	—	—	.005	—	.01	—	—	—	.02		.18	26
27	—	—		.03	.01	—	—	—	—	—	—	—	27
28	.01	—	.25	—	—	—	.02	—	—	.06	—	.55	28
29	—	—	—	—	—	—	.14	.17	—	.05	—	.09	29
30	—	×	—	—	—	—	.03	.10	—	.11	—	.59	30 31.92
31	.32	×	—	×	1.35	×	—	.09	×	.18	×	.04	31
TOTAL	8.88 287	3.35 35	2.63	3.02 307	1.35 114	1.34 139	257	367	2.48 257	3.68 345	325		YEAR'S TOTAL
Days with .01 in. or more.	21	4	17	18	10	9	16	20	13	23	15	17	183
Days with .04 in. or more.	15	2	15	14	7	6	12	19	10	21	15	16	150

40-9999

(Signed) Edith M. Morgan P.M.O.

3764

FORM A2.
BRITISH RAINFALL.

4 JAN 192

BODFARI.
NANTLYS
FLINTSHIRE
1921 – 22, 25 – 1930

RE

Kept at Nantl

in the County of Fl

by D. T. Peu

in.

and 1 ft. 4 in.

Level 178 ft.

A. H. Bodfari.

tance 1½ ms Direction S.E.

IMPORTANT NOTE

previous day. If an Obs

requested to add the readi

for it at the end of this

the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

e result entered to the

al rule, he is earnestly

in the space provided

t of rain,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	51	3	47					33	3		7		1
2	26				12			45		40	56		2
3	1				1	1				90	28		3
4	2			1				16		13	10		4
5				5	3			19			24		5
6					2			1		40	32	18	6
7	29							35			35s		7
8	2				2								8
9				6					7				9
10	10							35	5				10
11	9		6		10			16	24	18		15	11
12	63					3		14	28				12
13	4		38	44				3	8	26			13
14			7	16	12		4	3			4	30	14
15			14	6			31				2	1	15
16	22			11	3		7	9			1	2	16
17	23			2				4					17
18	6												18
19	1					14				10	1	5	19
20				11		4	2	2					20
21	2									5	19		21
22						2	25			38	1	11	22
23				14			7					32	23
24		6					3					65	24
25	11		2			3	7	9				1	25
26	2			3	17	12						22	26
27	1				16			3				35	27
28			20s		27		41	45				4	28
29	3				1		7	2				5	29
30	7				6							40	30
31	1·15				6		5	4		10			31
Total	3·90	·09	1·34	1·19	1·18	·39	1·39	2·98	·75	2·90	2·20	2·86	TOTAL for year
No. of Rain Days.	21	2	7	11	14	7	11	19	6	10	13	15	136
0·1 or more.	13	1	6	8	8	3	9	13	5	10	9	12	97
0·4 or more.													

W. 8,000, X. '11.

3764

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 19[illegible]

4 JAN 192[illegible]

Kept at Nantlys

in the County of Flint

by D. T. Pennant

RAIN GAUGE: Pattern ____ Diameter of top 5 in. Height of top above Ground 1 ft. 4 in. " " " Sea Level 178 ft.

Time of Observation 9. 0 A.M.

Nearest Railway Station: Name Bodfari Distance 1½ ms Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	51	3	47					33	3		7		1
2	26				12			45		40	56		2
3	1				1	1				90	28		3
4	2			1				16		13	10		4
5				5	3			19			24		5
6					2			1		40	32	18	6
7	29							35			35[s]		7
8	2				2								8
9				6					7				9
10	10							35	5				10
11	9		6		10			16	24	18		15	11
12	63					3		14	28				12
13	4		38	44				3	8	26			13
14			7	16	12		4	3			4	30	14
15			14	6			31				2	1	15
16	22			11	3		7	9			1	2	16
17	23			2				4					17
18	6												18
19	1					14				10	1	5	19
20				11		4	2	2					20
21	2									5	19		21
22						2	25			38	1	11	22
23				14			7					32	23
24		6					3					65	24
25	11		2			3	7	9				1	25
26	2			3	17	12						22	26
27	1				16			3				35	27
28			20[s]		27		41	45				4	28
29	3				1		7	2				5	29
30	7				6							40	30
31	1·15				6		5	4		10			31
Total	3·90	·09	1·34	1·19	1·18	·39	1·39	2·98	·75	2·90	2·29	2·86	TOTAL for year
No. of Rain Days. 0·01 or more	21	2	7	11	14	7	11	19	6	10	13	15	136
0·4 or more.	13	1	6	8	8	3	9	13	5	10	9	12	97

W. 8,000, X. '11.

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1922

Kept at Nantlys
in the County of Flint
by D. F. Pennant

Lat. 53·14′ Long. 32·22′
Time of Observation 9 A.M.
Nearest Railway Station Bodfari
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 178 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	8	31		12		9		26		4		1
2	6	43	1		4		2			4			2
3	15	21			1		9	14			43	10	3
4		425			7								4
5	31		17	40			1·39			11	42		5
6	43		32				12				25		6
7	6		3	9			12	4				4	7
8	1						54	62	2		3	8	8
9	6					2	3	4					9
10													10
11	14							22	3		5		11
12				38		19	13	21	39	16			12
13	49			22		27	7		2				13
14	1			9					1			37	14
15	40	15		27			5	12	15				15
16	52	14			1	2	5		16			8	16
17		5			2				23			11	17
18	27	3			2			2				31	18
19	5	8	45			4				5	4	22	19
20		18									3	28	20
21	2	17		15	3		9		2			15	21
22		10			17	10		22			4	19	22
23		2		10		1	1				2	64	23
24	2	4	23			51	18	17				3	24
25	5	4		50		15		1	11			2	25
26	22		13	7		3	9	2			2	27	26
27	7	27	12			6			40	4	9	13	27
28	3	1		2		7		19	25			1	28
29	5					7	7					27	29
30	1		23	11			8	1	16	7	11	34	30
31	23		6					67		33			31
TOTAL	3·72	2·42	2·06 2·56	2·40	·49	1·54	3·22	2·70	2·56	·80	1·57	3·62	YEAR'S TOTAL 27·10
Days with ·01 in. or more	24	17	11	12	9	13	18	15	16	7	13	19	174
Days with ·01 in. or more	18	14	9	11	4	9	15	11	10	7	9	16	133

(65,296). Wt. 21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

Section **A** for the entry of Daily Observations. Not read daily. W ✓ ✓ wa Corr. for aitch.

FOR OFFICIAL USE.

3726

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1925.

Dr July

Kept at Nantlys

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level 178 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	35		3					35	5		4		1
2	12			13			12	5	8	3	6		2
3	34						1	1	8	7	8		3
4	2	2		20	10					2	23		4
5		21		10	6			66	53		41		5
6				10	6		54	5	1		45		6
7		10	20		24			7	13		66	6	7
8	4	6	12		4		11	20	81		3	11	8
9		60			23		8		21		42	4	9
10		51	2		2			27	12			13	10
11		48			4							3	11
12		21						10		47		Sn 7	12
13						1		27		22			13
14	6			15						5		Sn 2	14
15							35		5	64		6	15
16		18		18			2			1		1	16
17		9 (09)		1	32				8	2			17
18		25		20	6								18
19					40				32	64		2	19
20			12		13			15	12	4		Sn 3	20
21		33	28 snow		10		12	1·03	16	16			21
22				11			84	9	18	36		46	22
23	4		4	5	75				36	40		25	23
24	1	4	✓	6			16	4	23	13	26		24
25		13	18 ✗				5		16	12		37	25
26				[redacted]3	23		45	4		41	13		26
27					14					16			27
28	18				4		22			2			28
29	32				4						48	63	29
30	6	✗		2	2		2			2	21	4	30
31	29	✗		✗		✗	30	20	✗	1	✗	4	31
TOTAL	1·83	~~3·34~~ 3·21	2·99	~~1·44~~ 1·34	3·05	·01	3·09	3·58	3·68	4·00	3·46	~~2·27~~ 2·37	TOTAL ~~30·61~~ 30·75
Days with ·01 in. or more.	~~12~~ 11	14	8	13	19	1	15	16	18	21	13	17	167
Days with ·04 in. or more.	10	13	6	~~10~~ 11	17	0	12	15	17	14	12	13	139

777

(Signed) D. F. Pennant [P.T.O.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. 3722

REGISTER OF RAINFALL IN 1926.

Kept at Nantlys - Mr Leach

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" Ground " Sea Level 178 ft.

Circ & sent 2/5
Fel & May
Corr by Observer
f766008/27 Enc. 1A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13				34				34		24	20	1
2	22	20				1							2
3	19	3	15				1		14				3
4							6						4
5		12			43		23	33			61		5
6	18	137	13		10		63		4	8	21	35	6
7	12				8	12			2	40	6	4	7
8					21	8	4	3	38	36			8
9			19		05	3		60			2		9
10					14		9	8		2	22		10
11						2	9	4	1	10	26		11
12		08			60			5			5		12
13		5			10	3		39		40		7	13
14	5s				4	54			2	40		42	14
15		10		5		1		4		5	52		15
16	12s			6		3				5	68	2	16
17				9		9		1			1		17
18	11	10		2			1:59				24	14	18
19							4 5	4	120	4	2		19
20				19			11				23	2	20
21				1			12			8	15		21
22		2											22
23	28							19	25				23
24	20				15	11	18		6	41	3		24
25				10	2				10	26	7		25
26					13				40				26
27	10				2		9		15				27
28	9				12		1·48		4	5	1		28
29	16				3		11					4	29
30		X			4			76					30
31	11	X		X		X		4	X		X	2	31
TOTAL	2·06	78	47	51	2·60	1·07	5·19	2·60	3·54	2·70	3·57	1·32	YEAR'S TOTAL 26·45
Days with 01 in. or more.	14	8	3	6	17	11	14	13	14	14	18	10	142
Days with 04 in. or more.	14	5	3	5	14	5	13	11	11	13	13	7	115

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) D. T. Pennant [P.T.O.

3704

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Nantlys

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 178 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						5			4	25	15		1
2	12		19	2	9					10	26		2
3	11		8	4	16		4						3
4	3		8	4	51	50							4
5		5	21			30	65				20		5
6			20	12			13	3	92		23		6
7		11		3		5	7	12					7
8				10		4		33	10		3		8
9	18		20	15				7					9
10				9				5	19				10
11				6		15			9		7		11
12	15					48		30	10		7		12
13	30				2			41	7	18	12		13
14								5	74		29	2	14
15	5			6	44			40	38	17			15
16					3		46	4	19				16
17							1	40		3			17
18							92	126			63		18
19		5					2	41		5	26		19
20		21			5	14	6	50			35	14	20
21	17	7	2			13		17	71	10	10	40	21
22		4	20	6		11	13		44	54	3	4	22
23	4		14	3			46	66	84		13	14	23
24	42		23			14	40		80	3		28	24
25	4		66	11		5	51		48	7			25
26	17	25	66	6		25	5		12	25			26
27	8	7	3				9	11					27
28	16	37	10	13			11	31	16	10	53		28
29			6			2	8		14	14			29
30		X	4	2	5		8	5		6	1		30
31		X	74	X	32	X			X	1	X		31
TOTAL	2·04	1·22	3·85	1·12	1·57	2·41	4·17	5·66	6·42	2·08	3·39	1·02	YEAR'S TOTAL 34·95
Days with ·01 in. or more.	14	9	17	16	9	14	18	19	17	15	16	6	170
Days with ·04 in. or more.	13	9	15	12	7	13	16	18	17	12	13	5	150

JULY JUNE.

40-12-1-27
144w)

(Signed) D. T. Pennant [P.T.O.

3783

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 192 8.

Kept at Nautley *in the County of* Kent

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
„ Ground „ Sea Level 178 ft.

Lat: 53° 13'
Long: 3° 22

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	28	4					16				4		1
2	1	40	17								10		2
3	6			6									3
4	10	30	5				23		~~70~~	16	15		4
5	22		4			5			30	5		15	5
6						45		14	6				6
7	8			5		96		11		38	1	16	7
8		5				8	13		22				8
9	15					18			6	6			9
10	5	45		5		2			4	33	11	48	10
11	2	17		24		2		8		18	27		11
12		22		63		44		20			4		12
13		23			5	54		20			7		13
14	6					3		18	2	48	30		14
15	22				5			20		3	27	3	15
16		8			28					2	34	8	16
17	13				21	6							17
18	20				9	30			14	19	10	17	18
19			4		60	30		14	6	19	30	20	19
20			12		17	14		10		33	14		20
21		2	16		5~~6~~		4	5	14	18			21
22							9	25			30	7	22
23	45		1	23	3	6		9	24		20		23
24	28		3					13	90		31	22	24
25	29					22	9			33		5	25
26	26				21	15		12			65		26
27	2		1					39	12			7	27
28	14		6			15	8	5	2	21	10	25	28
29	51	9	22					29			7	9	29
30	4	×	22				14			10	5	3	30
31	5	×	7	×		×	14		×	50	×		31
TOTAL	3·72	2·05	1·20	1·26	1·74	4·15	1·00	2·92	2·41	3·72	3·91	2·15	YEAR'S TOTAL 30·24
Days with ·01 in. or more.	22	11	13	6	10	18	9	17	13	17	21	14	171
Days with ·04 in. or more.	19	10	10	6	9	15	9	17	11	15	20	12	153

40-9999

(Signed) D. F. Pennant [P.T.O.

Section **A** for the entry of Daily Observations. Coord for Antis. FOR OFFICIAL USE. 3859

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Nantlys Flint

in the County of

Latitude 53·13

Longitude 3·22

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 178 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						17		7		19		10	1
2		12						9		8	6	13	2
3			3			24	24	35	17	1	8	19	3
4		4		21	28		4	4		11	4	33	4
5	25				26	21	37	14		29	16	10	5
6					7	13	35	5		37	12	70	6
7		8		12	20					9	27	43	7
8		15			5	7		4		38	31	20	8
9	20	28			10		12	6		1	56	26	9
10	2									12	7	20	10
11		55					4	6		4	1·03	4	11
12						33	17		32		2	3	12
13					15	4		15			20		13
14	15				11	9			4		29	7	14
15	4					3					26		15
16								20	[illegible]	6	1		16
17	8							32	[illegible]	14			17
18	1								3	22	5		18
19						4		7	7	5	16		19
20								5	[illegible]	32	9	35	20
21		19					32	4	3	5			21
22						7	29	6			11	10	22
23		3			1	9		26		42	22	21	23
24						3		34			19	27	24
25		55		2						24	33	10	25
26				21						18	9	3	26
27	25			14				4		24	2	17	27
28	19			5			40		87	20	41	23	28
29	3			6					3	14	16	31	29
30		×					5		44		21	5	30
31		×		×		×	47		×		×	6	31
TOTAL	·99	·99	·03	·81	1·23	1·54	2·86	2·43	1·97	3·95	5·24	4·66	26·70
Days with ·01 in. or more.	10	9	1	7	9	13	12	19	10	23	27	24	154
Days with ·04 in. or more.	7	8	0	6	8	11	12	19	5	21	23	22	142

26·70

Annual

40-9999

(*Signed*) .....

P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE. 3952

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Nantlys

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 178 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1			21			3	6			84		1
2	14	13		6			2	4			67		2
3	10	4	3	40			4	20		55	15		3
4	22		15	59	6		11	52	1	9	3		4
5	18		30	1	34			21		39			5
6	1							4	15	22		9	6
7	4						2			15	31	29	7
8	27			38	2			3	17	38		17	8
9	9		46	48	32						2	10	9
10	86		19			17		30				31	10
11	25		9			4	2	55	30	8	5	17	11
12	16				13	3		22	1			38	12
13	30		33	33		1	37	18	30			2	13
14	41	11	52S				21				6	12	14
15		12	28S				12	6	1		14	17	15
16			2				38		23	28		18	16
17			5		4		42	25	35			1	17
18			30S	3		32	5	12	2	4	44		18
19			1S	6	1	8			24	6	14		19
20	1		12	5	8		1·02	59	33	6	10		20
21			26			5	3	19		25	30		21
22	6		1				38	9	8	39	55		22
23					5	18		6	4	8	23	12	23
24	13			60		50				47	34	1	24
25				10					33	39	14		25
26				3				5				16	26
27													27
28			10				10			11		74	28
29							15	20		8		15	29
30	1	×			1		5	9		9		53	30
31	43	×	2	×		×		1	×	19	×	24	31
TOTAL	4·80	40	3·34	3·33	1·06	1·38	3·42	4·06	2·56	4·35	4·51	4·05	YEAR'S TOTAL 37·26
*Days with ·01 in. or more.	19	4	18	14	10	9	18	22	15	20	17	19	185
*Days with ·04 in. or more.	14	4	13	11	7	8	13	20	11	20	15	16	152

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ..... [P.T.O.

ection A for the e

FOR OFFICIAL USE.

FORM 1090. METEO ANIZATION. 3719

Kept at Bu

in the County of Fl

ted to read the instructions ing in this form.

Diameter of Funnel of G

Height of top of Gauge al

" Ground

hould fill in section C

12271.

BUCKLEY.

HAWARDEN. W.W.

1925 — 28, 1929

THE MORNIN OUS DAY.

An observer who does n nuary 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1				...						0.61			1
2									0.10				2
3						0.01							3
4		0.01	0.08								0.44		4
5								0.49					5
6	1.33				0.22								6
7										0.07			7
8				0.90			0.39						8
9									1.45			0.50	9
10						0.05					1.53		10
11		2.05	0.22										11
12								1.03					12
13					0.49								13
14	0.20												14
15				...			0.07		0.52	0.52			15
16									0.09			0.21	16
17						0.03							17
18		...	0.18								0.56		18
19								0.71					19
20													20
21	...												21
22				0.69			1.00			1.82			22
23									1.06			0.88	23
24						0.05							24
25			0.48								0.26		25
26		0.83						0.75					26
27					1.12								27
28	0.19	0.58											28
29													29
30		X		0.48		0.03	0.69		...	1.12	1.00	1.17	30
31	0.76	X	0.14	X	0.39	X	0.03	0.14	X	0.05	X	0.14	31
TOTAL	2.48	3.42	1.05	2.02	2.22	0.17	2.18	3.12	~~3.70~~ 2.70	4.19	3.79	~~2.91~~ 2.90	YEAR'S TOTAL ~~31.25~~ 30.24
Days with .01 in. or more.													
Days with .04 in. or more.													

768

(Signed) William Simmons

[P.T.O.

ection A for the e

FOR OFFICIAL USE.

FORM 1090. METEO ANIZATION. 3719

Register of Rainfall in 1925.

Kept at Burnley.

in the County of Yorkshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1				...						0.61			1
2									0.10				2
3						0.01							3
4		0.01	0.08								0.44		4
5								0.49					5
6	1.33				0.22								6
7										0.07			7
8				0.90			0.39						8
9									1.45			0.50	9
10						0.05					1.53		10
11		2.05	0.22										11
12								1.03					12
13					0.49								13
14	0.20												14
15				...			0.07		0.52	0.52			15
16									0.09			0.21	16
17						0.03							17
18		...	0.18								0.56		18
19								0.71					19
20													20
21	...												21
22				0.69			1.00			1.82			22
23									1.06			0.88	23
24						0.05							24
25			0.48								0.26		25
26		0.83						0.75					26
27					1.12								27
28	0.19	0.58											28
29													29
30		X		0.48		0.03	0.69		...	1.62	1.00	1.17	30
31	0.76	X	0.14	X	0.39	X	0.03	0.14	X	0.05	X	0.14	31
TOTAL	2.48	3.42	1.05	2.02	2.22	0.17	2.18	3.12	~~3.70~~ 2.70	4.19	3.79	~~2.91~~ 2.90	YEAR'S TOTAL ~~31.25~~ 30.24
Days with .01 in. or more.													
Days with .04 in. or more.													

768

(Signed) William Simmons

[P.T.O.

Section [A] for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

3714

Kept at Whitby

in the County of Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												0.11	1
2						0.40							2
3		0.25	0.33								0.66		3
4								---					4
5					1.05								5
6	1.29						1.05			0.16			6
7				0.03									7
8									0.97			0.47	8
9						0.59							9
10		1.05	0.53										10
11					1.20			1.50			1.31		11
12													12
13	0.03												13
14										1.54		0.16	14
15				0.19			0.09						15
16						0.50			0.11				16
17		0.43	0.03								1.95		17
18					0.53			0.57					18
19													19
20	0.60									0.11			20
21													21
22				0.39			2.45		0.91			0.18	22
23		0.38	0.02			0.4							23
24											0.70		24
25								0.20					25
26					0.13								26
27	0.82									0.48			27
28		0.03		0.32									28
29									0.88				29
30		X		0.09		0.05	0.17		0.85		0.17		30
31	0.75	X	0.02	X	0.27	X		0.61	X	0.10	X	0.40	31
TOTAL	3.49	2.14	0.93	1.02	3.28	1.80	3.76	2.88	2.39	4.79	1.07		YEAR'S TOTAL 30.42
Days with '01 in. or more.													30.42
Days with '04 in. or more.													

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) [signature]

[P.T.O.

Section A for the entry of Daily Observations.

3697

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Ruthin

in the County of Flints.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						0.05							1
2		0.01	0.58										2
3								.18					3
4					0.38								4
5	0.48			0.26						0.26			5
6													6
7							0.87		0.40			0.02	7
8						1.22							8
9		0.27	0.77								0.72		9
10								.67					10
11				1.22	...								11
12	38									001			12
13							0.40						13
14												0.12	14
15									0.82				15
16		0.04	0.05			...					0.80		16
17								1.22					17
18					0.66								18
19										0.48			19
20	45						0.46						20
21				0.06								...	21
22						1.48			1.88				22
23			0.42								0.55		23
24								3.26					24
25		0.39			0.05								25
26	1.88									1.55			26
27				0.39			1.66						27
28		0.85							0.45			0.80	28
29						1.36							29
30		X	0.60	0.08		0.47			1.29		0.50		30
31	0.56	X	0.65	X	0.37	X	...	0.50	X	0.39	X	0.05	31
TOTAL	3.20	1.56	3.02	2.01	1.46	4.58	3.39	5.83	4.29	2.69	2.07	0.99	YEAR'S TOTAL 35.09
Days with .01 in. or more.													
Days with .04 in. or more.													

40-12-1-27

144w)

(Signed) L Symons

[P.T.O.

HAWARDEN & DISTRICT WATERWORKS C[illegible]

3774

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 192 .

Kept at Buckley

in the County of Flints

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.08	-					0.03			0.88		1
2													2
3													3
4	0.44			0.20			0.23						4
5									0.27			0.08	5
6						0.24							6
7											0.15		7
8		0.81						0.29					8
9					. . .								9
10										1.03			10
11	0.66			0.54									11
12							0.30		0.42			0.86	12
13						2.15							13
14			0.11								1.12		14
15		1.43						1.50		0.69			15
16													16
17													17
18	0.84			0.46	.36		0.05						18
19												0.45	19
20						0.23							20
21			0.74								1.48		21
22		0.18						0.33					22
23													23
24					1.85					1.05			24
25	1.34			0.22			0.17						25
26												0.53	26
27									1.03				27
28			0.14								2.18		28
29		0.32						0.05					29
30		X		0.02	.15	0.49					0.20		30
31	1.15	X		X		X	6.37		X	0.88	X	0.73	31
TOTAL	4.43	2.82	0.99	1.44	2.36	3.11	1.12	2.20	1.72	3.65	6.01	2.65	YEAR'S TOTAL 32.50
Days with .01 in. or more.													
Days with .04 in. or more.													

40-12-1-27
144w)

(Signed) W. Simmons
Engineer &c.

[P.T.O.

Section A for the entry of Daily Observations. FOR OFFICIAL USE. 3942

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at BUCKLEY.

in the County of Flintshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										0.05			1
2	...			.45			0.02						2
3									0.05				3
4						0.01							4
5		0.20	0.30								1.06		5
6								1.48					6
7					0.66								7
8	1.10									1.53			8
9				1.88			0.05						9
10									0.52			0.95	10
11						0.21							11
12			0.88								0.45		12
13													13
14	1.95				.77			1.12					14
15										0.41			15
16				0.13			0.70						16
17									1.53			1.00	17
18						2.22							18
19		0.43	1.42								0.70		19
20													20
21					0.07			.75					21
22	0.13									0.72			22
23				0.21			3.18						23
24						0.33			1.64			0.04	24
25													25
26		0.09	0.54								1.85		26
27													27
28		...			0.14			.32					28
29	0.98	...								1.86			29
30		×		0.59		0.02	0.37		0.64		0.05		30
31	0.39	×	0.19	×	0.01	×	0.05	0.39	×	0.28	×	2.09	31
TOTAL	4.55	0.72	3.33	3.26	1.65	2.79	4.37	4.06	4.38	4.85	4.11	4.08	YEAR'S TOTAL 42.15
*Days with .01 in. or more.													
*Days with .04 in. or more.													

40-9999

(Signed) W. Simmons

*See Instruction 2 (*f*) on other side. [P.T.O.

Section [A] for the entry

AIR MINI

FORM 1090. REC

FOR OFFICIAL USE.

L ORGANIZATION. 3718

1926.

CILCAIN

CILCEN. HALL

FLINTSHIRE

1926 — 1930

Kept at Cilcen H

in the County of Fl

Diameter of Funnel of Gauge

Height of top of Gauge above

„ Ground „

THE MORNING **VIOUS DAY.**

An observer who does not c *1st of the following year in the space on the righ*

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	20			34								1
2	19	2				2			38				2
3	34½	2	9	6½							14	8	3
4			2		4		5		14		43		4
5	4	16	7		60		19	44	30			5	5
6	36	22	2		18		96		7	10			6
7		70	½		18				6	57	34	4	7
8		6	5	3	28	16	1	2½	52	32	2		8
9	2		3		5	10	1	68	7				9
10					22	3	10	6		1	63		10
11	2		1		2			11		3	3		11
12					43			14		34	6½		12
13	2½				15	6				9	8	6	13
14	6	6½		11	28	38		41	4	5	3½		14
15		26½		18		8		4			4	14	15
16	16	5		4	2			8	1	3	80		16
17		7		3		4		3			5	9	17
18	21	9		13			246		1		35		18
19			7	2			33		79	7	9½	1	19
20				4		1½					19		20
21	1	½					25				16	2	21
22	28	5							15				22
23						4½			38				23
24				4	15		15	14		39	3		24
25				5	½		4	2		1			25
26					5		4		6				26
27	18	½		1	5		95				3	3	27
28	11			10	8		9						28
29				18	1								29
30	9	X	1½	3	8		67		3	10	10		30
31		X	4	X		X	3		X		X	2	31
TOTAL	220½	197	42	105½	321½	93	633	217½	301	216	361½	54	YEAR'S TOTAL 2762
Days with '01 in. or more.	16	14	11	15	19	10	16	12	15	13	19	10	170
Days with '04 in. or more.	12	11	5	10	16	7	13	9	12	9	14	6	124

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) W. B. Yates C.B.E. [P.T.O.

Section A for the entry

FOR OFFICIAL USE.

3718

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Eilean Hall Mold

in the County of Flints

Diameter of Funnel of Gauge 5 1/4 in.

Height of top of Gauge above Ground ft. 7 in.

" Ground " Sea Level 680 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	20			34								1
2	19	2				2			38				2
3	34½	2	9	6½							14	8	3
4			2		4		5		14		43		4
5	4	16	7		60		19	44	30			5	5
6	36	22	2		18		96		7	10			6
7		70	½		18				6	57	34	4	7
8		6	5	3	28	16	1	2½	52	32	2		8
9	2		3		5	10	1	68	7				9
10					22	3	10	6		1	63		10
11	2		1		2			11		3	3		11
12					43			14		39	6½		12
13	2½				15	6				9	8	6	13
14	6	6½		11	28	38		41	4	5	3½		14
15		26½		18		8		4			4	14	15
16	16	5		4	2			8	1	3	80		16
17		7		3		4		3			5	9	17
18	21	9		13			246		1		35		18
19			7	2			33		79	7	9½	1	19
20				4		1½					19		20
21	1	½					25				16	2	21
22	28	5							15				22
23						41½			38				23
24				4	15		15	14		39	3		24
25				5	½		4	2		1			25
26					5		4		6				26
27	18	½		1	5		95				3	3	27
28	11			10	8		9						28
29				18	1								29
30	9	X	1½	3	8		67		3	10	10		30
31		X	4	X		X	3		X		X	2	31
TOTAL	270½	197	42	105½	321½	93	633	217½	301	216	361½	54	YEAR'S TOTAL 27.62
Days with .01 in. or more.	16	14	11	15	19	10	16	12	15	13	19	10	170
Days with .04 in. or more.	12	11	5	10	16	7	13	9	12	9	14	6	124

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) W. B. Yates C.B.E.

[P.T.O.

3700

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Cilcen Hall Mold

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ..... ft.

dapp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	3				13			9	40	38	2½	1
2	21			7				1		6½	18½		2
3	3	2½		9	18	5	2						3
4	6		3	7	41	1					4		4
5	3	3	9	8		88	40				9		5
6			11			4	9	16	53		4½		6
7	17	7	23	4		7			2		2		7
8			4	34			7	25		1			8
9	4		16	41					5		9	2	9
10			15	10		1		56	22				10
11			½	10			72	2	6				11
12							10	52	8				12
13	22½			3				22	4	14	21		13
14				7	3			25	70		28		14
15					62			27	30	16	4		15
16	7				5	60		29	25	2	7		16
17	2					3		37	27	2			17
18						104		191	3	4	87		18
19		5			8	3	2	33	1	7	67		19
20	18½	12				4	10	36	6		62	11	20
21	3	18	2			1	13	39	67	15	12		21
22	4	8	15	2		16	7	13	19	67	10		22
23		4½	16	9		38	4	2	30		30		23
24	65		41			14		33	42			8½	24
25	6		77	9		68	6		47			23	25
26	24	36	58	3		4	19		13	37			26
27		39	5	5		12	66	10					27
28	17½	26	10			2	4	36	2		57		28
29	8½		6			7				13			29
30		×	3	6	10	31	2	15	7	9	2½		30
31		×	93	×	30	×			×	1	×		31
TOTAL	234	164	407½	160	177	486	273	700	498	294	515½	119½	YEAR'S TOTAL 40·37
Days with ·01 in. or more.	18	12	18	17	8	22	16	21	23	15	19	5	40·36½
Days with ·04 in. or more.	13	9	15	13	7	16	13	18	18	10	15	3	194 150

40-12-1-27
144w)

(Signed) W. Dyatt [P.T.O.]

Section A for the entry of Daily Observations.

3778

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

copy made and sent to observer, Forest about 20th correction see file 885801/28

Kept at Cilcen Hall

in the County of Flints

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground 6 in. ft. in.

" Ground " Sea Level 850 ft. ft.

Feb. 1 flow days

Dec 1 for a year

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2.8	1		2			2	½		2		7	1
2	2	9	24								11	6½	2
3	8	4	2						2	1½	10	2	3
4	6	23	3	4			27			16			4
5	10	3		1		13	12		30	10	3	8	5
6			1	13		13		19	30			20	6
7	3½					55		22½	9	17			7
8		1				40	4		14			3	8
9	1½	1½				9			5	10	7		9
10	2	13		14	2	2			9	8½	3	3	10
11		5	5	31				31		12	26	25	11
12	3½	26		39		47		25			7		12
13		1		10	5	65		23		80	13		13
14	9½	21			8	17		15	3		24	5	14
15	11	9		2	23			30		9	13	4	15
16	1	3				3				8	45	5	16
17	20			1	24	7½			6		1		17
18	33			4	21	15				16	5	5	18
19	1		7		25	41		8	6	17	21	4	19
20	30		9		56	7		4	1	26	14	7	20
21			11	5½	7	8			12	17	11	5	21
22			4	3			2½	24½					22
23	47				6	3	5	13	18	7	5	5	23
24	3		7	30	18	2	9	20	86	9	30	7	24
25	12	1				16		2		6	11	3	25
26			3		7½	15	1	35	½	9	39	23	26
27	9½				5			12	17		23	8	27
28	9		6			6	6	8		7	5	10	28
29	47	22	15			22	1	11		9	8	30	29
30	5	×	17	14		6	10			5	11	12	30
31	6	×	3	×		×	10		×	27	×	5	31
TOTAL	3.06 306½	1.43 143	1.17 117	1.74 173½	2.57 257½	4.13 412½	.89 89½	3.04 304½	2.18 218½	4.05 393½	3.46 346	1.92 192	YEAR'S TOTAL
Days with .01 in. or more.	20	16	15	15	13	22	12	18 17	14 18	23	24	24	220
Days with .04 in. or more.	17	9	10	10	12	18	8	16	11	21	21	19	172

306 449½ 566 640 897½ 1310 1399½ 1708 1981½ 2335 2661 2853

(Signed) W B Yates

40-[illegible]-1-27

144w)

[P.T.O.

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.** 3854

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Eilcen Hall. Mold

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 650 ft.

clamp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.6			.3	.17			.10	.13		.5	1
2	.01	.5	.1		.6			.10		.4	.7	.10	2
3		.3			.1	.13	.23	.9		.1	.2	.20	3
4				.19	.30		.9	.25	.5	.3	.4	.32	4
5		.2			.45	.35	.29	.12		.53	.41	.3	5
6	.02				.11	.9	.23	.8		.44	.14	.63	6
7	.03				.24	.2		.1		.17	.30	.13	7
8		.30		.11	.8	.35		.3		.28	.4	.22	8
9	.04	.18					.25			.9	.53	.31	9
10	.01	.6			.1		.7	.7		.25	.13	.14	10
11	.05				.16						.03	.4	11
12	.04				.1	.43			.30	.1	.3		12
13	.02				.24	.1		.17		.2	.19	.3	13
14	.59				.15	.99			.10		.18	.9	14
15		.1			.1	.2			tr 1/2	.2	.19		15
16	.03							.19		.6	.1		16
17	.10			.2				.59		.8	.3		17
18								.1	.2	.2	.5		18
19						.7			.01 1/2		.19		19
20	.02					.3		.7		.21	.10	.12	20
21			.3			.15	.24	.4	.3	.5	.1	.3	21
22	.32	.5		.8		.3	.24	.7			.14	.13	22
23		.8						.60		.37	.31	.24	23
24			.3	.3		tr 1/2		.21		.16	.19	.24	24
25			.10	.22						.16	.43	.7	25
26				.15						.12	.8	.2	26
27	.14			.10			.2	.6		.23	.6	.11	27
28	.28			.12			.16		.65	.18	.30	.21	28
29									4	.6	.8	.39	29
30	.05	X					.6		.38		.16	.6	30
31	.22	X	.3	X		X	.59	.01 1/2	X		X	.5	31
TOTAL	1.72	.84	.20	1.02	1.86	2.84	2.47	2.78 1/2	1.68	3.72	5.24	3.96	YEAR'S TOTAL 28.32
Days with .01 in. or more.	18	10	5	9	14	14	12	19	10	25	29	25	190
Days with .04 in. or more.	10	7	1	7	9	9	11	15	7	19	24	21	140

40-9999

(*Signed*) W. D. Yates

[P.T.O.

3946

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Cilcen Hall

in the County of Flintshire

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground 1 ft. ..... in.

,, Ground ,, Sea Level 650 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				31		1/2	5	25			41		1
2	4	26	2					16		66	26		2
3	30	4	1	48			5	32	8	5	4		3
4	16		11	63	21			3		22			4
5	15		25	10	53			36					5
6			40		1 1/2			1	22	11	3	4	6
7	11						4	5	4	14		27	7
8	24			32			3	2	14	25			8
9			65	62	31	19			3	2 1/2	2	10	9
10	33		11	1/2	35	4 1/2	2	23		2	3	62	10
11			7		7			45	23	20	11	16	11
12	12		1	4	8	1/2		29 1/2					12
13	14		45	23	2		24	15	42	2		20	13
14	52	9	55				21	2 1/2	1 1/2	2 1/2		7	14
15	3	15	34				20	6		21	15	19	15
16			2			4	10		15	14		26	16
17					2		49	16	63	8		17	17
18			28	2		33	17	11	1	5	44		18
19			3	12	1	9	2	1 1/2	7	13	19		19
20			13			3	150	59	80	5	9	3	20
21	2		32			16	3	15		9			21
22	8		1				36	11	7	45	75		22
23	1			10	3	14	11	8	4	4	16	5	23
24	13			40	5	16			3	75	31	1	24
25	2	8		12					48	86	14	7	25
26	102	3		11		2		1		4	1	27	26
27	1		4	3	4		4	12	1	2	1	4	27
28			2			1/2	8	1/2		6		57	28
29	1/2		3				31	12		7	1	19	29
30	1	×						11		11		93	30
31	74	×	31	×		×			×	28	×	6	31
TOTAL	418 1/2	65	388	363 1/2	173 1/2	122	405	399	346 1/2	374	316	430	YEAR'S TOTAL 39.41
*Days with ·01 in. or more.	20	6	22	15	13	10	19	25	18	28	18	20	214
*Days with ·04 in. or more.	14	5	14	13	8	8	15	19	13	23	12	18	162

40-9999

(Signed) W. B. Yates

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY from or
file 478 249

427 4/5

CILCAIN RES

1923, 25-28, 1930

FORM 1090 / METEC NIZATION.

Kept at Cilcain

in the County of FL
&
by Hawarden Distr

Gauge in.
Ground ft. in.
Sea Level ft.

Rain should be meas
An Observer who prefers n
January 1st of the followin
Full instructions for measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

e previous day.
ng at 9 a.m. on

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	·08	·05	·09	-	·01	-	·03	·02	·06	·06	·15	·05	1
2	·08	-	·04	-	-	-	-	·10	-	·13	·16	·07	2
3	·07	·02	·15	-	-	·02	-	-	·06	·62	·23	·11	3
4	-	-	-	·08	-	·05	-	-	·03	·07	·05	·02	4
5	·55	-	·05	·05	·53	·13	-	-	-	·06	·04	-	5
6	·16	·22	·03	·18	-	·15	-	·31	·01	·05	·21	-	6
7	·05	·35	·11	·05	-	-	·08	-	·03	-	·03	·03	7
8	·07	·05	·03	-	-	·03	-	-	-	·09	·39	·13	8
9	·02	·09	·02	-	·37	-	·04	-	·03	-	·05	-	9
10	·72	·09	-	·20	·20	·04	-	-	-	·07	-	-	10
11	·11	·05	-	·06	·55	-	-	-	-	-	-	-	11
12	·07	·15	·03	·16	·07	·11	-	-	-	·30	·07	·04	12
13	·04	·32	-	-	·15	·02	-	-	·19	·57	·20	-	13
14	·01	·07	-	-	·12	-	-	·24	-	·27	·05	·03	14
15	·12	·01	·02	·01	·30	·05	·11	-	·15	-	·29	·04	15
16	·01	·02	-	-	·40	·01	-	·06	·12	·03	·34	-	16
17	·03	·20	-	-	·05	-	-	·09	·15	-	·10	-	17
18	·10	·17	-	-	·04	·01	·01	·33	·03	·06	·11	·30	18
19	·18	·03	-	-	·03	·05	·07	·20	·09	-	·15	·11	19
20	·04	·05	-	-	-	-	-	·07	·15	·10	·03	·22	20
21	·02	·03	-	-	·05	·05	-	·07	·13	·04	-	·40	21
22	·02	·04	-	-	·62	-	-	-	·07	·03	-	·28	22
23	-	·03	-	-	·02	-	·08	·15	·43	·17	-	·35	23
24	-	·05	-	·03	·02	·01	·04	·02	·14	·09	·01	·08	24
25	-	·15	-	-	·01	·10	·02	·12	·15	·10	-	·30	25
26	-	·09	·01	·04	·05	·02	-	·11	-	·28	-	·19	26
27	-	·08	·02	-	·38	·01	·49	·09	·02	·20	-	·36	27
28	·05	·03	·01	·05	·05	-	·23	·03	-	·05	·18	-	28
29	·18	X	·11	·01	-	-	·58	·77	-	·07	-	·15	29
30	·03	X	·10	·02	-	·04	·17	·03	-	-	-	·40	30
31	·02	X	·04	X	-	X	-	·03	X	-	X	·69	31
TOTAL	2·83	2·44	0·86	0·94	4·02	0·90	1·95	2·92 2·84	2·04	3·51	2·84	4·35	YEAR'S TOTAL 29 5.2
Days with ·01 in. or more	25	25	16	13	21	18	13	19	19	23	20	22	23.4
Days with ·04 in or more	17	18	8	9	16	10	10	14	13	21	17	19	172

do not total overpage

COPY from or
file 478249

3594

FORM 1090 / METEO [redacted] NIZATION.

REGISTER OF RAINFALL IN 192[3].

Kept at Cilcan

in the County of FLINT

&

by Hawarden District Waterworks

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	·08	·05	·09	-	·01	-	·03	·02	·06	·06	·15	·05	1
2	·08	-	·04	-	-	-	-	·10	-	·13	·16	·07	2
3	·07	·02	·15	-	-	·02	-	-	·06	·62	·23	·11	3
4	-	-	-	·08	-	·05	-	-	·03	·07	·05	·02	4
5	·55	-	·05	·05	·53	·13	-	-	-	·06	·04	-	5
6	·16	·22	·03	·18	-	·15	-	·31	·01	·05	·21	-	6
7	·05	·35	·11	·05	-	-	·08	-	·03	-	·03	·03	7
8	·07	·05	·03	-	-	·03	-	-	-	·09	·39	·13	8
9	·02	·09	·02	-	·37	-	·04	-	·03	-	·05	-	9
10	·72	·09	-	·20	·20	·04	-	-	-	·07	-	-	10
11	·11	·05	-	·06	·55	-	-	-	-	-	-	-	11
12	·07	·15	·03	·16	·07	·11	-	-	-	·30	·07	·04	12
13	·04	·32	-	-	·15	·02	-	-	·19	·57	·20	-	13
14	·01	·07	-	-	·12	-	-	·24	-	·27	·05	·03	14
15	·12	·01	·02	·01	·30	·05	·11	-	·15	-	·29	·04	15
16	·01	·02	-	-	·40	·01	-	·06	·12	·03	·34	-	16
17	·03	·20	-	-	·05	-	-	·09	·15	-	·10	-	17
18	·10	·17	-	-	·04	·01	·01	·33	·03	·06	·11	·30	18
19	·18	·03	-	-	·03	·05	·07	·20	·09	-	·15	·11	19
20	·04	·05	-	-	-	-	-	·07	·15	·10	·03	·22	20
21	·02	·03	-	-	·05	·05	-	·07	·13	·04	-	·40	21
22	·02	·04	-	-	·62	-	-	-	·07	·03	-	·28	22
23	-	·03	-	-	·02	-	·08	·15	·43	·17	-	·35	23
24	-	·05	-	·03	·02	·01	·04	·02	·14	·09	·01	·08	24
25	-	·15	-	-	·01	·10	·02	·12	·15	·10	-	·30	25
26	-	·09	·01	·04	·05	·02	-	·11	-	·28	-	·19	26
27	-	·08	·02	-	·38	·01	·49	·09	·05	·20	-	·36	27
28	·05	·03	·01	·05	·05	-	·23	·03	-	·05	·18	-	28
29	·18	X	·11	·01	-	-	·58	·77	-	·07	-	·15	29
30	·03	X	·10	·02	-	·04	·17	·03	-	-	-	·40	30
31	·02	X	·04	X	-	X	-	·03	X	-	X	·69	31
TOTAL	2·83	2·44	0·86	0·94	4·02	0·90	1·95	~~2·92~~ 2·84	2·04	3·51	2·84	4·35	YEAR'S TOTAL 29 52
Days with ·01 in. or more	25	25	16	13	21	18	13	19	19	23	20	22	234
Days with ·04 in or more	17	18	8	9	16	10	10	14	13	21	17	19	172

do not include overspill

(*237) Wt. 10569—9158. 9,000. 8/23. T. S. 128.

tion | A | for the entry of Daily Observations. Co. for auth ... — Jas.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3719 A

Register of Rainfall in 1925.

Kept at Coleain

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 790 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	.14	---	.	.2	.2	. .	. .	.66	.5	. . .	3	. .	1
2	.9	---	. .	.10	. . .	. . .	.1	.4	.6	. . .	5	. . .	2
3	.18	---	. . .	. . .	. .	. . .	.3	.88	.6	.5	4	. . .	3
4	.11	.1	. . .	.3	.22	. . .	. . .	. . .	.12	.2	17	. . .	4
5	. .	.22		.19	.8	. . .	. . .	.17	.48	. . .	.39	. . .	5
6	.5	.11	.3	.5	.1	. . .	.58	.24	.3	. . .	.30	. . .	6
7	. . .	.7	.9	. . .	.21	. . .	.1	.15	.16	.6	.34	.3	7
8	.6	.9	.23	.6	.11	. . .	.11	.28	.28	. . .	.15	.13	8
9	. . .	.39	.2	.3	.21	. . .	.9	. . .	.80	. . .	.26	.4	9
10	. . .	.29	.4	.8	.2	. . .	.2	.26	.8	. . .	.1	.4	10
11	. . .	.69	. . .	. . .	.6	. . .	. . .	. . .	.4	. . .	. . .	12	11
12	. . .	.40	. . .	. . .	. . .	. . .	. . .	.12	. . .	.79	. . .	.3	12
13	. . .	.1	.8	.2	. . .	. . .	. . .	. . .	. . .	.33	. . .	12	13
14	.12	---	.7	.8	. . .	. . .	. . .	. . .	. . .	.12	. . .	. . .	14
15	. . .	.4	.1	.2	. . .	. . .	.4	. . .	.2	.49	. . .	.4	15
16	.1	.31	.2	.8	. . .	. . .	.3	. . .	. . .	.2	. . .	.3	16
17	. . .	.10	. . .	. . .	.5	. . .	.15	. . .	.7	.3	.1	.9	17
18	. . .	.82	. . .	.32	.3	. . .	. . .	. . .	. . .	. . .	. .	.1	18
19	. . .	.18	. . .	. . .	.2	. . .	.1	.15	.42	.53	. .	.44	19
20	. . .	. . .	.12	. . .	.3	.3	. . .	.25	.15	.3	.	.7	20
21	. . .	.42	.17	. . .	.1	. . .	.13	.66	.22	.16	21	.2	21
22	. . .	.8	---	.10	. . .	. . .	1.10	.12	.35	.25	. .	15	22
23	.3	.3	.3	.6	.47	. . .	. . .	.1	.44	.30	. .	35	23
24	. . .	.12	.9	. . .	.20	. . .	. . .	.14	.5	.11	28	7	24
25	. . .	.32	.9	.11	.3	. . .	.27	.6	.18	.8	. .	85	25
26	. . .	.19	---	.9	.20	. . .	.2	.6	.22	.40	.16	.2	26
27	.2	.26	.1	.1	.12	. . .	.51	.1	.5	.4	.10	.2	27
28	.13	.7	.2	.10	.2	. . .	.21	. . .	. . .	.5	. .	11	28
29	.29		.2	.2	.7	. . .	.8	. . .	. . .	. . .	.71	.49	29
30	.10	X	.2	.2	.3	. . .	. . .	.2	. . .	.2	.8	.9	30
31	.40	X	.3	X	.13	X	.15	.14	X	.2	X	.5	31
TOTAL	1.73	5.22	1.16 1.20	1.59	2.35	0.14	3.55	4.41	4.33	3.90	3.29 3.09	2.91 2.90	34.58 34.41
Days with .01 in. or more.	14	23	17	21	23	3	19	20	22	21	17	24	224
Days with .04 in. or more.	11	20	9	13	13	2	12	17	20	15	14	17	163

878

(Signed) William Simmons [P.T.O.]

Section [A] for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

3715

Kept at Lilleshall

in the County of Flintshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.15	...	...	.18	.01	...	...	.31	...	.17	.08	1
2	.11	.02	...	...	...	...	...	...	.04	...	.02	.02	2
3	.20	.01	.35	.04	...	...	...	...	...	...	...	.07	3
4	...	.02	.24	...	...	...	.03	...	.15	...	.51	.13	4
5	.02	.18	.11	...	...	...	.10	.50	.18	.09	.01	.18	5
6	.18	.07	.02	...	.10	...	.53	.03	.08	...	.28	...	6
7	.03	.38	...	...	.30	.16	...	...	.11	.55	.12	.03	7
8	.02	.03	.08	.03	.28	.08	.03	.04	.45	.59	.03	.02	8
9	...	...	.11	...	.06	.10	.03	.52	...	.04	.02	...	9
10	...	...	...	...	.03	.03	.07	.09	...	...	.03	.38	...	10
11	...	...	.02	...	.08	.02	...	.08	.10	.02	.03	...	11
12	...	...	...	...	...	.04	...	.15	.01	.38	.07	...	12
13	...	.01	...	...	.20	1.04	...	.01	...	.14	.21	.06	13
14	.10	.08	...	.12	.22	1.01	...	.39	.05	...	.05	.12	14
15	.02	.04	...	.13	...	.07	...	.03	.02	.05	.30	.04	15
16	.17	.05	...	.06	...	.08	...	...	...	.09	.72	.02	16
17	.08	.02	...	.02	...	.08	...	.03	...	...	.06	.04	17
18	.07	...	...	.04	...	.01	2.04	.03	.01	...	.21	.07	18
19	...	...	...	.14	...	...	.29	.02	.88	.03	.07	.01	19
20	...	...	...	.17	...	...	...	.01	...	...	.19	.02	20
21	.02	...	...	.03	...	.07	.18	...	...	.11	.12	...	21
22	.12	...	...	...	...	...	.01	...	...	.05	.08	...	22
23	.03	.01	.01	...	...	...	...	...	.08	.01	...	...	23
24	.15		...	...	.13	.08	.11	.13	.80	.36	...	...	24
25	.03		...	.07	.03	...	.08	.01	.10	.09	.05	.01	25
26	...		...	.02	.08	...	...	...	.62	...	...	...	26
27	.06	.03	...	.10	.03	...	.11	...	.18	...	.02	.02	27
28	.03	...	...	.02	.03	...	1.12	...	.08	.03	.03	.03	28
29	.06		.01	.10	.09	...	.16	...	.01	...	...	...	29
30	.01	×	...	.02	.01	...	...	.70	...	...	...	...	30
31	.05	×	...	×	.03	×	...	.08	×	...	×	.03	31
TOTAL	1.59	1.00	0.95	1.11	1.83	1.76	4.89	2.85	3.66	2.54	3.70	0.95	YEAR'S TOTAL 26.83
Days with .01 in. or more.	22	15	9	16	17	13	15	18	20	17	24	19	205 ✓
Days with .04 in. or more.	13	7	5	10	11	9	11	10	15	11	17	9	128 ✓

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) [signature] [P.T.O.

3698

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

647720/25

5 miles NW of Holton esposure Observer asked to select a more suitable site and agreed to do so and 5 A Ale 647720/25

Kept at Silverton

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. → in.

,, Ground ,, Sea Level 790 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	.1	.10	...	...	.12	.4	.6	.14	.14	.20	...	1
2	.13	.4	.8	.3	.10	...	...	.2	...	.4	.25	...	2
3	.20	...	.3	.13	.6	.8	.1	.3	...	...	...	...	3
4	.9	...	.2	.3	.45	...	.27	...	...	...	.3	...	4
5	.3	.2	.21	.12	...	.62	.39	...	...	...	.10	...	5
6	...	...	.9	...	...	.75	...	.10	.61	...	.35	...	6
7	.21	.7	.16	.8	...	.6	.4	.5	.10	...	...	...	7
8	.10	...	.6	.12	...	...	.9	.24	.7	...	...	...	8
9	.1	...	.10	.17	...	...	...	.24	...	...	.8	.1	9
10	.1	...	.1	.3	...	...	...	.17	.30	...	...	.1	10
11	.3	...	...	.12	...	...	.26	...	.7	.11	...	.1	11
12	.11	...	...	...	.1	...	.7	.30	.2	...	...	...	12
13	.37	...	...	.7	...	...	.1	.26	.17	.18	.12	...	13
14	.4	...	...	.7	...	...	...	.5	.13	---	.30	.9	14
15	.10	...	...	...	.47	...	...	.22	.10	.18	.4	...	15
16	.7	...	...	...	.2	.89	...	.17	.23	.9	.2	...	16
17	...	...	...	...	...	.3	...	.41	.10	.2	...	...	17
18	...	...	...	...	...	.82	...	1.70	...	.3	.18	...	18
19	...	.4	...	...	...	...	.3	.16	.3	.9	.10	...	19
20	.5	.21	...	...	.2	.7	.8	.29	.8	.2	.5	...	20
21	.11	.10	.2	...	.4	.2	.16	.30	.84	.10	.10	.27	21
22	.4	.4	.8	.2	...	.14	.18	.9	.20	.62	.5	.6	22
23	...	...	.19	.2	...	.22	.4	.4	.8	...	.9	.18	23
24	.29	...	.26	.3	...	.19	.1	.37	.7	.5	...	.46	24
25	.3	.6	.54	.10	...	.54	.1	...	.43	.9	...	.2	25
26	.9	.12	.27	.11	...	.8	.7	...	.11	.20	...	.1	26
27	.8	.15	.4	.10	...	.15	.68	.14	...	.2	...	...	27
28	.27	.6	.10	.2	...	.4	.2	.30	.6	.10	.66	...	28
29	.7		.7	.4	...	.5	.8	...	.34	.5	...	...	29
30	.7	X	...	.3	.9	.19	.5	.10	.2	.4	.1	...	30
31	...	X	.60	X	.30	X	...	.2	X	.5	X	...	31
TOTAL	2.55	0.92	2.98	1.44	1.56	4.56	2.54	5.77	4.62	2.02	2.73	1.10	YEAR'S TOTAL 32.79
Days with .01 in. or more.	24	12	20	20	10	19	21	25	23	19	18	8	219
Days with .04 in. or more.	18	10	15	12	7	17	15	22	19	14	15	5	169

low

40-12-1-27

144w)

(Signed) [illegible]

P.T.O.

HAWARDEN & DISTRICT WATERWORKS CO

3776A

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Caergwrle

in the County of Flints

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 790 ft.

Moved on Jan 1929 low up 15ft to new site recommended by Inspector last visit 5.10.28 file ref IIA 647720/25

647720/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	0.06	.3	...	...	...	.1	.2	...	...	.5	.9	1
2	.12	.42	.13	...	...	...	...	...	...	.3	...	.17	2
3	.5	.2	...	.2	...	...	...	...	.3	...	.7	...	3
4	.10	.16	.3	...	...	...	.14	...	...	.16	.4	.2	4
5	15	.3	...	...	...	.6	.6	...	.39	.4	...	...	5
6	.1	...	.1	.1	...	.12	...	.12	.1	...	...	.18	6
7	.1	...	...	.7	...	.63	...	.15	...	.26	...	.30	7
8	...	...	...	...	...	.24	.5	...	.5	...	...	.20	8
9	.2	...	...	.2	...	.14	...	...	.1	.10	...	...	9
10	.14	.14	.5	.10	.03	.4	...	...	.6	.30	.7	...	10
11	.1	.28	.3	.29	...	.1	...	.31	...	.11	.23	.29	11
12	.10	.21	.6	.43	...	.37	...	.24	...	...	.9	.2	12
13	...	...	...	.3	.3	.46	...	.19	...	...	.7	...	13
14	.9	.10	...	...	...	.11	...	.27	.4	.70	.16	...	14
15	.17	.5	...	...	.22	.4	...	.37	...	.4	.10	.2	15
16	.3	...	...	.1	.24	.4	...	...	.3	.9	.38	.11	16
17	.12	...	...	...	.29	.9	...	...	.3	...	...	...	17
18	.11	...	.1	.5	.5	.15	.2	...	.6	.21	.9	.9	18
19	...	...	.2	...	.56	.26	...	.8	.3	.15	.36	.35	19
20	.1	...	.2	...	.40	.2	...	.13	...	.18	.16	.3	20
21	.22	...	.4	.3	.7		...	.6	.6	.11	.11	...	21
22	...	.1	.3	...	1.	.7	.11	.18	...	...	.25	.8	22
23	.23	...	.3	...	.6	...	.12	.15	.9	.5	.10	.1	23
24	.4	...	5	...	...	.8	.10	.18	1.39	.14	.16	.8	24
25	.9	...	...	...	...	.1	...	.2	...	.8	.17	.5	25
26	.32	...	.1	...	.15	.14	...	.32	...	.20	.66	.2	26
27	.2	...	...	...	.3	.23	...	.13	0.18	.5	.7	.17	27
28	.7	...	.9	...	...	.19	.5	.12	...	.2	.6	.11	28
29	.36	.6	.10	...	...	.9	.3	.17	...	.5	.11	.76	29
30	.3	×	.16	...	...	.6	.8	...	...	.8	.17	.22	30
31	.7	×	.3	×	...	×	.9	...	×	.12	×	...	31
TOTAL	2.88	1.54	0.93	1.06	2.13	3.65	0.86	3.21	2.46	3.27	3.73	2.97	YEAR'S TOTAL 28.69
Days with .01 in. or more.	27	12	19	11	12	24	12	19	15	23	23	22	219
Days with .04 in. or more.	19	9	8	5	9	21	9	14	9	21	23	16	166

40-9999

OW alt 5 too low

(Signed) D Simmons Engineer

up low

[P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at GILCAIN.

in the County of Flintshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 785 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	.14	...	.22	...	...	..5	.23	...	...	.47	...	1
2	..1	..3	..1	..1	...	...	..1	.19	...	...	.45	...	2
3	.20	...	...	.27	...	...	..7	.43	...	.49	.12	...	3
4	.10	...	..4	.34	...	...	..3	.03	..7	..5	..1	..1	4
5	.11	...	.18	...	..6	...	...	.45	...	.11	...	...	5
6	...	..2	.36	...	.38	...	..4	.03	.21	..9	..2	..7	6
7	..4	...	...	...	..2	...	..4	.01	.10	.13	.14	.21	7
8	.14	...	...	.12	..3	...	..5	.02	..9	.28	...	..9	8
9	.33	...	.43	.46	.25	..8	...	...	..1	..3	..2	.17	9
10	.21	...	.11	...	.21	..8	..3	.15	...	...	..1	.33	10
11	..5	...	..9	..2	..3	..4	..1	.47	.26	.14	..7	..5	11
12	.14	...	..5	..1	..7	..1	...	.62	...	...	...	.14	12
13	.11	...	.51	.21	..7	...	.22	.38	.25	...	...	..2	13
14	.44	..3	.56	...	..2	...	.24	.02	..1	..3	...	.17	14
15	...	.23	.36	...	...	...	.11	.03	...	.26	.11	.21	15
16	..1	...	..1	...	...	..4	.10	...	.16	.10	...	.25	16
17	...	...	..8	...	..2	...	.45	.15	.43	..6	...	..4	17
18	...	...	.15	..8	...	..6	.22	.07	...	..1	.20	..1	18
19	...	...	..1	..6	..1	..5	..5	.01	.41	..8	..9	...	19
20	...	...	..9	..3	..3	..3	.91	.31	.28	..3	..6	..1	20
21	...	...	.42	...	...	.17	.15	.15	...	.28	.13	...	21
22	..8	...	..1	...	...	...	.16	.12	..3	.30	.34	...	22
23	...	...	...	.10	...	.11	..9	...	..5	..1	..9	..3	23
24	..7	...	...	.44	..2	..4	...	...	..2	.60	.13	...	24
25	..4	..5	...	.12	...	...	...	...	0.42	.51	.10	.13	25
26	.43	..2	...	..4	.29	...	...	...	0.01	..3	..4	.17	26
27	...	...	..7	..1	..8	..1	..3	.23	..2	..1	...	..4	27
28	..1	...	..2	...	..2	...	..6	...	...	.10	..1	.55	28
29	...		...	...	...	...	.31	.11	...	..2	...	..8	29
30	...	×	...	...	...	...	...	..6	...	.13	...	.62	30
31	.67	×	..1	×	...	×	...	...	×	.27	×	..5	31
TOTAL	3.19	0.52	3.57	2.54	1.61	0.72	3.43	4.27	2.83	4.15	2.61	3.45	YEAR'S TOTAL 32.89
*Days with .01 in. or more.	19	7	21	17	17	12	23	23	18	26	20	23	226
*Days with .04 in. or more.	16	3	15	12	8	9	18	16	12	18	15	18	160

40-9999 HAWARDEN & DISTRICT WATERWORKS Co.

*See Instruction 2 (*f*) on other side.

(Signed) [P.T.O.

Section A for the entry

AIR MINIS

FORM 1090. REC

3779A

FOR OFFICIAL USE.

ORGANIZATION.

1928.

CONNAH'S QUAY
MOLD ROAD
FLINTSHIRE
1928 - 1930

Kept at (Mold Road

in the County of.....

Diameter of Funnel of Gauge...

Height of top of Gauge above (

„ Ground „ S

THE MORNING M

OUS DAY.

An observer who does not con
year in the space on the right

of the following

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											–	–	1
2											.07	.06	2
3											–	–	3
4											.03	–	4
5											.01	.09	5
6											–	.04	6
7											–	.33	7
8											–	.08	8
9											–	–	9
10										Gauge fixed 13th October 1928	.10	–	10
11											.52	.13	11
12										–	.04	.01	12
13										–	.06	–	13
14										.32	.18	–	14
15										.03	.06	–	15
16										.05	.52	.13	16
17										–	–	–	17
18										.12	.02	.08	18
19										.10	.33	.29	19
20										.17	.18	–	20
21										.04	.09	–	21
22										–	.07	.06	22
23										.02	.15	–	23
24										.18	.44	.23	24
25										–	.06	.07	25
26										.44	.39	–	26
27										.03	.05	.20	27
28										–	.08	.09	28
29										.02	.05	.16	29
30		X								.03	.01	.28	30
31		X		X		X			X	.04	X	–	31
TOTAL										m/r	3.51	2.33	YEAR'S TOTAL
Days with .01 in. or more.											23	17	
Days with .04 in. or more.											19	16	

40-12-I-27
141w)

N

(Signed) R. J. Baker

[P.T.O.

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

3779A

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Mold Road, Connah's Quay

in the County of Flint.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level .....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											–	–	1
2										Gauge fixed 12th October 1928	·07	·06	2
3											–	–	3
4											·03	–	4
5											·01	·09	5
6											–	·04	6
7											–	·33	7
8											–	·08	8
9											–	–	9
10											·10	–	10
11											·52	·13	11
12										–	·04	·01	12
13										–	·06	–	13
14										·52	·18	–	14
15										·03	·06	–	15
16										·05	·52	·13	16
17										–	–	–	17
18										·12	·02	·08	18
19										·10	·33	·29	19
20										·17	·18	–	20
21										·04	·09	–	21
22										–	·07	·06	22
23										·02	·15	–	23
24										·18	·44	·23	24
25										–	·06	·07	25
26										·44	·39	–	26
27										·03	·05	·20	27
28										–	·08	·09	28
29										·02	·05	·16	29
30		X								·03	·01	·28	30
31		X		X		X			X	·04	X	–	31
TOTAL										n/r	3·51	2·33	YEAR'S TOTAL
Days with ·01 in. or more.											23	14	
Days with ·04 in. or more.											19	16	

40-12-1-27
144w)

N

(Signed) R. F. Baker

[P.T.O.

CONNAH'S QUAY (MOLD ROAD)

(3854A)

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

X1/Flint/1

Kept at Mold Road, Connah's Quay

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 43 ft.

Fixed 12/10/28

Comp 1928

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.02	–	.04	–	.14	–	.09	.04	.20	–	.01	1
2	–	.16	–	–	–	.02	–	.14	–	.04	.10	.20	2
3	–	–	–	.07	–	.10	.05	.28	.10	.02	.03	.13	3
4	–	.02	–	.14	.25	.03	.14	.08	.01	.06	.01	.50	4
5	.03	–	–	–	.45	.16	.25	.08	–	.49	.15	.06	5
6	.03	–	–	–	.04	.15	.34	.27	–	.32	.07	.87	6
7	.01	–	–	–	.20	.01	–	–	–	.06	.25	.05	7
8	–	.21	–	.11	.03	.25	–	.03	–	.37	.07	.07	8
9	.16	.24	–	–	–	–	.21	.08	–	.15	.71	.25	9
10	.13	.01	–	–	.04	–	.08	–	–	.15	.01	.16	10
11	–	–	–	–	.12	–	.01	–	–	.01	.70	.07	11
12	–	–	–	–	–	.28	.19	–	.24	–	.07	.08	12
13	.08	–	–	–	.31	.12	–	.12	–	–	.29	.05	13
14	.09	–	–	–	.12	.25	–	–	.03	–	.11	.02	14
15	–	–	–	–	–	.03	–	–	–	–	.12	–	15
16	–	–	–	–	–	.01	–	.13	–	.03	–	–	16
17	.06	–	–	–	–	–	–	.29	–	.11	–	–	17
18	–	–	–	–	–	–	–	–	.05	.19	.08	–	18
19	–	–	–	–	–	.02	–	.02	–	.05	.20	.04	19
20	–	.01	–	–	–	–	–	.05	.06	.18	.03	.40	20
21	–	.05	–	–	–	.09	.14	.02	.02	–	–	–	21
22	.01	.05	.04	–	–	.11	.09	.07	–	–	.09	–	22
23	–	.04	–	–	–	–	–	.13	–	.34	.23	.27	23
24	–	–	.07	.03	–	–	–	.29	–	.34	.27	.37	24
25	–	–	.10	.23	–	–	–	–	–	.03	.37	.18	25
26	–	.02	–	.09	–	–	–	–	–	.19	.12	–	26
27	.13	–	–	.10	–	–	.06	.05	–	.21	.05	.22	27
28	.23	–	–	.10	–	–	.14	–	.61	.18	.38	.45	28
29	.05		–	–	–	–	–	–	–	.11	.05	–	29
30	–	×	–	–	–	–	.06	–	.35	–	.15	.33	30
31	.23	×	–	×	–	×	.55	.02	×	–	×	.08	31
TOTAL	1.24	.83	.21	.91	1.56	1.77	2.90	2.84	1.51	3.83	4.71	4.86	YEAR'S TOTAL 27.17
Days with .01 in. or more.	13	11	3	9	9	16	14	19	10	23	26	23	176
Days with .04 in. or more.	9	6	3	8	8	10	13	15	7	19	22	21	141

40-9999

new gauge, fixed 12th October 1928.

OK.

(Signed) R F Baker

R.F. BAKER ESq C.E.

[P.T.O.

Section **A** for the entry of Daily Observations.

3947

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Mold Road, Connah's Quay

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	–	.36	–	–	–	.19	–	–	.55	–	1
2	–	–	–	.05	–	–	–	.28	–	–	.34	–	2
3	.36	–	.02	.11	–	–	.02	.32	–	.56	.06	–	3
4	.23	–	.04	.36	.22	–	–	.02	.03	.06	.02	–	4
5	.05	–	.31	–	.25	–	–	.35	–	.23	–	–	5
6	–	–	.28	–	.03	–	–	.02	.20	.23	–	.03	6
7	.09	–	–	–	–	–	–	.01	.05	.10	.37	.29	7
8	.11	–	–	.25	–	–	.01	.02	.20	.22	–	.07	8
9	.33	–	.15	.77	.36	.11	–	–	–	.01	.01	.15	9
10	.55	–	.06	–	.23	.02	.02	.10	–	–	–	.34	10
11	.02	–	.09	.02	.04	.11	–	.41	.13	.11	.07	.17	11
12	–	–	.11	–	.15	–	–	.19	.02	.01	–	.27	12
13	.18	–	.25	.15	–	–	.18	.08	.64	–	–	.01	13
14	.66	.13	.50	–	.01	–	.18	.03	.01	–	.01	.20	14
15	–	.17	.55	–	–	–	.12	.01	–	.12	.19	.26	15
16	–	–	–	–	–	.06	.07	–	.13	.09	–	.20	16
17	–	–	.02	–	.02	–	.09	.12	.75	.03	–	.01	17
18	–	–	.20	.01	–	1.32	.39	.12	–	.01	.43	.01	18
19	–	–	–	.03	–	.13	–	.01	.53	.06	.06	–	19
20	–	–	–	.03	–	.01	1.60	.49	.12	.02	.09	–	20
21	–	–	.58	–	.01	.03	.11	.13	–	.15	.24	–	21
22	.13	–	–	–	–	.01	.68	.06	.04	.20	.33	–	22
23	.01	–	–	.10	.05	.11	.18	.10	.04	.08	.28	.01	23
24	.17	–	–	.33	.03	.12	.01	–	–	.50	.54	–	24
25	.10	.07	–	.13	–	–	–	–	.30	.98	.16	.07	25
26	.65	.03	–	.07	–	–	–	–	.01	.02	.01	.27	26
27	–	–	.16	.03	–	.01	.06	–	.01	.01	–	.09	27
28	–	–	.03	–	.01	–	.12	–	–	.03	.01	.57	28
29	–		–	–	–	–	.13	.19	–	.03	–	.15	29
30	–	×	–	–	.01	–	.01	.21	–	.10	–	.84	30
31	.32	×	.02	×	.01	×	–	–	×	.16	×	.01	31
TOTAL	3.97	.48	3.67	2.80	1.43	2.04	3.98	3.46	3.21	4.12	3.77	4.02	YEAR'S TOTAL 36.95
Days with .01 in. or more.	17	5	17	16	15	12	18	23	17	26	19	21	206
Days with .04 in. or more.	14	4	13	11	7	7	13	16	12	17	14	15	143

40-9999

(Signed) R. T. Watkins

[P.T.O.

Section **A** for the entry

FORM 1090. METEOROL ZATION.

4277

CONNAHS QUAY.

PENGWLADYS

1927 – 30

3700A

? Flint

Kept at Connah's Q

in the County of

to read the instructions in this form.

Diameter of Funnel of Gauge

Height of top of Gauge above

„ Ground „

ld fill in section C

THE MORNING DAY.

An observer who does not c *y 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	–	–	·15	–	–	·09	·03	–	–	·15	·44	–	1
2	·12	–	·08	·07	·03	–	–	–	–	·05	·06	–	2
3	·10	–	·03	·06	·01	·05	·05	–	–	–	·03	–	3
4	·12	–	·05	·04	·32	·02	·13	–	–	–	·09	–	4
5	·03	·06	·10	·07	–	·69	·51	–	–	–	·13	–	5
6	–	–	·02	–	–	·33	·13	–	·30	–	·26	–	6
7	·06	·16	·12	·02	–	·02	·08	·10	–	–	–	–	7
8	·02	–	·10	·24	–	–	·02	·07	·05	–	–	–	8
9	–	–	·07	·46	–	–	–	·35	–	–	·06	·03	9
10	–	–	–	·03	–	–	–	·15	·09	–	–	–	10
11	·01	–	–	·02	–	–	·23	·19	–	–	–	–	11
12	·03	–	–	–	–	–	·02	·14	–	–	–	–	12
13	·03	–	–	·03	·06	–	·02	·24	·05	·07	·09	–	13
14	·21	–	–	·02	·09	–	–	·06	·40	–	·10	·08	14
15	·05	–	–	–	·54	–	–	·07	·10	·21	·03	–	15
16	·01	–	–	–	–	·52	–	·21	·12	·02	–	–	16
17	–	–	–	–	–	·02	–	·54	·20	·03	–	–	17
18	–	–	–	–	–	·83	–	1·23	–	·03	1·04	–	18
19	–	–	–	–	–	·02	·02	·06	·02	·04	·21	–	19
20	·07	·20	–	–	·04	·06	·23	·11	·04	–	·26	·10	20
21	·07	·06	–	–	–	·02	·02	·22	·55	·18	·05	·40	21
22	·02	·02	·16	·04	–	·12	·09	·13	·20	·54	·09	·18	22
23	–	·02	·11	·03	–	·43	·01	·25	·40	–	·10	·15	23
24	·48	–	·13	·05	–	·02	–	·06	·09	·02	–	·32	24
25	·04	·06	·73	·03	–	·40	·25	–	·22	·03	–	–	25
26	·25	·26	·60	·05	–	·03	·19	–	·04	·26	–	–	26
27	–	·16	·02	·11	–	·07	1·84	·04	–	·03	–	–	27
28	·23	·09	·08	·01	–	·04	–	·26	·20	·10	·38	–	28
29	·07		·01	·03	–	·07	·10	–	·30	·04	–	–	29
30	·03	X	·03	–	·07	·36	–	·18	·10	·02	·02	–	30
31	–	X	·39	X	·09	X	–	·02	X	–	X	–	31
TOTAL	2·05	1·03	2·98	1·41	1·25	4·21	3·94	4·98	3·44	1·85	3·44	1·26	YEAR'S TOTAL 31·93
Days with ·01 in. or more.	21	10	19	19	9	21	19	22	19	17	18	7	201
Days with ·04 in. or more.	13	8	14	10	7	14	12	21	18	10	15	6	148

(Signed) R. T. Dalan [P.T.O.]

Section A for the entry

FORM 1090. METEOROL[illegible]ZATION.

3700A

? Flint

Register of Rainfall in 192[illegible]

Kept at Conrah's Quay

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 231 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	–	–	·15	–	–	·09	·03	–	–	·15	·44	–	1
2	·12	–	·08	·07	·03	–	–	–	–	·05	·06	–	2
3	·10	–	·03	·06	·01	·05	·05	–	–	–	·03	–	3
4	·12	–	·05	·04	·32	·02	·13	–	–	–	·09	–	4
5	·03	·06	·10	·07	–	·69	·51	–	–	–	·13	–	5
6	–	–	·02	–	–	·33	·13	–	·30	–	·26	–	6
7	·06	·10	·12	·02	–	·02	·08	·10	–	–	–	–	7
8	·02	–	·10	·24	–	[illegible]	·02	·07	·05	–	–	–	8
9	–	–	·07	·46	–	–	–	·35	–	–	·06	·03	9
10	–	–	–	·03	–	–	–	·15	·09	–	–	–	10
11	·01	–	–	·02	–	–	·23	·19	–	–	–	–	11
12	·03	–	–	–	–	–	·02	·04	–	–	–	–	12
13	·03	–	–	·03	·06	–	·02	·24	·05	·07	·09	–	13
14	·21	–	–	·02	·09	–	–	·06	·40	–	·10	·08	14
15	·05	–	–	–	·54	–	–	·07	·10	·21	·03	–	15
16	·01	–	–	–	–	·52	–	·21	·12	·02	–	–	16
17	–	–	–	–	–	·02	–	·54	·20	·03	–	–	17
18	–	–	–	–	–	·83	–	1·23	–	·03	1·04	–	18
19	–	–	–	–	–	·02	·02	·06	·02	·04	·21	–	19
20	·07	·20	–	–	·04	·06	·23	·11	·04	–	·26	·10	20
21	·07	·06	–	–	–	·02	·02	·22	·55	·18	·05	·40	21
22	·02	·02	·16	·04	–	·12	·09	·13	·20	·54	·09	·18	22
23	–	·02	·11	·03	–	·43	·01	·25	·40	–	·10	·15	23
24	·48	–	·13	·05	–	·02	–	·06	·09	·02	–	·32	24
25	·04	·06	·73	·03	–	·43	·25	–	·22	·03	–		25
26	·25	·26	·60	·05	–	·03	·19	–	·04	·26	–	–	26
27	–	·16	·02	·11	–	·07	1·84	·04	–	·03	–	–	27
28	·23	·09	·08	·01	–	·04	–	·26	·20	·10	·38	–	28
29	·07		·01	·03	–	·07	·10	–	·30	·04	–	–	29
30	·03	X	·03	–	·07	·36	–	·18	·10	·02	·02	–	30
31	–	X	·39	X	·09	X	–	·02	X	–	X	–	31
TOTAL	2·05	1·03	2·98	1·41	1·25	4·21	3·94	4·98	3·44	1·85	3·44	1·26	YEAR'S TOTAL 31·93
Days with ·01 in. or more.	21	10	19	19	9	21	19	22	19	17	18	7	201
Days with ·04 in. or more.	13	8	14	10	7	14	12	21	18	10	15	6	148

(Signed) R. T. Davies [P.T.O.]

Section [A] for the entry of Daily

AIR MINISTRY.

FORM 1090. **REGIS**

3779.

FOR OFFICIAL USE.

ZATION.

2 8.

4278 (

CONNAH'S QUAY

PENGWLADYS

1928 - 30

Pengwladys

Kept at Pengwladys / Connah's

in the County of Flint

Diameter of Funnel of Gauge .....

Height of top of Gauge above Ground .....

" Ground " Sea Level .....

THE MORNING MEASU ...Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.04	.05	–	–	–	–	.02	–	.01	–	–	1
2	—	.12	.19	.07	–	–	–	–	–	.10	.07	.04	2
3	.02	.13	–	.01	–	–	–	–	–	–	–	–	3
4	.04	.23	.03	–	–	–	.15	–	–	.11	.03	–	4
5	.47	.02	.03	–	–	.09	.25	–	.29	.05	.01	.07	5
6	.01	–	–	–	–	.09	–	.07	–	–	–	.02	6
7	.01	–	–	.22	–	.10	–	.17	–	.25	–	.29	7
8	—	–	–	–	–	.69	.05	–	.20	–	–	.08	8
9	.03	–	–	–	–	–	–	–	.07	.19	–	–	9
10	.10	.40	–	.13	.04	–	–	–	.05	.55	.10	–	10
11	—	.10	–	.15	–	–	–	.53	–	.10	.53	.15	11
12	.06	.02	–	.20	–	.51	–	.10	–	–	.06	.02	12
13	—	.13	.15	.11	.05	.62	–	.11	–	–	.05	–	13
14	.01	.23	–	–	–	.04	–	.14	.01	.42	.19	–	14
15	.07	.22	–	–	.07	.05	–	.04	–	.03	.08	–	15
16	.06	.08	.02	–	.27	–	–	–	–	.05	.48	.12	16
17	.05	–	.02	–	.23	.03	–	–	.01	–	–	–	17
18	.31	–	.03	.04	.32	.10	–	–	.06	* .12	.03	.08	18
19	—	–	–	–	.50	.58	–	.07	.06	.14	.41	.26	19
20	.03	–	.28	.02	.20	–	–	.01	.04	.14	.13	–	20
21	.31	–	.15	.07	.03	.03	–	–	.05	.05	.12	–	21
22	—	.03	.01	–	–	–	–	.23	–	–	.09	.08	22
23	.45	–	.02	.02	.05	–	.03	.01	.04	.02	.10	–	23
24	.08	–	–	–	–	–	.07	.09	.35	.16	.41	.25	24
25	.13	–	.04	–	–	.15	–	–	–	–	.08	.06	25
26	.10	–	–	–	.13	–	.01	.32	–	.36	.43	–	26
27	.05	–	–	–	–	–	.01	.16	.17	.02	.03	.21	27
28	.14	–	.02	–	–	.14	.08	.11	.02	–	.05	.10	28
29	.29	.31	.14	–	–	.10	.02	.22	–	.04	.09	.13	29
30	—	X	.18	.02	–	.06	.12	–	–	.05	.01	.28	30
31	.15	X	.04	X	–	X	.08	–	X	.05	X	–	31
TOTAL	3.14	2.06	1.40	1.06	1.89	3.98	.87	2.40	1.42	3.01	3.58	2.24	YEAR'S TOTAL 27.05
Days with .01 in. or more.	24	14	17	12	11	16	11	17	14	22	23	17	198
Days with .04 in. or more.	18	11	9	8	10	14	7	14	11	18	18	15	153

40-12-I-27
14½w)

* Iron wall built round gauge 18th October 1928.

(Signed) R.T. Baker

[P.T.O.

Section A for the entry of Daily

3779

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Pengwlad y's Auto. House Conwah's Quay

in the County of Flint.

Alter name to Connahs Quay (Pengwladys) ×

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.04	.05	–	–	–	–	.02	–	.01	–	–	1
2	—	.12	.19	.07	–	–	–	–	–	.10	.07	.04	2
3	.02	.13	–	.01	–	–	–	–	–	–	–	–	3
4	.04	.23	.03	–	–	–	.15	–	–	.11	.03	–	4
5	.47	.02	.03	–	–	.09	.25	–	.29	.05	.01	.07	5
6	.01	–	–	–	–	.09	–	.07	–	–	–	.02	6
7	.01	–	–	.22	–	.76	–	.17	–	.25	–	.29	7
8	—	–	–	–	–	.69	.05	–	.20	–	–	.08	8
9	.03	–	–	–	–	–	–	–	.07	.19	–	–	9
10	.10	.40	–	.13	.04	–	–	–	.05	.55	.10	–	10
11	—	.10	–	.15	–	–	–	.53	–	.10	.33	.15	11
12	.06	.02	–	.20	–	.51	–	.10	–	–	.06	.02	12
13	—	.13	.15	.11	.05	.62	–	.11	–	–	.05	–	13
14	.01	.23	–	–	–	.04	–	.14	.01	.42	.19	–	14
15	.07	.22	–	–	.07	.05	–	.04	–	.03	.08	–	15
16	.06	.08	.02	–	.27	–	–	–	–	.05	.48	.12	16
17	.05	–	.02	–	.23	.03	–	–	.01	–	–	–	17
18	.31	–	.03	.04	.32	.10	–	–	.06	× .12	.03	.08	18
19	—	–	–	–	.50	.58	–	.07	.06	.14	.11	.26	19
20	.03	–	.28	.02	.20	–	–	.01	.04	.14	.13	–	20
21	.31	–	.15	.07	.03	.03	–	–	.05	.05	.12	–	21
22	—	.03	.01	–	–	–	–	.23	–	–	.09	.08	22
23	.45	–	.02	.02	.05	–	.03	.01	.04	.02	.10	–	23
24	.08	–	–	–	–	–	.07	.09	.35	.16	.41	.25	24
25	.13	–	.04	–	–	.15	–	–	–	–	.08	.06	25
26	.10	–	–	–	.13	–	.01	.32	–	.36	.43	–	26
27	.05	–	–	–	–	–	.01	.16	.17	.02	.03	.21	27
28	.14	–	.02	–	–	.14	.08	.11	.02	–	.05	.10	28
29	.29	.31	.14	–	–	.10	.02	.22	–	.04	.09	.13	29
30	—	×	.18	.02	–	.06	.12	–	–	.05	.01	.28	30
31	.15	×	.04	×	–	×	.08	–	×	.05	×	–	31
TOTAL	3.14	2.06	1.40	1.06	1.89	3.98	.87	2.40	1.42	3.01	3.58	2.24	YEAR'S TOTAL 27.05
Days with .01 in. or more.	24	14	17	12	11	16	11	17	14	22	23	17	198
Days with .04 in. or more.	18	11	9	8	10	14	7	14	11	18	18	15	153

40-12-1-27 144w)

× Iwf wall built round gauge 18th October 1928.

(Signed) R.F. Baker

[P.T.O.

3855

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

3855

Kept at Poyntzpass near Canada's Quay

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 231 ft.

Position altered & Turf wall built 20/10/1928

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.07	–	.04	–	.12	–	.08	.03	.17	–	.01	1
2	–	.07	–	–	–	.02	–	.13	–	.04	.09	.20	2
3	–	–	–	.05	–	.08	.04	.26	.11	.02	.05	.12	3
4	–	.03	–	.15	.27	.03	.14	.09	.01	.07	.01	.49	4
5	.03	–	–	–	.50	.17	.25	.08	–	.50	.16	.06	5
6	.03	–	–	–	.05	.18	.34	.35	–	.38	.09	.83	6
7	.01	–	–	–	.21	.01	–	–	–	.08	.25	.05	7
8	–	.23	–	.10	.03	.25	–	.03	–	.35	.06	.07	8
9	.19	.32	–	–	–	–	.21	.08	–	.15	.67	.25	9
10	.13	.01	–	–	.05	–	.08	–	–	.14	.01	.15	10
11	–	–	–	–	.11	–	.01	–	–	.01	.68	.07	11
12	–	–	–	–	–	.31	.19	–	.26	–	.06	.08	12
13	.09	–	–	–	.27	.13	–	.12	–	–	.31	.06	13
14	.09	–	–	–	.12	.28	–	–	.03	–	.10	.02	14
15	–	–	–	–	–	.02	–	–	–	–	.12	–	15
16	–	–	–	–	–	.01	–	.14	–	.04	–	–	16
17	.05	–	–	–	–	–	–	.25	–	.10	–	–	17
18	–	–	–	–	–	–	–	–	.04	.18	.08	–	18
19	–	–	–	–	–	.04	–	.03	–	.08	.21	.04	19
20	–	–	–	–	–	–	–	.04	.04	.18	.03	.41	20
21	–	.04	–	–	–	.10	.14	.02	.02	–	–	–	21
22	.01	.04	.04	–	–	.12	.09	.07	–	–	.10	–	22
23	–	.05	–	–	–	–	–	.76	–	.29	.24	.28	23
24	–	–	.07	.03	–	–	–	.29	–	.36	.25	.39	24
25	–	–	.08	.23	–	–	–	–	–	.04	.36	.15	25
26	–	.02	–	.09	–	–	–	–	–	.17	.11	–	26
27	.13	–	–	.10	–	–	.06	.05	–	.22	.04	.23	27
28	.19	–	–	.10	–	–	.14	–	.63	.18	.38	.40	28
29	.05		–	–	–	–	–	–	–	.03	.04	–	29
30	–	×	–	–	–	–	.06	–	.36	–	.15	.34	30
31	.24	×	–	×	–	×	.55	.02	×	–	×	.09	31
TOTAL	1.24	.88	.19	.89	1.61	1.87	2.90	2.89	1.53	3.78	4.65	4.79	YEAR'S TOTAL 27.22
Days with .01 in. or more.	13	10	3	9	9	16	14	19	10	23	26	23	175
Days with .04 in. or more.	9	7	3	8	8	11	13	15	6	20	23	21	144

40-9999

(Signed) R. T. Dalton [P.T.O.

Section **A** for the entry of Daily Observations.

3948

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Denbigh

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 231 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	–	.36	–	–	–	.26	–	–	.54	–	1
2	–	–	–	.07	–	–	–	.28	–	–	.30	–	2
3	.37	–	.03	.11	–	–	.05	.34	–	.62	.10	–	3
4	.22	–	.04	.36	.21	–	–	.02	.03	.06	.01	–	4
5	.03	–	.33	–	.26	–	–	.37	–	.25	–	–	5
6	–	–	.28	–	.03	–	–	.02	.17	.32	–	.05	6
7	.06	–	–	–	–	–	–	.01	.03	.14	.32	.31	7
8	.08	–	–	.26	–	–	.01	.02	.18	.25	–	.05	8
9	.35	–	.50	.85	.31	.18	–	–	–	.02	.01	.13	9
10	.56	–	.09	–	.24	.08	.04	.10	–	–	–	.32	10
11	.02	–	.07	.03	.03	.16	–	.41	.11	.11	.06	.16	11
12	–	–	.10	–	.09	–	–	.22	.02	.01	–	.26	12
13	.20	–	.25	.13	–	–	.20	.13	.65	–	–	.01	13
14	.62	.11	.50	–	.01	–	.17	.02	.01	–	.01	.24	14
15	–	.17	.55	–	–	–	.14	.01	–	.14	.19	.25	15
16	–	–	–	–	–	.10	.06	–	.14	.09	–	.21	16
17	–	–	.02	–	.03	–	.13	.12	.67	.03	–	.01	17
18	–	–	.24	.01	–	1.50	.34	.12	–	.01	.39	.01	18
19	–	–	–	.03	–	.13	–	.01	.83	.06	.07	–	19
20	–	–	–	.04	–	.01	1.65	.45	.18	.02	.08	–	20
21	–	–	.61	–	.01	.03	.04	.11	–	.16	.26	–	21
22	.13	–	–	–	–	.01	.69	.10	.05	.21	.33	–	22
23	.01	–	–	.10	.05	.09	.14	.07	.06	.06	.27	.01	23
24	.15	–	–	.32	.03	.13	.01	–	–	.53	.40	–	24
25	.06	.06	–	.13	–	–	–	–	.34	.80	.16	.08	25
26	.64	.03	–	.06	–	–	–	–	.01	.01	.01	.25	26
27	–	–	.15	.03	–	.01	.09	–	.01	.01	–	.10	27
28	–	–	.03	–	.01	–	.13	–	–	.01	.01	.59	28
29	–		–	–	–	–	.10	.18	–	.02	–	.20	29
30	–	×	–	–	.01	–	.01	.20	–	.09	–	.75	30
31	.29	×	.02	×	.01	×	–	–	×	.17	×	.01	31
TOTAL	3.80	.45	3.81	2.89	1.39	2.43	4.00	3.57	3.49	4.20	3.52	4.00	YEAR'S TOTAL 34.55
Days with .01 in. or more.	17	5	17	16	15	12	18	23	17	26	19	21	206
Days with .04 in. or more.	13	4	13	12	6	8	15	16	11	17	14	16	145

40-9999

(Signed) R. T. Dakers.

[P.T.O.

FORM A. 1. METEORC… GANIZATION.

HAMMER
GREDINGTON
FLINTSHIRE

1921 – 1930

Kept at Gread… 9.0.G.M. Bettisfield. Cambrian Rail

in the County of…

by W. G. Rolfe …

for R. Hon Lo…

ain Gauge 5 in.

ove Ground — ft. 11 in.

,, Sea Level 300 ft.

IMPORTANT NO… entered to the previous day.

If an Observer prefers r… uested to add the reading at 9 a.m. on … at the end of this paragraph. Full inst… f rain gauges, and particulars as to th… all Observers," sent post-free on applic… 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.41						.02	.04			.04	1
2	.60	.02	.05					.29	.23		.14	.24	2
3	.20				.13	.03		.16	.01	.18	.70		3
4	.02		.02		.04			.03		1.88	.24		4
5	.16				.02	.03		.34		.04	.02	.01	5
6			.02	.01				.29			.34	.04	6
7	.05		.03		.10			.03			.05	.03	7
8	.13		.05					.41			.40		8
9	.03				.30			.11		.01		.01	9
10				.10	.10			.16	.04				10
11	.18				.05			.45	.03	.08		.05	11
12	.20				.11			.27	.15	.01			12
13	.53	.02						.13	.36			.14	13
14	.05	.03	.23	.24				.01	.04	.10	.24	.02	14
15			.15	.42	.13			.05				.22	15
16	.02		.09	.02			.09					.02	16
17	.01		.18	.18	.05			.16			.35		17
18	.25		.11	.04				.03			.02		18
19	.09												19
20			.05		.05	.04				.10	.03	.03	20
21						.03					.03	.04	21
22				.14				.03		.10	.20	.13	22
23		.02	.19	.14			.02	.03		.59	.10	.20	23
24	.01						.06		.03	.10			24
25	.01	.15					.01			.01		.43	25
26	.05	.12	.18				.23					.10	26
27					.06	.04						.20	27
28			.04		.03		.03	.06			.10	.39	28
29	.01	X	.24		.14		.01	.56				.05	29
30	.12	X	.04		.14		.16	.04				.14	30
31	.18	X		X	.11	X	.02		X		X	.19	31
TOTAL	2.90	1.07	1.67	1.32	1.59	.20	.63	3.66	.96	3.20	2.96	2.75	YEAR'S TOTAL 22.91
Days with ·01 in. or more	22	6	16	9	16	5	6	22	8	12	18	22	163
Days with ·04 in. or more	15	3	13	7	14	2	4	15	6	9	11	15	118

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Gredington

in the County of Flint.

by W. G. Rolfe, Head Gardener for Rt. Hon. Lord Kenyon. M.V.O.

Lat. ..... Long. .....

Time of Observation 9.0 a.m.

Nearest Railway Station Bettisfield. Cambrian Rail.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.41						.02	.04			.04	1
2	.60	.02	.05					.29	.23		.14	.24	2
3	.20				.13	.03		.16	.01	.18	.70		3
4	.02		.02		.04			.03		1.88	.24		4
5	.16				.02	.03		.34		.04	.02	.01	5
6			.02	.01				.29			.34	.04	6
7	.05		.03		.10			.03			.05	.03	7
8	.13		.05					.41			.40		8
9	.03				.30			.11		.01		.01	9
10				.10	.10			.16	.04				10
11	.18				.05			.45	.03	.08		.05	11
12	.20				.11			.27	.15	.01			12
13	.53	.02						.13	.36			.14	13
14	.05	.03	.23	.24				.01	.04	.10	.24	.02	14
15			.15	.42	.13			.05				.22	15
16	.02		.09	.02			.09					.02	16
17	.01		.18	.18	.05			.16			.35		17
18	.25		.11	.04				.03			.02		18
19	.09												19
20			.05		.05	.04				.10	.03	.03	20
21						.03					.03	.04	21
22				.14				.03		.10	.20	.13	22
23		.02	.19	.14			.02	.03		.59	.10	.20	23
24	.01						.06		.03	.10			24
25	.01	.15					.01			.01		.43	25
26	.05	.12	.18				.23					.10	26
27					.06	.04						.20	27
28			.04		.03		.03	.06			.10	.39	28
29	.01	X	.24		.14		.01	.56				.05	29
30	.12	X	.04		.14		.16	.04				.14	30
31	.18	X		X	.11	X	.02		X		X	.19	31
TOTAL	2.90	1.04	1.64	1.32	1.59	.20	.63	3.66	.96	3.20	2.96	2.75	YEAR'S TOTAL 22.91
Days with .01 in. or more	16	4	16	9	16	5	5	22	8	12	15	22	163
Days with .04 in. or more	14	3	13	7	14	2	4	15	6	9	12	15	114

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3863

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Gredington

in the County of Flint.

by W. G. Rolfe. Head Gardener for Rt. Hon. Lord Kenyon. W. C. & C.

Lat. _____ Long. _____

Time of Observation 9. o. a.m

Nearest Railway Station Bettisfield.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following. —

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.23	.21		.16		.09	.02	.33	.14	.33	.09	1
2	.14	.26	.48		.12		.15		.20		.13	.04	2
3	.10	.19	.02				.01		.01		.02	.04	3
4	.14	.26	.08		.06		.05	.20		.03	.05	.02	4
5	.04	.21	.24		.15			.04		.13	.05		5
6	.15		.21	.20			1.35			.02	.13		6
7	.19		.22	.04			.04	.03			.20	.02	7
8	.04		.16	.04			.23	.21	.04			.01	8
9	.01		.05	.01			.53	.23			.09	.09	9
10	.02		.02	.34			.01	.11			.02	.01	10
11	.10					.04					.08		11
12					.05			.02					12
13				.20		.10	.18	.40	.53				13
14	.55			.08		.22	.16		.28				14
15	.02	.03		.15			.10		.32			.41	15
16	.43	.18		.01			.01		.05			.04	16
17	.64	.12		.08	.10		.06	.26	.15			.07	17
18		.05			.03		.07		.06			.16	18
19	.32	.06							.13	.05		.09	19
20		.10	.20		.02				.21	.13	.04	.66	20
21	.10	.14								.01		.65	21
22	.05	.36		.11				.14				.43	22
23	.01	.07			.04		.08					.30	23
24		.02		.12	.04		.21					.15	24
25		.04	.15	.03		.11		.14				.09	25
26	.23	.07	.23	.53		.05	.02		.21	.02		.16	26
27	.21	.21	.03	.12		.04	.03	.01	.13		.04	.24	27
28	.10	.61	.10	.23		.02		.08	.14		.04	.33	28
29	.13		.02					.26	.42			.09	29
30	.01	×	.02				.04					.20	30
31	.05	×	.09	×		×		.15	×		×	.08	31
TOTAL	3.48	3.21	2.53	2.38	.44	.58	3.42	2.36	3.21	.56	1.24	4.44	YEAR'S TOTAL 28.51
Days with .01 in. or more	24	19	18	16	10	7	20	18	15	8	13	25	196
Days with .04 in. or more	20	14	13	13	8	6	15	12	11	4	11	20	154

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

WD. cond for WD for F.H. 3891

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

10 JAN 1924

Kept at Gredington

in the County of Flint

by W. G. Rolfe. Head Gardener

For Rt. Hon Lord Kenyon. K.C.V.O.

Lat. _____ Long. _____

Time of Observation 9. 0. a.m.

Nearest Railway Station Bettisfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 300 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

.50

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.06	.03		.04	.30	.08			.08	1
2	.08		.30				.02		.08	.04		.38	2
3	.22		.10		.02		.04	.20	.02	.04	.04	.02	3
4	.02		.15			.04			.09	.56	.03	.08	4
5			.03	.02		.02			.06	.04	.03	.08	5
6	.44		.09	.19	.44	.04				.10	.02		6
7	.38	.34	.14	.22		.04		.15		.02	.19	.04	7
8	.02	.41	.11	.04			.08		.02	.24		.22	8
9	.08	.14	.02			.05				.32	.15		9
10	.05	.14	.02		.03		.11	.03			.13	.02	10
11	.18	.14		.30	.05	.08	.19			.14	.03	.01	11
12	.06	.05		.33	.48		.15						12
13	.04	.22	.03	.39	.02	.11				.19	.13		13
14	.03	.30		.05	.10				.09	.04	.51	.04	14
15		.12		.09	.18	.05	.02	.20		.09	.05		15
16	.04	.24	.06	.02	.12		.12		.03		.20		16
17	.03	.11			.20	.03		.20	.08		.15		17
18	.06	.45			.02	.03		.05	.32		.02	.19	18
19	.08	.06						.22	.03	.10	.04		19
20	.04					.04	.30		.21		.06		20
21		.15						.08	.34	.24	.06	.12	21
22	.04				.01	.01		.18	.04	.20		.42	22
23	.03	.29	.03		.92			.03	.02	.04		.04	23
24		.05	.02	.04	.02		.25	.25	.69	.26		.12	24
25		.33		.21	.03	.02	.16	.05	.34	.46		.02	25
26		.51		.18	.05	.05	.01	.35	.34	.20		.23	26
27		.35	.05	.01	.04	.01		.03		.44		.25	27
28		.16	.10		.52		.34	.05		.34		.26	28
29			.02	.14	.05		.03	.11		.04	.10		29
30		×	.10	.02	.03		.22	.65		.20		.24	30
31		×	.24	×		×	.16	.02	×	.04	×	.19	31
TOTAL	1.95	4.65 .07	1.63 .06	2.40 .03	3.36 —	.64 .04	2.24 .30	3.15 .08	2.91 —	4.83 —	1.94 .08	3.08 .50	32.84 33.34 YEAR'S TOTAL
Days with .01 in. or more	19	21 4.67 20	19 1.67	14 2.37	21 3.33 20	15 .68 16	14 2.53	19 2.93	18 2.83 17	24	19 2.05	21 3.50	228 229
Days with .04 in or more	14	20	11 12	13 12	12	9 10	13	15	13 12	23	13 14	14	173 174

Corr. for W.D.

W and forwarded FOR OFFICIAL USE.

3686

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Drg.
Station No. 1925

REGISTER OF RAINFALL IN 1924.

Kept at Gredington
in the County of Flint
by W. G. Rolfe. Head Gardener
For. Rt Hon. Lord Kenyon K.B.E.C.

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Bettisfield. G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following. ·20

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50		·16		·15	5.31		·03	·02	·30	·02	·06	1 WVV
2	·03		·24		·12	·44	·15	·24			·33		2 W.H.B.
3	·02		·11		·04	·12		·03		·08	·04	·01	3
4			·05		·04	·02	·20	·21		·02			4
5					·03	·24	·10	·03		·01		·50	5
6			·29		·05	·05	·35		·08	·15	·04	·10	6
7					·30	·01		·16	·19	·14			7
8	·03				·04	·09			·33	·28		·02	8
9					·03	·02			·34	·02			9
10	·13	·06		·22	·04	·13			·30	·18			10
11	·03			·04	·13	·10			·02	·66			11
12	·62			·12	·20	·10			·02		·21		12
13	·11	·05		·02	·10	·03			·03	·01			13
14	·14			·42	·14				·12	·02	·01	·18	14
15				·24				·15			·08	·10	15
16		·02							·09			·15	16
17	·02							·39	·04				17
18	·16	·12				·48	·35	·23	·06				18
19	·18	·05			·04		·05			·49			19
20	·03				·18	·10			·09	·02			20
21	·21		·01			·01	·65	·15	·13	·02			21
22	·36	·04			·14	·05	·89	·29	·09	·90	·01		22
23	·26		·33	·04	·02			·40	·15			·24	23
24	·05	·02	·04	·19	·24		·08	·30	·39			·50	24
25	·04			·10	·18		·03	·08	·16			·40	25
26		·04		·12	·15		·28	·05	·34		·13	·10	26
27				·24			·05	·05	·06	·56	·36	·49	27
28				·22			·40	·02		·18	·10	·08	28
29				·01		·05	·48	·35		·22	·13		29
30		×		·41	·02		·02	·11	·05	·51	·16	·54	30 97 6
31		×		×	·32	×	·19	·22	×	·16	×	·24	31 38·44
		·16		·15	5·31		·03	·02	·30	·02	·06	·20	
TOTAL	2·92	·40	1·23	2·48	2·49	4·38	4·54	3·52	3·63	4·93	1·65	3·94	38·74
	2·42	·56	1·07	2·63	7·95	2·07	4·60	3·51	3·41	4·65	1·59	3·88	
Days with ·01 in. or more.	18	8	8	14	23	18	16	20	22	21	13	16	194
Days with ·04 in. or more	12	6	4	12	19	13	14	16	18	14	10	14	155

Section **A** for the entry of Daily Observations. Corr.d for W.D. FOR OFFICIAL USE

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3717

Register of Rainfall in 1925.

Kept at Gredington

in the County of Flint.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 300. ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following. ·03

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·23	·22	·08				·03	·04		·05	·10	1
2	·46		·10		·10	·01		·46	·02		·28		2
3	·13	·01						·01			·26		3
4	·26						·16	·10	·08	·05	·06		4
5	·21	·02			·25				·03	·05	·20		5
6		·25		·40	·10			·38	·43		·12		6
7		·08		·15	·15		·60	·18		·02	·53		7
8		·13	·05		·35		·01	·05	·03	·02	·41	·03	8
9	·04	·02	·04		·22		·02	·46	·23			·23	9
10		·25		·06	·10		·06	·05	·33		·12	·02	10
11		·42		·04	·02			·25	·06				11
12		·86			·03				·10			·08	12
13		·28		·02				·18		·15			13
14	·03	·02	·06	·02				·04		·05		·05	14
15	·34		·03	·09									15
16		·01		·09		·03			·04	·41		·03	16
17	·06	·09		·01		·03			·04				17
18		·23			·06				·02	·03		·10	18
19		·39		·09	·21							·03	19
20		·01			·34				·56	·58		·40	20
21			·21		·03			·40	·04	·20		·04	21
22		·22	·02				·19	·55	·15	·14		·08	22
23		·03		·15	·03		1.05	·23	·20	·35			23
24	·09		·05		·50			·12	·16	·15		·12	24
25		·19	·03	·09	·02			·01	·03		·04	·03	25
26		·34	·06	·16			·34		·15	·09		·18	26
27		·08		·01	·38	·04	·10	·01	·22	·32	·03	·03	27
28	·05	·06			·20		·06	·06	·02	·03	·02	·03	28
29	·11			·09	·13		·06			·28	·25	·14	29
30	·08	×			·24		·02					·55	30
31		×		×	·04	×			×		×	·14	31
TOTAL	2.39	4.25	·84	1.55	3.53	·11	2.40	3.54	3.04	2.92	2.40	2.44	YEAR'S TOTAL 29.80
Days with ·01 in. or more.	13	23	11	15	21	4	13	19	21	18	13	20	191
Days with ·04 in. or more.	12	16	8	11	16	1	9	16	15	14	11	12	141

·23 ·22 ·08 ·03 ·04 – ·05 ·10 ·03

2.42 4.24 ·73 1.47 3.53 ·11 2.73 3.58 3.06 2.93 2.45 2.40

·03 ·04 ·05

753 29.63

Kept by. (Signed) Wm. G. Rolfe. [P.T.O.

For Rt. Hon Lord Kenyon. K.C.B.C.

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Gredington *for* Rt. Hon. Lord Kenyon. K.C.B.C.

in the County of Flint. *by* Wm G Rolfe. Head Gardener.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.24			.38	.05			.32		1.10	.14	1
2	.08	.24				.12			.10		.12	.03	2
3	.33	.06	.20									.03	3
4		.02	.20		.10		.08		.11		.45	.09	4
5	.12	.28			.42		.22	.14	.08		.03	.14	5
6	.40	.18					.34	.04	.09	.04	.30		6
7		.40		.34	.30	.15			.12		.23		7
8	.02	.04			.05	.05	.01	.02	.06	.45	.53		8
9			.03			.14	.03	1.32		.03			9
10					.10	.03	.04	.11			.50		10
11					.12	.12		.03	.03	.08			11
12					.35	.12		.08		.40	.22		12
13	.03				.31	.08				.10	.25		13
14		.24		.30	.28	.12		.12	.10			.02	14
15		.11		.05		.08		.04		.10	.28		15
16	.10	.04		.13		.54		.02	.01		.44	.08	16
17	.16	.05		.02		.12		.11			.36	.05	17
18	.25	.02		.04			1.09	.04			.38	.02	18
19			.01	.05			.44	.12	.45		.10		19
20				.03				.23			.30		20
21	.05			.04	.03	.01	.16			.22	.06		21
22	.22	.04		.02		.02							22
23	.03												23
24	.10				.13		.22	.02	.14	.24			24
25				.18			.01		.08	.30		.02	25
26	.02			.02	.16				.25				26
27	.26	.04		.06	.08		.05						27
28	.04			.03	.05		.44		.02	.14	.12		28
29	.12			.14	.10		.10						29
30	.10	×		.05	.08			.46					30
31	.18	×		×		×			×		×		31
TOTAL	3.06	2.33	.44	1.59	3.04	1.81	3.26	3.26	2.26	2.43	6.04	.62	YEAR'S TOTAL 30.14
Days with .01 in. or more.	20	15	4	16	14	15	14	16	15	11	18	10	141
Days with .04 in. or more.	16	13	2	11	16	12	11	12	12	10	14	5	134

Please read the Notes and Instructions Overleaf.

(144ws) (Signed) Wm G. Rolfe. [P.T.O.

3695

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1924.

Kept at Grediton: for Lady Kenyon.

in the County of Devon

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level ~300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14			.02	.06		.05	.24	.12		1
2	.04		.22	.18	.14					.02			2
3		.04	.05	.05		.05	.13						3
4	.09		.08	.10	.16		.21				.04		4
5	.04	.09	.20	.12		.40	.48				.03		5
6			.04			.20	.24	.04	.60		.42		6
7	.02	.13	.10			.33		.11					7
8	.03			.92		.04		.25	.04				8
9			.15	1.00				.13			.06	.03	9
10						.04		.25	.08				10
11			.14	.02			.36	.04					11
12	.16				.13		.20	.35					12
13	.15				.04			.08	.32	.16	.20		13
14	.01			.06				.03	.81		.08		14
15	.03				.60			.06	.42	.04		.19	15
16	.01				.08	.44		.11	.16				16
17	.04							.53	.14				17
18						.43		.75	.08		.45		18
19		.20				.03		.15		.04	.30	.23	19
20	.15	.32			.09	.10	.10	.40	.10		.15		20
21		.13	.02		.04	.02	.36	.53	.20	.45	.16	.04	21
22	.04	.05	.18	.03		.18	.05	.10	.20	.45	.19	.02	22
23	.08		.16			.23		.08	.14		.20	.36	23
24	.41		.30			.05	.12	.10	.23	.04		.41	24
25	.12	.10	.24			.22	.05		.05	.44		.11	25
26	.31	.14	.04	.08		.03	.12		.01	.20		.05	26
27	.14	.21				.14	.20	.04		.04			27
28	.59	.22	.08			.02		.04	.16	.11	.44		28
29	.12		.04	.03		.08	.08		.30	.10			29
30	.11	×				.58	.03	.12	.04	.05			30
31		×	.50	×	.11	×			×	.04	×	.10	31
TOTAL	2.42	1.63	2.83	2.59	1.39	3.97	2.94	5.44	4.24	2.45	3.14	2.14	YEAR'S TOTAL 35.92
Days with .01 in. or more.	21	11	18	11	9	21	16	22	20	15	14	10	188
Days with .04 in. or more.	16	11	14	8	9	16	16	21	20	14	13	8	169

40-12-I-27
144w)

(Signed) W. G. Rolfe. for Lady Kenyon [P.T.O.

Section A for the entry of Daily Observations. FOR OFFICIAL U

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at GREDINGTON. FOR. LADY KENYON.

in the County of FLINT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	.05	.02				.10	.05				.05	1
2	.08	.24	.21	.09						.03	.05		2
3	.02			.05									3
4	.09	.39	.05				.20			.14	.02		4
5	.08	.09	.04	.02		.19	.10		.38	.28	.01		5
6			.03			.54	.01	.04	.01			.14	6
7	.06			.24		.30		.21		.26	.02	.06	7
8	.02	.03		.02		.28	.05		.23	.11		.05	8
9	.11			.02		.23			.01	.01		.01	9
10	.19	.43	.03	.01	.05	.10				.41	.15		10
11		.14	.02	.39				.10		.11	.23	.20	11
12	.21	.25	.05	.29		.23		.18			.05	.04	12
13				.03		.43		.15			.08		13
14	.13	.11				.19		.13	.05	.40	.54		14
15	.16	.06			.03	.06		.09		.04	.10	.05	15
16	.01	.12	.12		.03					.21	.52	.20	16
17	.05		.05		.31	.04							17
18	.39		.04	.04	.12	.15			.10	.19	.06	.10	18
19			.04		.25	.44		.11		.25	.40	.14	19
20	.06		.26	.06	.59			.08	.06	.15	.33	.01	20
21	.68		.23	.01	.04	.16		.10	.23	.09	.14	.01	21
22			.05	.09			.02	.26			.11	.10	22
23	.29		.05		.03		.08	.06	.04	.19	.40	.05	23
24	.09		.03			.02	.05	.10	.41	.21	.29	.19	24
25	.19					.13	.01	.25		.01	.25	.25	25
26	.29		.01		.10			.65		.48	.36	.01	26
27	.02			.05	.01			.64	.10	.05	.10	.18	27
28	.18		.12	.03		.32	.02	.10	.15		.02	.18	28
29	.49	.30	.34			.24	.04	.29		.09	.08	.16	29
30		×	.08	.12		.02	.41			.10		.31	30
31	.24	×	.02	×		×	.35		×	.04	×		31
TOTAL	4.65	2.21	1.92	1.59	1.59	4.19	1.44	3.65	1.44	4.45	4.34	2.58	YEAR'S TOTAL 34.41
Days with .01 in. or more.	25	12	22	14	11	19	13	19	12	23	23	22	218
Days with .04 in. or more.	21	12	15	10	4	14	9	19	10	20	20	18	198

40-9999

(Signed) Wm G. Rolfe. Head Gardener to Lady Kenyon. [P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE. 3848

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at GREDINGTON.

in the County of FLINT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·18		·10	·05	·20		·02	1
2		·15		·02	·13	·01	·01	·04		·02	·11	·22	2
3		·04			·08	·10	·04	·35	·16			·08	3
4		·02		·08	·31	·02	·14	·25		·22	·05	·43	4
5					·33	·20	·89	·25		·94	·41	·16	5
6	·05				·23	·43	·12	·21		·24	·04	·42	6
7					·23	·19				·25	·30	·36	7
8		·19		·18	·01	·08		·05		·24		·36	8
9	·15	·18				·02	·10	·02		·02	·85	·48	9
10	·14									·10	·05	·31	10
11	·05				·43							·06	11
12					·03	·43	·21		·45		·89	·04	12
13	·12				·09	·08				·01	·19	·06	13
14	·05				·06	·28			·09			·09	14
15	·11					·04					·42		15
16						·02		·13		·04	/		16
17	·11							·08		·04			17
18	·04							·02		·04	·43		18
19						·02		·19		·02	·35	·01	19
20									·05	·16	·09	·25	20
21			·21			·12	·02	·06					21
22						·06	·10	·04		·01	·03		22
23						·02	·05	·14		·38	·26		23
24			·04					·30		·91	·24	·42	24
25			·08	·14						·02	·36	·26	25
26		·08		·08						·05		·11	26
27	·05			·11	·03			·03		·26	·11	·11	27
28	·41			·10			·20	·39	·34	·14		·06	28
29	·04							·02		·13	·18	·84	29
30	·02	×					·08		·94		·18	·41	30
31	·18	×		×		×	·18	·11	×		×	·04	31
TOTAL	1·52	·66	·33	·41	1·96	2·30	2·20	2·81	2·14	4·53	5·54	5·93	YEAR'S TOTAL 30·66
Days with ·01 in. or more.	14	6	3	4	12	18	13	20	4	23	20	24	164
Days with ·04 in. or more.	13	5	3	6	9	12	11	16	4	14	19	22	149

40-9999

(*Signed*) W. G. Rolfe. [P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at GREDINGTON.

in the County of FLINT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.29				.11			.50		1
2	.04	.31		.09				.23			.26		2
3	.28	.11	.02	.23				.09		.65	.15		3
4	.19	.02	.07	.42	.23			.11	.02	.09	.01		4
5	.11		.15	.04	.59			.10		.15			5
6			.59		.06		.08	.18	.42	.10		.01	6
7	.15		.01					.08	.07	.11	.17	.14	7
8	.10			.21				.02	.36	.15		.06	8
9	.69		.25	.63	.58	.01			.07	.02	.01		9
10	.47		.17		.23	.01		.25				.65	10
11	.14		.11	.02	.12			.06	.11	.03	.05	.30	11
12	.21		.10		.07			.20	.02	.01		.26	12
13	.11		.28	.11	.05		.04	.07	.49			.05	13
14	.74		.11	.09			.47	.01				.08	14
15		.11	.67				.14			.22	.09	.30	15
16							.11		.21	.09		.18	16
17	.02		.15		.05		.06	.06	.61	.13		.01	17
18			.02			.15	.43			.05	.34	.01	18
19			.13	.12		.07			.54	.17	.18	.02	19
20			.12			.05	1.55	.84	.47	.05	.13	.01	20
21			.23			.07	.11	.15		.32	.22		21
22	.26						.29	.05	.02	.13	.35		22
23	.01			.04	.01	.06	.15	.11			.03	.03	23
24	.43			.37	.04				.08	.35	.28	.01	24
25	.01			.18	.10				.45	.56	.18	.12	25
26	.44	.12		.10	.19				.01	.02	.10	.34	26
27	.03		.10	.02		.02	.06		.04	.05		.21	27
28			.05				.24			.02	.10	.51	28
29							.18	.15		.07		.22	29
30		×			.02		.17	.09		.11		.47	30
31	.28	×	.07	×	.04	×			×	.20	×	.27	31
TOTAL	5.01	.67	3.40	2.96	2.38	.44	4.08	2.96	3.99	3.85	3.15	4.26	YEAR'S TOTAL 37.15
*Days with .01 in. or more.	20	5	20	16	15	8	15	20	17	25	18	23	202
*Days with .04 in. or more.	16	4	17	14	13	5	15	18	13	20	15	16	166

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wm G Rolfe

[P.T.O.

FORM A. 2. METEOROL... RGANIZATION.

R... 2....

HAWARDEN BRIDGE.

FLINTSHIRE

1921. — 1930

Kept at Hawarden ng. 3.1 W

in the County of ... Gauge.

by C. Sumner ... on Shotton

Rain Gauge 8" in.

... above Ground 1 ft. 3 in.

... Sea Level 22 ft.

IMPORTANT NO... ...lt entered to the previous day.

If an Observer prefers ... requested to add
the reading at 9 a.m. on ... it at the end of
this paragraph. Full inst... ...ng of rain gauges,
and particulars as to th... *...ainfall Observers,"*
sent post-free on applic... ...tion, 62, Camden
Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15.6	—	.8	—	—	—	—	4.7	1.0	—	—	3.4	1
2	1.8	—	—	—	1.6	—	—	1.3	—	8.0	21.5	—	2
3	.8	—	2.2	—	—	—	—	.3	—	32.8	7.0	—	3
4	1.0	—	.2	—	2.0	.3	—	2.0	—	1.2	2.2	.8	4
5	—	—	1.1	—	—	—	—	6.2	—	—	5.5	1.4	5
6	.5	—	.2	—	2.5	—	—	.3	—	—	3.4	1.6	6
7	3.4	—	.3	—	—	—	—	8.0	—	—	7.0	.3	7
8	1.5	.7	—	—	.8	—	—	—	—	—	5.0	—	8
9	—	—	—	1.1	.6	—	—	4.1	—	—	—	—	9
10	2.0	—	—	—	.4	—	—	2.6	.5	.2	—	—	10
11	3.5	—	2.4	—	3.2	—	—	10.6	.5	.2	—	1.0	11
12	12.5	.7	—	—	—	.4	—	4.9	5.0	—	—	.9	12
13	1.0	1.0	2.3	9.0	—	—	—	1.6	9.4	5.2	5.0	—	13
14	—	.3	1.1	3.3	8.6	—	1.0	2.7	1.4	—	—	9.1	14
15	.4	—	1.8	.7	—	—	1.1	—	.6	—	—	—	15
16	3.8	—	.2	3.1	.3	—	.4	6.1	—	—	3.1	—	16
17	5.0	.2	1.2	1.3	—	—	—	1.0	—	—	—	—	17
18	2.8	—	.8	—	—	—	—	—	—	—	.4	—	18
19	—	—	1.3	—	—	2.4	—	—	—	2.0	1.1	—	19
20	—	—	.2	—	—	1.0	—	—	—	—	—	—	20
21	.5	—	—	1.6	—	.2	—	.2	—	1.2	5.0	4.8	21
22	—	—	1.1	2.4	—	—	2.0	—	—	12.0	.2	7.5	22
23	—	—	—	—	—	—	1.0	—	.4	2.8	—	.3	23
24	.3	3.1	—	.7	—	—	1.0	—	—	—	—	11.6	24
25	2.4	1.0	2.5	—	—	—	5.1	.4	—	—	—	1.2	25
26	.4	—	2.0	—	3.0	2.6	—	—	—	—	—	8.6	26
27	—	—	1.1	—	5.4	—	.3	1.6	—	—	1.4	12.0	27
28	—	—	4.0	—	3.0	—	2.0	10.6	—	—	.3	1.5	28
29	—	X	—	—	1.4	—	1.4	3.8	—	—	—	2.7	29
30	1.5	X	—	—	3.1	—	—	—	—	—	—	5.0	30
31	20.2	X	—	X	—	X	—	1.1	X	1.4	X	—	31
TOTAL	80.9	7.0	26.8	23.2	35.9	6.9	15.3	74.1	18.8	67.0	68.1	70.7	YEAR'S TOTAL 494.7
Days with 0·2 mm. or more	21	4	20	9	14	6	10	21	8	11	15	18	160
Days with 1·0 mm. or more	15	3	13	7	10	3	8	17	4	9	12	14	115

(44,284). 10/19. (52,639). Wt.10.000—359. 1000. 7/20. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192....

Kept at Hawarden Bridge

in the County of Flint

by J. Summers Son Ltd.

Lat. 53·12 Long. 3·1 W

Time of Observation 9 a.m.

Nearest Railway Station Shotton

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15·6	—	·8	—	—	—	—	4·7	1·0	—	—	3·4	1
2	1·8	—	—	—	1·6	—	—	1·3	—	8·0	21·5	—	2
3	·8	—	2·2	—	—	—	—	·3	—	32·8	7·0	—	3
4	1·0	—	·2	—	2·0	·3	—	2·0	—	1·2	2·2	·8	4
5	—	—	1·1	—	—	—	—	6·2	—	—	5·5	1·4	5
6	·5	—	·2	—	2·5	—	—	·3	—	—	3·4	1·6	6
7	3·4	—	·3	—	—	—	—	8·0	—	—	7·0	·3	7
8	1·5	·7	—	—	·8	—	—	—	—	—	5·0	—	8
9	—	—	—	1·1	·6	—	—	4·1	—	—	—	—	9
10	2·0	—	—	—	·4	—	—	2·6	·5	·2	—	—	10
11	3·5	—	2·4	—	3·2	—	—	10·6	·5	·2	—	1·0	11
12	12·5	·7	—	—	—	·4	—	4·9	5·0	—	—	·9	12
13	1·0	1·0	2·3	9·0	—	—	—	1·6	9·4	5·2	5·0	—	13
14	—	·3	1·1	3·3	8·6	—	1·0	2·7	1·4	—	—	9·1	14
15	·4	—	1·8	·7	—	—	1·1	—	·6	—	—	—	15
16	3·8	—	·2	3·1	·3	—	·4	6·1	—	—	3·1	—	16
17	5·0	·2	1·2	1·3	—	—	—	1·0	—	—	—	—	17
18	2·8	—	·8	—	—	—	—	—	—	—	·4	—	18
19	—	—	1·3	—	—	2·4	—	—	—	2·0	1·1	—	19
20	—	—	·2	—	—	1·0	—	—	—	—	—	—	20
21	·5	—	—	1·6	—	·2	—	·2	—	1·2	5·0	4·8	21
22	—	—	1·1	2·4	—	—	2·0	—	—	12·0	·2	7·5	22
23	—	—	—	—	—	—	1·0	—	·4	2·8	—	·3	23
24	·3	3·1	—	·7	—	—	1·0	—	—	—	—	11·6	24
25	2·4	1·0	2·5	—	—	—	5·1	·4	—	—	—	1·2	25
26	·4	—	2·0	—	3·0	2·6	—	—	—	—	—	5·6	26
27	—	—	1·1	—	5·4	—	·3	1·6	—	—	1·4	12·0	27
28	—	—	4·0	—	3·0	—	2·0	10·6	—	—	·3	1·5	28
29	—	X	—	—	1·4	—	1·4	3·8	—	—	—	2·7	29
30	1·5	X	—	—	3·1	—	—	—	—	—	—	5·0	30
31	20·2	X	—	X	—	X	—	1·1	X	1·4	X	—	31
TOTAL	80·9	7·0	26·8	23·2	35·9	6·9	15·3	74·1	18·8	67·0	68·1	70·7	YEAR'S TOTAL 494·7
Days with 0·2 mm. or more	21	4	20	9	14	6	10	21	8	11	15	18	160
Days with 1·0 mm. or more	15	3	13	7	10	3	8	17	4	9	12	14	115

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Ex NE7 cwb sms ehs 3870

AIR MINISTRY.

FORM 1691 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922.

Kept at Kawarden Bridge

in the County of

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·8	4·5	14·6	–	1·2	–	1·9	0·2	8·6	–	3·8	1·0	1
2	9·4	8·6	0·3	–	–	–	1·9	–	–	–	2·5	1·0	2
3	3·2	6·8	0·2	–	0·2	–	0·2	3·4	–	–	5·6	–	3
4	–	4·0	3·0	–	0·6	–	0·6	–	–	0·5	2·2	–	4
5	3·7	–	0·7	10·3	–	–	0·6	–	–	7·0	4·9	–	5
6	8·5	–	13·4	–	–	–	32·8	–	–	–	8·5	1·7	6
7	1·8	–	0·2	–	–	–	3·0	11·3	–	–	0·9	–	7
8	0·8	–	1·2	–	–	–	5·0	15·6	0·3	–	1·2	1·5	8
9	0·7	–	0·5	3·0	–	–	0·7	0·3	–	–	–	–	9
10	–	–	–	–	–	–	–	–	–	–	–	–	10
11	2·0	–	–	–	–	–	–	1·1	–	–	–	–	11
12	–	–	–	6·8	–	7·0	6·5	5·7	8·3	2·9	–	–	12
13	9·0	–	–	6·4	–	3·4	4·7	–	0·6	–	–	–	13
14	0·4	–	–	1·0	–	–	–	–	5·3	–	–	6·8	14
15	10·0	2·1	–	4·4	–	–	–	–	1·0	–	–	–	15
16	14·5	3·6	–	–	2·0	–	1·7	1·1	2·0	–	–	–	16
17	–	2·0	–	0·2	1·2	–	1·5	–	2·8	–	–	7·5	17
18	4·3	–	–	–	0·4	0·7	–	1·1	4·4	–	–	3·0	18
19	–	3·1	5·5	–	–	–	–	–	3·4	1·3	–	12·5	19
20	1·2	2·2	–	–	–	–	–	–	–	–	–	16·4	20
21	0·8	2·6	–	2·8	–	–	3·0	–	–	–	–	4·2	21
22	–	4·0	–	0·3	3·8	1·6	–	4·0	–	–	–	5·6	22
23	–	–	–	2·3	–	–	1·8	0·3	–	–	–	7·2	23
24	–	1·1	6·3	0·4	–	8·0	–	2·1	–	–	–	0·8	24
25	7·0	–	–	11·2	–	2·1	–	–	4·0	–	–	–	25
26	8·0	3·8	1·2	1·0	–	2·4	7·0	2·1	–	–	1·0	3·0	26
27	2·9	10·3	3·0	0·6	–	1·2	–	0·3	13·4	–	0·7	5·0	27
28	2·8	0·8	–	–	–	0·7	–	11·8	3·0	–	–	–	28
29	–		–	–	–	2·9	0·8	–	–	–	–	7·2	29
30	0·6		1·4	3·0	–	3·1	–	0·7	6·4	2·3	2·0	8·1	30
31	8·0		0·7		–		0·2	7·0		3·8		–	31
TOTAL	103·4	59·5	52·2	53·7	9·4	33·1	84·3 73·9	68·1	63·5	14·0 17·8	30·8 29·5	92·5	YEAR'S TOTAL 664·5
Days with 0·2 mm. or more	22	15	15	15	7	11	18	17	14	5	10	17	166
Days with 1·0 mm. or more	7	14	9	11	4	9	12	12	12	4	8	16	128

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

3870

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922.

Kept at Hawarden Bridge Shotton

in the County of Flintshire

by R. Stanshaw

Lat. 53·12 Long. 3·1.

Time of Observation 9.0 am.

Nearest Railway Station L.N.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 22. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·8	4·5	14·6	Nil	1·2	nil	1·9	·2	8·6	nil	3·8	1·0	1
2	9·4	8·6	·3	"	Nil	nil	·2	nil	nil	nil	nil	1·0	2
3	3.2	6·8	·2	"	·2	nil	·6	3·4	nil	nil	5·6	nil	3
4	Nil	4·0	3·0	"	·6	nil	·6	nil	nil	·5	2·2	nil	4
5	3.7	Nil	·7	10·3	nil	nil	32·8.	nil	nil	4·0	4·9	1·4	5
6	8·5	"	13.4	Nil	nil	nil	3·0	nil	nil	nil	8·5	nil	6
7	1·8	"	·2	"	nil	nil	5·0	11·3.	nil	nil	·9	nil	7
8	·8	"	1·2	"	nil	nil	12·3.	15·6	·3.	nil	1·2	nil	8
9	·7	"	·5	3.0	nil	nil	0·4.	·3.	nil	nil	nil	1·5	9
10	Nil	"	Nil	Nil	nil	nil	nil	nil	nil	nil	nil	nil	10
11	2·0	"	"	"	nil	nil	nil	1·1	nil	nil	nil	nil	11
12	Nil	"	"	6·8	nil	7·0	6·5	5·4	8·3	2·9	nil	nil	12
13	9.0	"	"	6.4	nil	3·4	4·4	nil	·6	nil	nil	nil	13
14	·4	"	"	1.0	nil	nil	nil	nil	5·3	nil	nil	6·8	14
15	10.0	2·1	"	4·4	nil	nil	nil	nil	1·0	nil	nil	nil	15
16	14·5	3.6.	"	Nil	2·0	nil	1·4	1·1	2·0	nil	nil	nil	16
17	Nil	2·0	"	·2	1·2	nil	1·5	nil	2·8	nil	nil	4·5	17
18	4·3	Nil	"	Nil	·4	·4	nil	1·1	4·4	nil	nil	3·0	18
19	Nil	3.1	5.5	"	nil	nil	nil	nil	3·4	1·3	nil	12·5	19
20	1·2	2·2	Nil	"	nil	nil	nil	nil	nil	nil	nil	16·4	20
21	·8	2·6	"	2·8	nil	nil	3·0	nil	nil	nil	nil	4·2	21
22	Nil	4·0	"	·3	3·8	1·6.	nil	4·0	nil	nil	nil	5·6	22
23	"	Nil	"	2·3	nil	nil	1·8	·3.	nil	nil	nil	4·2	23
24	"	1·1	6·3	·4	nil	8·0	nil	2·1	nil	nil	nil	·9	24
25	7.0	Nil	Nil	11·2	nil	2·1	nil	nil	4·0	nil	nil	nil	25
26	8·0	3·8	1·2	1·0	nil	2·4	7·0	2·1	nil	nil	1·0	3·0	26
27	2·9	10·3	3·0	·6	nil	1·2	nil	·3.	13·4	nil	·4	5·0	27
28	2·8	·8	Nil	Nil	nil	·4	nil	11·8	3·0	nil	nil	nil	28
29	Nil	~~X~~	"	"	nil	2·9	·8	nil	nil	nil	nil	4·2	29
30	·6	~~X~~	1·4	3.0	nil	3·1	nil	·4	6·4	nil	2·0.	8·1	30
31	8·0.	~~X~~	·7	~~X~~	nil.	~~X~~	·2.	4·0	~~X~~	2·3	~~X~~	nil	31
TOTAL	163.4	59·5	52·2	53·7	9.43	33·1.	84·3 2	68·1	63·5	14·0 1.39	30·8.	92·5	(664·3)
Days with 0·2 mm. or more	22	15	15	15	7	11	18	17	14	5	10	14	166
Days with 1·0 mm. or more	17	11	9	11	4	9	12	12	12	4	8	10	129

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

Section **A** for the entry of Daily Observations

Station No.....

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1923

Kept at HAWARDEN BRIDGE

in the County of FLINTSHIRE

8327 (21)-221.

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	MM	MM	MM	MM	MM	MM	MM	MM	MM	MM	MM.	MM		
1	1·8	1·5	3·6				2·9	2·0	4·7	0·9	4·6	1·3		1
2	3·0		0·2	0·4			0·2			2·4	0·6	1·9		2
3			3·0				0·5		7·0	7·6	1·6	2·9		3
4	0·3		2·3							0·9	1·1	0·7		4
5	9·7		1·2	2·4	14·0	0·7				0·5	2·3			5
6	3·4	6·0	2·2	5·6		2·1		5·4		1·2	3·6	0·6		6
7	0·4	11·3	0·6								0·9	2·0		7
8	1·4	0·8	0·6			1·2		0·8		8·8	7·4	3·0		8
9		5·9	0·3		1·2		5·3	2·0			2·7	0·3		9
10	9·3	5·3		13·5	5·3		1·8			2·0				10
11	0·8	0·8		5·8	10·9		0·1							11
12	1·4	2·6		11·0	1·8					5·1	2·7	0·7		12
13	0·8	10·6		1·0	0·3		1·7		4·2	9·5	4·2			13
14					1·4		0·18	2·9	1·5	3·0	1·2	0·7		14
15	0·6	0·5	0·6	1·1	7·0	1·2	2·6		2·8		11·7	2·3		15
16		1·5			2·9			1·0	0·8	1·0	11·3			16
17	0·8	4·1						0·4	9·3		4·3			17
18		3·5					1·5	6·0	2·6	6·7	2·6	3·3		18
19	3·3						3·4	5·2	6·2		0·6	0·6		19
20		4·0						1·6	6·7	6·2	0·7	5·8		20
21					1·4			3·0	1·0	0·7	0·3	13·7		21
22	0·1	0·5			18·0		0·8		0·4			3·1		22
23		2·0		0·8			2·3	4·8	13·8	5·6		8·0		23
24		5·8		0·6	0·4		1·0	0·1	3·7	5·7		0·9		24
25		9·1		0·7	0·7	1·2	0·6	2·8	5·5	4·8		11·1		25
26		5·2		8·3				0·8		10·0		3·4		26
27		4·6	1·1		8·7		10·6	1·6	0·2	4·4		11·1		27
28	0·2	0·5		0·3	0·7		8·2	0·4		0·9	1·0			28
29	1·5	X		2·4			14·4	23·4		3·4		3·2		29
30	0·8	X	2·9	1·2			8·4	1·5			1·1	7·7		30
31	2·0	X		X		X		1·5	X		X	15·9		31
TOTAL	41·6	86·1	18·6	47·05	74·7	6·4	66·48	67·2	70·4	91·3	66·5	104·2		Year's Total 740·5
*Days with .01 in. or more.														
*Days with .04 in. or more.				47·1			66·4							

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).....

(P.T.O.)

Nov-12 for form 3203 (agricultural stations)

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

3694

10 JAN 1925

Kept at Hawarden Bridge

in the County of Flintshire

by R. Hawkshaw

Lat. 53·12 N Long. 3·1 W.

Time of Observation

Nearest Railway Station Shotton

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 22 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	" — "	" — "	3·7	—	0·7	8·1	0·5	8·4	—	—	6·8	—	1
2	1·2	" — "	1·0	—	2·0	0·7	—	—	—	—	5·2	—	2
3	" — "	" — "	0·7	—	—	0·3	4·6	—	—	—	—	3·4	3
4	" — "	" — "	3·1	—	0·5	—	2·6	3·0	—	—	—	12·0	4
5	" — "	" — "	0·1	—	4·5	0·7	1·6	1·0	0·2	1·4	1·2	1·0	5
6	" — "	0·7	—	—	4·0	2·3	—	2·9	2·4	5·8	—	—	6
7	0·3	—	—	—	3·1	3·1	—	—	10·6	0·6	—	6·2	7
8	" — "	—	—	1·4	0·6	0·3	—	—	5·2	1·0	—	2·4	8
9	0·2	—	—	2·2	1·5	2·6	—	—	7·4	2·2	—	—	9
10	3·2	0·6	—	0·7	2·0	2·2	0·4	—	0·4	8·2	—	—	10
11	7·0	—	—	—	3·6	14·8	—	—	0·2	—	7·0	—	11
12	3·2	—	—	3·1	2·7	6·1	—	4·2	—	—	—	—	12
13	2·6	—	—	8·0	2·0	—	—	—	7·5	0·4	—	5·8	13
14	" — "	—	—	1·7	0·5	—	—	4·2	—	—	—	1·4	14
15	" — "	1·0	—	—	1·7	1·3	0·5	0·5	—	—	—	4·4	15
16	1·0	—	—	—	—	" — "	0·8	7·3	1·7	1·4	—	—	16
17	3·1	1·2	—	—	—	4·6	1·2	7·7	—	—	—	—	17
18	4·2	0·7	—	—	3·1	—	1·0	—	—	13·0	0·3	—	18
19	2·8	—	—	—	13·0	—	—	1·6	2·6	0·4	—	—	19
20	7·6	—	—	—	0·5	—	20·2	2·0	1·0	3·0	—	—	20
21	11·3	—	—	0·4	2·5	1·1	24·2	1·0	4·3	20·4	—	—	21
22	3·4	—	2·9	0·6	—	—	—	12·2	4·4	—	1·8	6·0	22
23	1·0	—	5·0	5·2	0·8	—	1·6	4·0	9·2	—	—	7·6	23
24	0·5	1·2	—	1·9	—	—	2·5	2·3	1·2	—	—	0·9	24
25	" — "	—	—	0·6	2·0	—	22·2	1·6	4·1	—	4·8	1·9	25
26	1·7	—	—	—	1·0	0·3	13·4	2·5	1·2	11·2	13·6	2·2	26
27	" — "	—	—	6·0	—	—	9·1	0·3	—	3·4	0·8	4·2	27
28	0·5	0·3	—	1·4	—	1·3	46·2	10·3	3·0	9·2	2·6	—	28
29	" — "	3·1	—	9·0	—	1·0	2·2	1·7	0·2	3·6	2·2	10·0	29
30	" — "	X	—	2·1	4·7	—	0·8	—	9·5	9·0	4·2	4·4	30
31	0·4	X	—	X	62·5	X	1·0	2·1	X	—	X	0·8	31
TOTAL	55·6	8·8	16·5	44·3	119·5	80·8	156·9	80·8	76·3	92·2	50·5	74·6	826·8
Days with 0·2 mm. or more	19	8	6	15	23	17	20	21	20	19	11	19	187
Days with 1·0 mm. or more	14	4	5	11	19	12	15	19	16	14	9	15	150

(*236) Wt. 50–2157. 375. 8/23. T. S. 128.

174 4·71 2·00 6·18 3·18 3·00 3·63 1·99 2·94 32·60

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3723

Register of Rainfall in 1925.

Kept at Hawarden Bridge

in the County of Flintshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 22 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1	6.6	0.2	0.6	—	—	—	—	5.8	0.8	—	2.6	—	1
2	4.0	—	—	2.0	—	—	—	0.4	0.8	—	1.1	—	2
3	8.2	—	—	—	—	—	—	2.4	3.7	0.7	0.6	—	3
4	4.0	—	—	3.8	3.0	—	1.0	—	0.5	0.1	4.2	—	4
5	0.2	6.0	—	8.0	2.0	—	—	7.4	4.0	—	15.6	—	5
6	0.1	3.4	0.8	2.6	1.2	—	9.0	3.0	0.5	0.4	16.0	—	6
7	—	3.8	2.8	—	3.0	—	—	4.0	1.6	—	20.6	2.0	7
8	1.2	1.2	0.6	3.2	3.2	—	1.0	0.8	15.5	—	—	3.9	8
9	—	11.0	0.8	—	3.2	—	1.0	—	9.3	—	7.5	0.9	9
10	—	9.4	—	—	0.2	—	—	20.8	0.3	—	—	0.3	10
11	—	13.4	—	—	1.2	—	—	0.7	6.4	0.5	—	1.1	11
12	—	11.4	—	1.6	—	—	—	1.6	—	8.3	—	—	12
13	0.4	0.6	1.6	1.6	—	—	—	0.1	—	2.7	—	0.8	13
14	3.2	—	—	2.4	—	—	—	—	—	3.4	—	—	14
15	—	0.4	—	1.0	—	—	1.0	—	—	11.9	—	0.3	15
16	—	2.0	—	1.0	—	1.0	—	—	—	—	—	—	16
17	—	4.4	—	0.2	1.6	—	—	—	1.6	0.1	—	1.0	17
18	—	9.0	—	5.4	3.4	—	—	—	—	—	—		18
19	—	—	—	—	0.8	—	—	14.6	4.3	18.1	—	11.3	19
20	—	—	6.8	—	2.6	—	—	4.2	2.7	1.3	—	3.0	20
21	—	5.0	—	—	0.6	—	2.2	18.8	2.3	6.2	—	0.4	21
22	—	3.6	—	5.2	1.4	—	19.2	11.1	3.0	7.9	—	3.6	22
23	1.0	0.6	0.6	1.6	18.0	—	—	—	9.1	7.0	—	2.4	23
24	—	5.2	1.6	0.2	—	—	—	2.6	2.4	—	7.25	[illegible]	24
25	—	8.0	0.8	6.2	—	—	8.4	—	4.4	2.0	—	[illegible]	25
26	—	3.2	—	—	2.4	—	0.6	—	1.6	12.8	1.5	—	26
27	1.0	4.0	—	—	—	—	1.6	—	0.3	0.8	—	—	27
28	5.0	1.2	—	1.4	1.0	—	2.6	—	—	1.0	—	4.0	28
29	5.2	X	—	—	2.2	—	0.6	—	—	—	9.8	5.9	29
30	1.0	X	—	—	0.2	—	—	—	0.3	—	4.0	0.4	30
31	7.0	X	1.4	X	1.2	X	5.2	3.5	X	0.9	X	1.0	31
TOTAL	48.7	107.0	18.4	47.4	52.4	1.0	53.4	101.8	75.4	85.5	90.7	52.3	733.4
Days with 0·2 mm. or more.	14	22	11	17	20	1	13	17	22	19	12	19	184
Days with 1·0 mm. or more.	12	18	5	15	16	1	11	13	15	12	11	13	142

(Signed) R. Hawkshaw

P.T.O.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.

Form 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3719

Register of Rainfall in 1926.

Kept at Hawarden Bridge

in the County of Flint.

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level ..... ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1												5·8	1
2													2
3			5·5										3
4													4
5													5
6													6
7		18·8											7
8													8
9								18·1					9
10													10
11													11
12					12·9					12·9			12
13													13
14						8·4							14
15													15
16											21·6		16
17													17
18	12·3			4·0			37·4						18
19									19·2				19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	66·2	58·8	14·1	17·6	75·5	36·4	99·7	69·7	83·9	56·7	108·9	21·7	YEAR'S TOTAL 709·5
Days with 0·2 mm. or more.	18	15	8	12	19	11	14	12	14	14	23	13	176
Days with 1·0 mm. or more.	13	12	6	6	16	4	12	9	12	10	16	8	127
	2·61	2·31	0·56	0·69	2·97	1·44	3·93	2·74	3·30	2·23	4·29	0·85	27·92

(Signed) .....

[P.T.O.

Diameter of Funnel ..... in.
Height of Top above Ground ..... ft. ..... in.
Height of Ground above Sea Level ..... ft.
Rain Gauge

Month.	Total Depth.	Greatest Fall in 24 hours.	Date.	Number of Days with 0·2 mm. or more	Number of Days with 1·0 mm. or more
	Millimetres.	Millimetres.			
JAN.					
FEB.					
M.					

Nearest Railway Station ..... Distance ..... Direction .....
Nearest Parish Church ..... Distance ..... Direction .....
If gauge has been moved during the year state—
Date of move ..... Distance ..... Direction .....
Nature of objects ..... Distance ..... Direction .....
Heights of objects nearest to gauge
Distances ...
Directions ...

Height of top of Gauge above Ground ..... ft. ..... in. above observation
„ Ground „ Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in inches should be entered on Form 1090.

1926

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4·3	5·6	—	—	4·0	—	—	—	12·1	—	15·9	5·8	1
2	3·7	1·0	—	—	0·4	2·5	—	—	3·2	—	1·2	1·3	2
3	9·9	0·2	5·5	—	—	—	—	—	—	—	—	1·9	3
4	—	1·2	1·5	—	4·4	—	0·6	—	2·2	—	8·2	3·0	4
5	0·9	4·0	1·1	—	9·2	—	4·6	7·6	4·7	—	—	3·2	5
6	6·7	6·7	—	—	5·0	—	13·7	—	2·1	1·5	4·0	—	6
7	0·6	18·8	0·5	0·1	4·1	6·4	—	—	0·7	6·8	3·6	—	7
8	—	0·4	1·0	—	5·0	1·7	0·8	0·4	9·5	10·2	2·4	0·4	8
9	—	—	1·8	—	0·9	5·6	—	18·1	Trace	—	0·5	—	9
10	—	—	—	—	3·4	0·4	1·5	2·0	—	1·7	12·5	—	10
11	—	—	—	—	—	2·5	—	9·0	—	0·4	0·4	—	11
12	—	—	—	—	12·9	—	—	3·5	2·2	12·9	1·4	Trace	12
13	0·2	3·7	—	—	2·2	7·8	—	—	—	4·0	2·0	1·0	13
14	0·4	5·9	—	3·5	8·8	8·4	2·1	10·5	0·9	0·6	0·5	1·9	14
15	Trace	1·2	—	3·0	—	0·8	—	0·7	—	0·6	12·0	0·6	15
16	—	1·5	—	0·6	—	—	—	—	—	1·9	21·6	0·3	16
17	1·6	0·2	—	0·4	—	0·2	—	1·0	—	—	2·1	1·6	17
18	12·3	2·0	—	4·0	—	—	37·4	—	—	0·4	7·2	0·1	18
19	Trace	—	0·1	—	—	—	10·0	0·4	19·2	0·1	—	0·1	19
20	—	—	—	0·4	—	—	2·2	—	0·3	—	6·0	—	20
21	0·1	—	0·2	—	—	—	3·9	—	—	4·2	3·0	—	21
22	5·6	6·4	—	2·2	—	—	—	—	—	—	0·2	—	22
23	0·7	—	—	—	—	0·4	—	—	1·8	—	—	—	23
24	3·6	—	—	—	3·3	—	1·0	1·6	3·1	9·2	0·4	—	24
25	1·4	—	—	1·1	—	—	0·1	—	4·0	—	3·4	—	25
26	Trace	—	—	—	2·9	—	—	—	17·1	—	0·2	—	26
27	1·8	—	—	1·0	1·3	—	1·3	—	0·1	—	0·2	Trace	27
28	7·2	—	—	0·2	3·2	—	15·0	—	0·2	2·2	—	0·3	28
29	2·5	X	—	0·6	2·8	—	2·5	—	0·5	—	0·2	—	29
30	—	X	—	0·5	1·5	—	—	14·8	—	—	—	—	30
31	2·6	X	2·4	X	0·2	X	—	—	X	—	X	0·2	31
TOTAL	66·1	58·8	14·1	17·6	75·5	36·7	99·7	69·6	83·9	56·7	109·1	21·7	YEAR'S TOTAL 709·5
Days with 0·2 mm. or more.	18	15	8	12	19	11	14	12	17	14	24	13	177
Days with 1·0 mm. or more.	13 19	15	9	13	19	11	15	12	18	15	24	15	177

Please read the Notes and Instructions Overleaf.

(144w)

(Signed) R. Hawkshaw

use MWR version

P.T.O.

109.1

3701

For Official use.

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Div.
Station No.

REGISTER OF RAINFALL IN 1927.

Kept at Hawarden Bridge

in the County of Flint

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9				12·5									9
10													10
11													11
12													12
13													13
14													14
15					14·0								15
16													16
17													17
18						23·0		35·9			25·8		18
19													19
20													20
21									17·0	7·2		?14·0	21
22													22
23													23
24	13·8												24
25			16·1										25
26		8·6											26
27							22·8						27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	57·8	38·8	79·7	39·3	32·0	108·7	60·1	136·0	106·6	41·0	82·2	39·0	YEAR'S TOTAL 821·2
Days with 0·2 mm. or more.	21	13	19	17	10	19	17	21	21	18	18	7	201
Days with 1·0 mm. or more	16	10	17	11	8	?15	14	19	19	11	15	7√	162
	2·28	1·53	3·14	1·55	1·26	4·28	2·37	5·35	4·20	1·61	3·24	1·54	32·35

32

Signed,

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 10, Rothesay Place, Edinburgh.

2. In filling up Form 1091 the following rules should be observed:

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be

Kept at Hawarden Bridge

in the County of Flintshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 22 ft.

1927

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	—	1·7	—	—	2·2	0·8	3·3	1·0	4·0	8·0	—	1
2	3·1	0·2	1·5	1·7	0·9	—	—	—	—	0·5	1·2	—	2
3	1·4	—	1·3	1·6	1·0	2·0	1·0	—	—	—	Trace	—	3
4	3·1	0·4	Trace	1·1	6·1	[illegible]	4·7	—	—	—	3·1	—	4
5	0·8	1·9	3·1	2·3	Trace	16·5	—	—	—	—	5·4	0·1	5
6	—	—	1·2	—	—	9·4	2·7	1·9	7·3	—	3·2	—	6
7	1·7	2·9	6·1	0·4	—	0·2	2·0	0·1	Trace	—	0·1	—	7
8	1·0	—	1·4	8·0	—	—	1·7	3·4	1·2	—	Trace	—	8
9	—	—	2·8	12·5	—	—	—	3·3	—	—	1·4	1·1	9
10	—	—	—	1·7	—	—	—	4·0	3·0	—	—	—	10
11	0·5	—	—	0·6	—	—	3·5	0·4	1·0	—	—	—	11
12	1·1	—	—	—	0·6	—	1·4	9·2	1·2	—	—	—	12
13	2·2	—	—	0·5	1·0	—	0·1	4·0	0·7	3·3	3·2	—	13
14	3·4	—	—	—	—	—	—	0·9	7·1	Trace	2·2	2·3	14
15	2·0	—	—	0·7	14·0	—	—	2·4	4·0	4·7	0·5	—	15
16	0·2	—	—	—	2·5	15·3	—	5·8	5·7	1·1	—	—	16
17	0·2	—	—	—	—	0·2	—	9·3	5·6	0·6	—	—	17
18	—	—	—	—	—	23·0	—	35·9	—	0·9	25·8	—	18
19	—	1·6	—	—	—	0·1	2·5	10·2	Trace	1·6	4·8	—	19
20	2·3	5·7	—	—	1·4	1·3	4·4	7·2	1·0	0·1	4·4	3·3 [illegible]	20
21	2·8	2·8	0·4	—	—	—	0·6	7·8	17·0	1·2	1·4	10·9 [illegible]	21
22	—	1·2	5·5	1·5	—	2·2	2·0	3·9	7·0	4·6	1·9	1·6	22
23	0·9	0·6	4·4	—	—	9·2	—	5·5	4·4	—	3·8	7·3	23
24	13·8	—	6·0	0·4	—	1·9	0·4	2·9	13·0	0·8	—	7·5	24
25	2·3	2·2	16·1	1·4	—	10·0	3·2	—	9·0	1·2	—	—	25
26	6·3	8·6	10·6	0·4	—	0·7	3·4	—	1·5	5·0	—	—	26
27	0·1	5·6	1·0	3·4	—	3·2	22·8	—	Trace	0·7	0·4	—	27
28	5·6	5·1	1·8	—	—	1·5	Trace	9·0	1·5	0·6	10·4	—	28
29	—	X	1·6	1·1	—	1·7	2·9	—	14·1	1·1	—	—	29
30	2·9	X	0·4	—	1·4	8·1	—	5·6	0·3	2·7	0·5	—	30
31	0·1	X	12·8	X	3·1	X	—	—	X	0·3	X	—	31
TOTAL	57·8	38·8	79·7	39·3	32·0	108·7	60·1	136·0	106·6	41·0	82·2	39·0	YEAR'S TOTAL 821·2
Days with 0·2 mm. or more.	21	12	19	14	10	18	17	21	21	18	18	6	
Days with 1·0 mm. or more.	10	10	17	11	8	15	14	19	19	11	15	6	

(144w)

40—9999.

(Signed) R Hawkshaw [P.T.O.

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3780

REGISTER OF RAINFALL IN 1928.

Kept at Kawarden Bridge

in the County of Flint

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 22 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	~~mm.~~ in.	mm.	mm.	mm.	mm.	
1													1
2													2
3													3
4							12.6						4
5													5
6													6
7						22.4						7.0	7
8									7.6				8
9													9
10										18.3			10
11								.57					11
12				8.7									12
13													13
14													14
15													15
16													16
17													17
18													18
19					1.44								19
20			11.2										20
21													21
22													22
23	11.5												23
24													24
25													25
26											12.5		26
27													27
28													28
29		10.0											29
30		X											30
31		X		X		X			X		X		31
TOTAL	85.5	51.1	46.1	23.3	53.0	97.2	24.8	72.0	42.4	85.2	88.7	53.6	YEAR'S TOTAL
Days with 0·2 mm. or more	21	16	18	12	11	20	9	17	15	22	21	18	200
Days with 1·0 mm. or more	17	10	10	7	7	16	5	14	11	15	18	16	146
			1.81	0.92	2.09	3.83	0.98	2.83	1.67	3.35	3.49	2.11	2846

(5236) Wt. 15497—7987. 375. 9/22. T. S. 128.

3.37 2.01

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3780

Register of Rainfall in 1928.

Kept at Hawarden Bridge.

in the County of Flintshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 22 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. C MWR

8504 (246-248)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1	4.3	0.6	0.2	—	—	—	—	1.8	—	0.1	—	—	1
2	1.2	5.0	6.1	0.75		—	—	—	—	0.7	1.0	1.4	2
3	—	0.4	—	1.1	—	—	—	—	—	—	—	—	3
4	0.6	6.2	1.7	0.1	—	—	12.6	—	—	3.7	0.4	—	4
5	10.5	1.0	0.2	—	—	2.5	0.4	—	9.4	3.0	—	0.6	5
6	—	—	—	—	—	3.1	—	4.0	—	—	—	1.5	6
7	—	—	—	—	—	22.4	—	4.3	0.7	7.0	—	7.9	7
8	0.1	—	—	—	—	7.0	1.7	—	7.6	—	—	1.5	8
9	0.7	0.3	—	1.8	—	0.4	—	—	1.2	2.6	—	—	9
10	2.1	5.6	0.19	0.2	1.0	—	—	—	1.0	18.3	4.0	—	10
11	0.1	4.1	—	4.0	—	—	—	14.5	—	2.0	11.6	2.8	11
12	1.3	4.4	4.9	8.7	—	13.7	—	3.0	—	—	1.2	—	12
13	—	0.3	—	1.0	0.8	16.2	—	3.4	—	—	1.4	—	13
14	1.5	6.0	—	—	—	0.7	—	2.6	0.4	14.4	4.7	—	14
15	2.0	4.5	—	—	0.2	0.4	—	0.6	—	0.8	6.5	1.1	15
16	—	1.6	0.8	0.5	7.6	—	—	—	0.2	2.2	6.6	2.4	16
17	3.4	0	—	—	7.2	1.0	—	—	1.6	—	—	0.2	17
18	10.3	0.4	—	—	0.7	1.9	—	—	1.0	3.4	0.6	2.7	18
19	—	—	1.5	—	19.4	11.5	—	2.0	1.4	3.5	8.3	6.0	19
20	1.0	—	11.2	1.2	9.4	1.4	—	0.5	5.1	3.6	4.1	—	20
21	—	—	5.6	—	0.9	1.6	—	0.1	1.6	1.1	2.3	—	21
22	8.4	0.7	0.7	2.5	—	[illegible]	—	6.0	—	—	2.6	2.4	22
23	11.5	—	0.6	0.8	1.5	—	0.7	0.2	0.1	0.7	6.5	—	23
24	0.7	—	0.4	—	—	0.2	2.0	2.6	7.0	4.1	8.1	5.3	24
25	4.4	—	—	—	—	4.4	—	—	—	0.4	2.0	1.5	25
26	1.9	—	1.0	—	4.3	1.2	0.2	11.2	—	10.8	12.5	Trace	26
27	0.6	—	0.1	—	—	Trace	—	5.8	5.5	—	0.7	5.0	27
28	5.6	—	2.2	—	—	3.6	4.1	2.6	0.6	0.7	2.5	2.6	28
29	8.6	10.0	4.7	—	—	3.1	0.4	6.8	—	1.3	1.0	3.3	29
30	—	X	[illegible]	0.6	—	1.0	2.7	—	—	0.4	0.1	3.5	30
31	4.7	X	3.1	X	—	X	—	—	X	0.4	X	—	31
TOTAL	85.5	51.1	46.1 45.9	23.3	53.0	97.2 97.3	44.8	72.0	42.4	85.2	88.7	53.6 53.7	YEAR'S TOTAL 722.9
Days with 0·2 mm. or more.	21	16	17	12	11	20	9	17	15	22	21	18	
Days with 1·0 mm. or more.	17	10	10	7	7	16	5	14	11	15	18	15	

(Signed) R Mawdesley.

[P.T.O.

3856

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Hawarden Bridge

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4							1.24						4
5	0.3				.35					.48			5
6	1.4											12.5	6
7	0.1												7
8													8
9	3.6	.21									.66		9
10	3.7												10
11													11
12						.26							12
13	1.7												13
14	2.1												14
15													15
16													16
17	2.1												17
18													18
19													19
20													20
21													21
22	0.3												22
23								.66					23
24													24
25			.08	.22									25
26													26
27													27
28									.57				28
29													29
30		×											30
31	.28	×		×		×			×		×		31
TOTAL	1.29	0.73	0.22	0.82	1.44	1.72	3.59	2.56	1.43	3.45	4.49	4.21	YEAR'S TOTAL 25.95
Days with .01 in. or more.	12	9	4	8	9	15	14	17	12	24	26	26	176
Days with .04 in. or more.	10	5	4	6	8	10	12	15	6	17	21	21	135
40-9999	32.8	18.6	5.6	20.8	36.5	43.6	91.3	65.0	36.2	87.7	114.0	107.0	659.1

(Signed) .....

P.T.O.

25.95

Rain

Height of Ground above Sea Level ..... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with .01 In. or more	Number of Days with .04 In. or more
	Inches.	Inches.	Date.		
JAN.					
FEB.					
MAR.					
APR.					
MAY					
JUNE					

Nature of objects nearest to gauge ..... ft.

Heights of objects .....

Distances .....

Directions from gauge .....

If gauge has been moved during the year state—

Date of move ..... Distance ..... Direction .....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern in use is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering type please give particulars.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf. 1929

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	4.4	—	0.7	—	3.6	—	1.9	0.2	4.8	—	0.6	1
2	—	0.4	—	2.5	—	0.2	—	4.0	—	1.0	2.0	3.5	2
3	—	0.4	1.5	—	—	2.8	1.0	9.2	2.2	0.4	0.3	3.0	3
4	—	—	—	—	6.0	0.8	31.6	2.0	0.2	1.2	11.1	8.8	4
5	0.3	—	—	—	9.0	3.8	5.0	1.9	—	12.1	4.0	0.9	5
6	1.4	—	—	—	1.1	3.4	8.3	5.0	—	8.0	1.9	12.5	6
7	0.1	0.5	—	—	4.7	0.4	0.2	—	—	1.4	6.1	8.9	7
8	—	5.1	—	3.2	0.3	6.5	—	0.6	—	7.2	0.7	2.9	8
9	3.6	5.3	—	—	—	—	7.4	2.2	—	4.0	16.7	4.9	9
10	3.7	—	—	—	1.1	—	2.0	—	—	3.5	0.2	3.4	10
11	—	—	—	—	3.4	—	0.4	—	—	—	16.2	1.6	11
12	—	—	—	—	—	6.7	4.5	—	6.2	—	4.1	1.5	12
13	1.7	—	—	—	8.0	4.7	—	3.0	—	—	6.8	0.6	13
14	2.1	—	—	—	2.9	5.2	—	—	0.6	—	2.9	1.1	14
15	—	—	—	—	—	0.5	—	—	0.4	—	2.7	0.1	15
16	—	—	—	—	—	—	—	3.1	—	0.9	—	—	16
17	2.1	—	—	—	—	—	—	4.5	—	2.6	—	—	17
18	—	—	—	—	—	—	—	—	1.2	3.3	2.0	—	18
19	—	—	—	—	—	0.5	—		0.4	0.5	4.3	0.6	19
20	—	0.3			—	—	—	1.6	1.0	4.6	0.8	8.1	20
21	—	1.0	1.0	—	—	2.7	4.0	0.3	—	0.1	Traces	Traces	21
22	0.3	—	—	0.5	—	1.7	1.3	1.5	—	—	1.0	0.2	22
23	—	1.2	—	—	—	0.1	—	16.7	—	9.9	7.1	5.9	23
24	—	—	1.0	—	—	—	—	4.4	—	7.6	6.0	8.7	24
25	—	—	2.1	5.6	—	—	—	—	—	2.4	9.1	3.5	25
26	—	—	—	3.1	—	—	—		—	0.5	1.5	1.0	26
27	3.3	—	—	2.6	—	—	—	1.1	—	7.0	0.6	3.0	27
28	5.6	—	—	2.6	—	—	3.6	—	14.4	3.7	10.3	10.7	28
29	1.5	✗	—	—	—	—	Traces	—	0.3	0.9	1.6	7.8	29
30	—	✗	—	—	—	—	2.4	—	9.1	—	4.0	1.7	30
31	7.1	✗	—	✗	—	✗	19.6	—	✗	—	✗	1.5	31
TOTAL	32.8	18.6	5.6	20.8	36.5	43.6	91.3	66.0	36.2	87.6	114.0	107.0	YEAR'S TOTAL 660.0
Days with 0.2 mm. or more.	12	7	4	8	9	14	14	17	12	26	26	17	
Days with 1.0 mm. or more.	6	5	4	6	8	9	12	15	8	21	21	14	

(144W)

40-9999

(*Signed*) J. T. Cox [P.T.O.

Section A for the entry of Daily Observations

Station No.....

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1930

Kept at HAWARDEN BRIDGE

in the County of FLINTSHIRE

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
1	0.3	2.0		7.4				3.7			13.3			1
2		0.3	0.3	0.3				7.5			8.4			2
3	8.4		0.1	2.7			0.2	10.4		15.8	1.5			3
4	4.1		1.4	7.3	1.5			0.2	0.6	1.1	0.2			4
5	1.9		4.6		10.5			6.3		7.0				5
6			8.4		0.1				5.2	4.7	0.1	0.6		6
7	2.7								1.7	3.5	9.0	7.2		7
8	3.5			6.5	0.1		0.1		4.4	4.1		1.1		8
9	6.3		10.6	16.9	8.5	2.4			0.3			3.3		9
10	11.8		5.7		5.1	0.5	1.1	5.4			0.9	9.5		10
11			1.7	0.4	1.1	1.9		8.9	3.6	2.7	0.5	3.4		11
12	2.7		1.4		3.2			4.7				6.9		12
13	1.7		12.4	5.2			4.9	1.6	15.6					13
14	16.7	1.9	7.6				6.0	0.7			0.1	4.7		14
15		2.8	5.8				2.6			2.6	4.1	7.0		15
16	0.2					2.4	2.6		2.5	1.8		4.8		16
17			0.2	0.1	0.5		10.9	3.1	15.9	1.0				17
18			5.5	0.3		22.9	3.3	6.8	2.0	0.4	9.4			18
19			1.2	0.9		3.2			17.7	1.4	1.5	0.1		19
20	0.2		3.9	0.3			39.0	12.6	2.2	0.3	1.3	0.1		20
21			9.9		0.2	0.5		2.3		3.5	4.8			21
22	3.2						18.4	2.5	1.3	4.5	8.2			22
23				2.9	2.2	2.6	2.6	1.0	1.2	2.3	7.5	0.1		23
24	3.8			8.2		2.4				17.2	9.8	0.2		24
25	1.9	1.5		3.4		0.1			4.8	20.6	3.3	1.1		25
26	16.8	0.7		2.5		0.3				0.8	0.2	6.6		26
27			4.1	0.6	0.3		3.6		0.2	0.2		1.5		27
28							0.8			0.7	0.1	11.5		28
29		X	0.3				4.3	6.9		0.4		3.3		29
30	0.1	X			0.1			5.1		2.4		24.0		30
31	6.5	X	0.4	X		X			X	4.4	X	1.5		31
TOTAL	92.8	9.2	85.5	65.9	33.4	39.2	100.4	89.7	79.2	103.4	84.2	98.5	Year's Total 881.4	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed).....

(P.T.O.)

Section **A** for the entry of Daily Observations. 3949 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Hawarden Bridge

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level 22 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.52		1
2													2
3													3
4													4
5					.41								5
6													6
7													7
8													8
9				.67									9
10													10
11													11
12													12
13			.49										13
14													14
15		.11											15
16													16
17													17
18						.90							18
19									.70				19
20							1.53	.50					20
21													21
22													22
23													23
24													24
25										.81			25
26	.66												26
27													27
28													28
29													29
30		×										.94	30
31		×		×		×			×		×		31
TOTAL	3.65	0.36	3.37	2.59	1.31	1.54	3.95	3.53	3.12	4.07	3.31	3.88	34.68
Days with .01 in. or more.	18	6	19	16	10	10	14	18	16	24	17	18	186
Days with .04 in. or more.	15	4	15	10	7	7	12	16	13	18	13	16	146
40+1929	92.8	9.2	85.5	65.9	33.4	39.2	100.4	89.7	79.2	103.4	84.2	98.5	881.4

(Signed) .....

[P.T.O.

FORM 1090 METEOROL 4272. GANIZATION.

(*formerly B.R.O. Form A.1*).

HAWARDEN COUNTY SCH

1921 - 30

Kept at Hawa... 3° 2' W. 4 JAN 1922

in the County of S... a.m.

by Arth... Hawarden

...n Gauge 5 in.

...ve Ground 9 ft. 6 in.

... Sea Level 260 ft.

IMPORTANT NOTI ...ntered to the previous day.

If an Observer prefers no ...ested to add the reading at 9 a.m. on 1 ...at the end of this paragraph. Full instructions for the measurement of rain, the ...f rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	—	·04	—	—	—	—	·21	·05	—	—	·07	1
2	·03	—	—	—	·10	—	—	·07	—	·33	·64	—	2
3	·11	—	·10	—	·02	·01	—	·03	—	1·34	·23	—	3
4	—	—	—	—	·07	·01	—	·11	—	·07	·09	—	4
5	—	—	·07	—	—	—	—	·23	—	—	·34	·05	5
6	·08	—	—	—	·10	—	—	—	—	—	·24	·05	6
7	·07	—	—	—	—	—	—	·39	—	—	·31	—	7
8	·10	·04	—	—	·03	—	—	—	—	—	—	—	8
9	—	—	—	·005	—	—	—	·12	·02	—	—	—	9
10	·12	—	—	—	·01	—	—	·11	·04	·01	—	·03	10
11	·56	—	·10	—	·15	—	—	·50	·15	—	·01	—	11
12	·09	·03	—	—	·02	·01	—	·11	·32	—	—	·03	12
13	—	·02	—	·35	—	—	—	·10	·05	·16	·12	—	13
14	—	·01	·10	·14	·26	—	·02	·35	·04	—	—	·33	14
15	—	—	—	·005	—	—	·07	—	—	—	—	·02	15
16	·13	—	·07	·23	·02	—	·07	·26	—	—	—	·02	16
17	·21	—	·03	—	—	—	·02	·02	—	—	·15	—	17
18	·12	—	·03	—	—	—	—	—	—	—	·02	—	18
19	—	—	·10	—	—	·09	—	—	—	·06	·05	·01	19
20	—	—	—	—	—	—	—	—	—	·01	·02	—	20
21	·06	—	·09	·02	—	—	—	—	—	·03	·24	·18	21
22	—	—	—	·18	—	—	·06	—	—	42	·02	·26	22
23	·01	—	—	—	—	—	·06	—	—	·15	—	—	23
24	—	·15	·11	·02	—	—	·03	—	—	·01	—	·46	24
25	·13	—	—	—	·08	—	·19	—	—	—	—	·07	25
26	—	—	·06	—	·17	·11	—	—	—	—	—	·20	26
27	·02	—	↓	—	·05	—	·02	—	—	·02	·05	·45	27
28	·03	—	·17	—	·07	—	·09	·58	—	—	—	·04	28
29	—		—	—	·11	—	·09	·16	—	—	·01	·10	29
30	·06	X	—	—	—	—	—	—	—	·03	·05	·23	30
31	·73	X	—	X	·03	X	·03	·08	X		X	·01	31
TOTAL	3·26	·25	1·07	·95	1·29	·23	·70	3·43	·67	2·64	2·59	2·61	YEAR'S TOTAL 19·69
Days with ·01 in. or more	19	5	13	6	16	5	12	17	7	13	17	19	149
Days with ·04 in. or more	15	2	11	4	10	2	6	15	6	7	12	13	103 ✓

(65,296). Wt. 1,625—6780. 7000. 11/21. Gp.132. A.&E.W.

FORM 1090 METEOROL[illegible]ANIZATION.
(*formerly B.R.O. Form A.1*).

REGISTER OF RAINFALL IN 192[illegible]

Kept at Hawarden
in the County of Flintshire
by Arthur Lyon

Lat. 53° 11' N. Long. 3° 2' W.
Time of Observation 9 a.m.
Nearest Railway Station Hawarden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 6 in.
" " " " Sea Level 260 ft.

4 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	—	·04	—	—	—	—	·21	·05	—	—	·07	1
2	·03	—	—	—	·10	—	—	·07	—	·33	·64	—	2
3	·11	—	·10	—	·02	·01	—	·03	—	1·34	·23	—	3
4	—	—	—	—	·07	·01	—	·11	—	·07	·09	—	4
5	—	—	·07	—	—	—	—	·23	—	—	·34	·05	5
6	·08	—	—	—	·10	—	—	—	—	—	·24	·05	6
7	·07	—	—	—	—	—	—	·39	—	—	·31	—	7
8	·10	·04	—	—	·03	—	—	—	—	—	—	—	8
9	—	—	—	·005	—	—	—	·12	·02	—	—	—	9
10	·12	—	—	—	·01	—	—	·11	·04	·01	—	·03	10
11	·56	—	·10	—	·15	—	—	·50	·15	—	·01	—	11
12	·09	·03	—	—	·02	·01	—	·11	·32	—	—	·03	12
13	—	·02	—	·35	—	—	—	·10	·05	·16	·12	—	13
14	—	·01	·10	·14	·26	—	·02	·35	·04	—	—	·33	14
15	—	—	—	·005	—	—	·07	—	—	—	—	·02	15
16	·13	—	·07	·23	·02	—	·07	·26	—	—	—	·02	16
17	·21	—	·03	—	—	—	·02	·02	—	—	·15	—	17
18	·12	—	·03	—	—	—	—	—	—	—	·02	—	18
19	—	—	·10	—	—	·09	—	—	—	·06	·05	·01	19
20	—	—	—	—	—	—	—	—	—	·01	·02	—	20
21	·06	—	·09	·02	—	—	—	—	—	·03	·24	·18	21
22	—	—	—	·18	—	—	·06	—	—	42	·02	·26	22
23	·01	—	—	—	—	—	·06	—	—	·15	—	—	23
24	—	·15	·11	·02	—	—	·03	—	—	·01	—	·46	24
25	·13	—	—	—	·08	—	·19	—	—	—	—	·07	25
26	—	—	·06	—	·17	·11	—	—	—	—	—	·20	26
27	·02	—		—	·05	—	·02	—	—	·02	·05	·45	27
28	·03	—	·17	—	·07	—	·09	·58	—	—	—	·04	28
29	—		—	—	·11	—	·09	·16	—	—	·01	·10	29
30	·06		—	—	—	—	—	—	—	·03	·05	·23	30
31	·73		—		·03		·03	·08				·01	31
TOTAL	3·26	·25	1·07	·95	1·29	·23	·70	3·43	·67	2·64	2·59	2·61	YEAR'S TOTAL 19·69
Days with ·01 in. or more	19	5	13	6	16	5	12	17	7	13	17	19	149
Days with ·04 in. or more	15	2	11	4	10	2	6	15	6	7	12	13	103

(65,296). Wt. 21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

Exd 61

3868

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922

Kept at Hawarden

in the County of Flints

by Arthur Lyon

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station Hawarden

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	
1	—	.11	.53	—	.10	—	.07	.02	.45	—	.21	.02	1
2	.11	.32	.02	—	—	—	.02	—	—	—	—	.03	2
3	.30	.36	.03	—	.01	—	.02	.18	—	.02	.28	—	3
4	.09	.20	.17	—	.02	—	.04	—	—	.02	.02	—	4
5	—	—	.03	.43	—	—	1.34	—	—	.10	.12	—	5
6	.13	—	.53	—	—	—	.14	—	—	—	.31	.01	6
7	.31	—	.03	.05	—	—	.34	.44	—	—	.04	.01	7
8	.08	—	.09	—	—	—	.37	.55	.02	—	.06	.15	8
9	.03	—	.03	.02	—	—	.06	.02	—	—	.01	—	9
10	.03	—	—	—	—	—	—	—	—	—	.01	—	10
11	—	—	—	—	—	—	—	.04	—	.05	—	—	11
12	.05	—	—	.27	—	.13	.20	.30	.35	.02	—	—	12
13	—	—	—	.27	—	.15	.16	—	—	—	—	—	13
14	.40	—	—	.05	—	—	.01	—	.24	—	—	.25	14
15	.02	.09	—	.16	—	—	—	—	.05	—	—	.03	15
16	.38	—	—	.04	.04	—	.04	—	.12	—	—	.07	16
17	.55	.15	—	—	.10	—	.07	—	.08	—	—	.19	17
18	.07	.13	—	—	.02	.01	—	.04	.14	—	.02	.09	18
19	.30	.04	.22	—	.02	—	—	—	.39	.06	.01	.69	19
20	—	.16	.01	—	—	—	—	—	—	—	—	.43	20
21	.11	.11	—	.10	—	—	.13	.20	.01	—	—	.20	21
22	.02	.20	—	—	.13	.04	—	—	—	.01	—	.21	22
23	—	.15	—	.11	—	—	.14	—	—	.01	.02	.43	23
24	—	.01	.29	.05	—	.27	—	.10	—	—	—	.03	24
25	—	.06	.04	.50	—	.09	—	.01	.12	—	—	.01	25
26	.31	.10	.02	.01	—	.15	.24	—	—	.01	—	.14	26
27	.33	.41	.14	.05	—	.05	—	.14	.53	—	.04	.17	27
28	.11	.05	.01	—	—	.02	—	.40	.18	—	.01	.01	28
29	.13		—	—	—	.12	.04	—	—	—	—	.22	29
30	.02	X	.11	.09	—	.11	—	—	.18	—	.05	.21	30
31	—	X	.01	X	—	X		.30	X	.05	X	—	31
TOTAL	3.88	2.65	2.31	2.20	.44	1.14	3.43	2.74	2.86	.35	1.21	3.60	YEAR'S TOTAL 26.81
Days with .01 in. or more	22	17	18	15	8	11	18	14	14	10	15	22	184
Days with .04 in. or more	17	16	9	13	4	9	15	11	12	4	8	14	132

(5237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

Ex C.F.T.V

3096

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL, IN 1923.

Kept at Hawarden

in the County of Flint

by R. Lyon

Lat. 53° 11′ Long. 3° 1′

Time of Observation 9 a.m.

Nearest Railway Station Hawarden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 260 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in	in.	in.	in	in.	in.	in	in	
1	·04	·12	·12	—	·01	—	·12	·02	·08	—	·04	·06	1
2	·15	-	·06	—	-	-	·01	·05	·16	·09	·13	·06	2
3	·02	-	·07	-	-	-	·01	—	·05	·42	·12	·06	3
4	·01	-	—	-	-	—	—	-	—	—	·04	·04	4
5	·32	-	·08	·11	·51	·01	-	·02	—	·10	·05	—	5
6	·30	·22	·12	·24	—	·07	—	·25	—	·09	·15	·01	6
7	·01	·43	·01	·04	-	—	·01	·03	·03	·02	·10	·09	7
8	·06	·13	—	—	-	·03	—	·13	—	·36	·24	·11	8
9	·01	·24	·04	—	·12	—	·16	—	—	—	·09	·01	9
10	·39	·14	-	·53	·18	-	·04	-	—	·13	—	—	10
11	·01	—	-	·18	·34	-	—	—	—	—	—	—	11
12	·05	·08	-	·22	·02	·04	—	—	·01	·26	·07	·02	12
13	·03	·40	—	·04	·04	·02	—	—	·14	·43	·15	—	13
14	—	—	·02	·01	·04	-	·02	·20	—	·13	·05	—	14
15	—	·03	-	·01	·19	·02	·10	—	·02	·01	·39	·07	15
16	·03	·06	—	—	·22	-	—	·07	·17	·03	·35	—	16
17	-	·47	—	-	·01	-	-	·02	·25	—	·06	—	17
18	·13	·14	-	-	—	—	—	·15	·13	·27	·08	·08	18
19	-	·01	-	—	·01	·01	·20	·35	·33	—	·01	—	19
20	—	·15	-	-	·01	-	-	·50	·28	·22	·02	·07	20
21	—	—	-	-	·04	-	—	·10	·07	·04	—	·55	21
22	·01	·02	-	-	·56	-	·01	—	·03	·02	—	·12	22
23	—	·10	-	·09	—	-	·39	·20	·50	·24	—	·15	23
24	—	·25	-	·05	·03	—	·06	-	·14	·30	—	—	~~24~~
25	-	·36	-	·07	·03	·05	·01	·20	·42	·25	—	·37	25
26	—	·21	—	-	·01	-	—	·04	—	·36	—	·16	26
27	—	·22	·06	-	·03	-	·51	·06	·01	·39	—	·51	27
28	·01	·04	·01	·05	·30	—	·23	-	-	·02	·03	—	28
29	·10	X	·04	·06	—	—	·74	·95	—	·23	—	·12	29
30		X	·20	·14	—	—	·28	·06	—		·07	·25	30
31		X	·01	X	—	X			X		X	·57	31
TOTAL	1·68	3·88	·93	1·84	2·70	·25	2·89	3·40	2·82	4·41	2·27	3·48	YEAR'S TOTAL 30·45
Days with ·01 in. or more	18	21	13	15	20	8	17	19	18	23	20	21	213 ~~203~~
Days with ·04 in. or more	98	18	9	13	11	3	11	15	13	18	14	18	~~155~~ 155

(*237) Wt. 10569—9158. 9,000. 8/23. T. S. 128.

FOR OFFICIAL USE. 3691

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.
River Dist.
Station No.

REGISTER OF RAINFALL, IN 1924

Kept at Hawarden

in the County of Flintshire

by R. Lyon

Lat. 53° 11½' Long. 3° 2½' W

Time of Observation 9 a.m.

Nearest Railway Station Hawarden

Diameter of Funnel of Rain Gauge 5¼ in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 260 ft.

RWR 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.12		.02	.42	.02	.34			.24		1
2	.02	.02	.02		.05	.04					.14		2
3			.02		.01	.02	.22	.21					3
4					.04		.15	.14				.42	4
5			.16		.11	.04	.17	.01		.06	.01	.10	5
6		.01			.19	.08		.11	.10	.18		.01	6
7	.01				.08	.14	.01		.55	.03		.10	7
8	.01			.06	.02	.05			.23	.01		.08	8
9	.16	.02		.06	.06	.16	.01		.43	.10			9
10		.04		.03	.10	.07	.01		.02	.32			10
11	.32			.15	.15	.23					.33		11
12	.14	.01		.26	.08	.22		.07	.02				12
13	.10			.13	.12		.03					.16	13
14		.01			.01			.30	.18		.01	.03	14
15		.05			.06	.03	.02	.01				.21	15
16		.05						.17		.02			16
17	.13	.05				.14	.06	.32	.07				17
18	.15	.01			.14		.17			.46			18
19	.09				.46				.07	.01			19
20	.26				.02		.75	.10	.02	.02			20
21	.41			.005	.12	.01	1.02	.09	.19	.81			21
22	.08	.01	.09	.03				.47	.23		.09	.25	22
23	.03		.20	.205	.04		.08	.26	.28			.34	23
24	.02			.04	.07		.18	.04	.03			.04	24
25	.085	.03		.02			.37	.10	.16		.21	.06	25
26	.04			.10	.05	.01	.45	.12	.06	.42	.47	.10	26
27				.09			.32			.11	.03	.18	27
28	.01			.03		.05	1.55	.35	.09	.37	.08		28
29		.16		.37		.06	.05	.05		.14	.08	.33	29
30		X		.07	.14		.10	.06	.27	.35	.18	.14	30
31		X		X	2.90	X	.06	.03	X		X		31
TOTAL	1.995	.47	.61	1.65	5.04	1.77	5.80	3.35	3.00	3.41	1.87	2.55	YEAR'S TOTAL 31.515
Days with .01 in. or more.	18	13	6	15	24	17	22	21	18	16	12	16	198
Days with .04 in. or more	11	5	4	11	19	13	16	18	14	11	9	14	145

800

ction **A** for the entry of Daily Observations. NW NRM 26.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3720

Register of Rainfall in 1925.

Kept at Hawarden

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level ..... ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·04					·30	·15		·12		1
2	·21	·01		·09				·02	.03		·06		2
3	·34						·01	·11	·15	·08	·02		3
4	·20	·01		·15	·11				·02	·01	·04		4
5	·01	·24		·34	·07			·15	·34	·01	.55		5
6		·12	·03	·15			·33	.19	·01	·01	·50	·01	6
7		·12	·18		·25				·05		·91	·07	7
8	·04	·05	·02	·09	·12			·15	·26			·08	8
9				·02	·07		·02	·11	·40		·25	·07	9
10		·75						·09	·02				10
11		·59			·04			·65	·29			·02	11
12		·53		·05						·23			12
13	·01	·02	·11	·04				·11		·09			13
14	·11		·01	·11						·06			14
15		·01		·03			·01		·09	·52			15
16		·08		·05		·02				·03		·02	16
17		·20		·01	·06				·06	·01		·02	17
18		·34		·25	·40								18
19					·03				·46	·74		·21	19
20			·23		·07			·93	·06	·12		·42	20
21		·14			·01		·10	·24	.13	·24			21
22		·12		·20	·06		·69	·42	·08	·40		·16	22
23		·01	·03	·10	·64			·49	·23	·31		·10	23
24		.17	·08	·01	·02				·08	·01	·18	·02	24
25		·26		·10			·35	·22	.22	·05		.49	25
26		·21			·26				·08	·45	·08	·01	26
27	·07	·11			·10	·02	·11	·02	·01	·04	·01	·02	27
28	·05	·04		·05	·05		·05			·05			28
29	·24				·10		·01				·35	·52	29
30	·14	X			·03				·01		·20	·10	30
31	·15	X	·09	X	·13	X	·10		X	·03	X	·03	31
TOTAL	2·01	4·13	·82	1·84	2·62	·04	1·78	4·20	3·23	3·49	3·27	2·47	YEAR'S TOTAL 29·90
Days with ·01 in. or more.	13	22	10	18	20	2	11	16	23	21	13	18	187
Days with ·04 in. or more.	11	17	6	14	16	0	7	14	17	14	17	10	139

759

(Signed) ..... [P.T.O.

Section A for the entry of Daily Observations.

FOR OFFICIAL USE. 3716

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Hawarden

in the County of Flints

Diameter of Funnel of Gauge 5¼ in.

Height of top of Gauge above Ground ft. 9 in.

„ Ground „ Sea Level 280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.22		.01	.44		–		.70		.56	.08	1
2	.21	.03	–			.10	–		–	.01	.02	.07	2
3	.31	.02	.30				–		–		–	.10	3
4	–	.03	.12		.12		.05		.08		.28	.11	4
5	.02	.17	.07		.40	.06	.26	.28	.13		–	.17	5
6	.32	.23	.02		.09		.55	.01	.10	.04	.78	–	6
7	.01	.74		.03	.33	.22			.02	.36	~~.28~~	–	7
8	–	.02	.03		.18	.06	.03	.05	.37	.35	.23	–	8
9	–	–			.02	.22		.74	–	.07	~~.23~~	–	9
10	–	–			.04	.01	.07	.05	.04	.01	.42	–	10
11	.01	–	.07		.06	.06		.12	.01	.01	.07	–	11
12	–	–			.51	.03		.10		.47	.07	–	12
13	–	.01			.09	.47		.01		.14	–	.01	13
14	–	.20	.1	.15	.72	.28		.30	.03	–	.13	–	14
15	.03	.10	.09	.09	.005	.03	.05	.02		–	–	.12	15
16	–	.09	.02	.02		–		–		.10	.81	.10	16
17	.25	.01				.01		.03		–	.18	–	17
18	.24	.08	.04	.04		–	1.46	.02		–	.28	–	18
19	–	–				–	.39	–	.68	.01	.01	–	19
20	–	–	.08	.03		–		–	.06	–	.21	–	20
21	–					.02	.29	–		.19	.01	–	21
22	.22	.22	.09	.09				–		–	.09	–	22
23	.04	–						–	.09	–	~~.01~~	–	23
24	.10	–	.04	.04	.13	.02	.10	.10	.10	–	~~.09~~	–	24
25	.15	–						.04	.11	.01	.10	–	25
26	.09	–	.09	.09	.10			–	.52	–	.07	–	26
27	.25	–			.05		.03	–	.01	–	~~.10~~	–	27
28	.15	–	.04	.04	.04		.58	–	.01	.07	.02	–	28
29	–	–	.02	.02	.11		.15	–	.02			–	29
30	.03	X		.02				.49				–	30
31	.08	X		X	.005	X		.40	X		X	–	31
TOTAL	2.67	2.12	.61	.69	3.83	1.59	4.01	2.76	2.58	1.85	4.31	.71	YEAR'S TOTAL 27.23
Days with .01 in. or more.	19	15	6	13	17	14	13	16	18	14	19	8	172
Days with .04 in. or more.	14	9	4	7	16	8	11	11	12	10	14	7	123

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) A. Lyon

P.T.O.

(3698A)

FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Fair 1/1 1925

NR 1926.

Kept at Harwarden (County School).

in the County of Flints

Diameter of Funnel of Gauge 5 1/4 in.

Height of top of Gauge above Ground ft. 9 in.

" Ground " Sea Level 290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.08	—	—	.08	.03	.01	.01	.27	.52	—	1
2	.13	—	.05	.09	.05	—	—	—	—	.05	.04	—	2
3	.09	.01	.07	—	.03	.14	.01	—	—	—	—	.01	3
4	.14	—	.10	.12	.23	.03	.04	—	—	—	.07	—	4
5	.03	.07	.05	.08	—	.82	.63	—	—	—	.14	.01	5
6	—	—	.02	—	—	.29	.03	.06	.30	—	.25	—	6
7	.07	.12	.20	.04	—	.02	.10	—	—	—	—	—	7
8	.04	—	.02	.29	—	—	.04	.12	.09	—	—	—	8
9	—	—	.06	.53	—	—	—	.09	—	—	.04	.04	9
10	—	—	—	.02	—	—	—	.10	.08	—	—	—	10
11	.02	—	—	—	—	—	.34	.03	—	—	—	—	11
12	.04	—	—	—	.01	—	.06	.23	.03	—	—	—	12
13	.20	—	—	.08	.03	—	.01	.24	.02	.08	.10	—	13
14	.02	—	—	.02	.59	—	—	.04	.35	—	.10	.10	14
15	.08	—	—	—	.04	—	—	.06	.24	.20	.01	—	15
16	—	—	—	—	—	.56	—	.20	.27	.04	.01	—	16
17	—	—	—	—	—	.02	—	.42	.11	—	—	—	17
18	—	—	—	—	—	.81	—	1.18	.04	.03	1.06	—	18
19	—	.02	.01	—	—	.04	.12	.40	.02	.03	.36	—	19
20	.02	.16		—	—	.05	.15	.17	.04	.01	.23	.25	20
21	.19	.11		—	.04	.01	.13	.32	.51	.20	.08	.52	21
22	—	.06		.03	—	.12	.10	.12	.18	.71	.10	.04	22
23	—	—	.37	.02	—	.42	—	—	.10	—	.15	.28	23
24	.44	—	.17	.03	—	.07	.03	.30	.42	.05	—	.35	24
25	.10	.06	.63	.07	—	.40	.11	—	.21	.02	—	.04	25
26	.38	.20	.78	.02	—	.02	.15	—	.03	.36	—	—	26
27	—	.21	.03	.10	—	.07	.97	.26	—	.03	.42	—	27
28	.20	.16	.06	—	—	.05	—	—	.07	.05	—	—	28
29	.14		.02	.04	—	.03	.11	.17	.47	.05	—	—	29
30	—	×	.08	.01	.06	.41	.03	.02	.02	.06	.01	—	30
31	.02	×	.44	×	.10	×	—	.01	×	.02	×	—	31
TOTAL	2.37	1.18	3.24	1.59	1.18	4.46	3.19	4.55	3.61	2.26	3.69	1.64	YEAR'S TOTAL 32.96
Days with .01 in. or more.	20	11	19	17	10	21	20	22	22	18	18	10	208
Days with .04 in. or more.	14	9	14	10	7	15	14	18	16	12	15	8	152

40-12-1-27
141w)

(Signed) A. Lyon

[P.T.O.

3775

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Hawarden

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.02	.09				.01	.01					1
2	.05	.27	.24	.02						.02	.04	.03	2
3	.03	.01		.03									3
4	.04	.23	.06	.01			.34			.11	.02		4
5	.54	.02		.01		.14	.14		.26	.13		.01	5
6						.14		.10				.11	6
7	.02			.28		1.16		.20	.02	.25		.24	7
8						.24	.03		.25	.01		.09	8
9	.02			.11		.03			.05	.15			9
10	.07	.21	.02		.04				.05	.68	.12		10
11	.10	.20		.15				.50		.18	.51	.13	11
12		.21	.18	.28		.48		.10			.02	.02	12
13		.01		.02	.01	.52		.20			.14		13
14	.06	.37				.09		.15		.33	.15		14
15	.10	.24			.02	.01		.03		.05	.07	.02	15
16		.06	.02	.01	.31				.01	.05	.45	.09	16
17	.07	.02	.01		.25	.04			.04		.10		17
18	.30		.01	.04	.04	.09		.07		.13	.02	.08	18
19			.04	.01	.71	.36			.09	.17	.35	.24	19
20	.01		.39		.31			.01	.08	.16	.18		20
21	.32		.29	.10	.03	.11		.20	.06	.04	.09		21
22		.02	.02				.04	.03			.08	.04	22
23	.47		.04	.01	.06		.02	.11	.01	.02	.07		23
24			.02				.07		.43	.14	.44	.24	24
25	.15					.15		.36			.02	.06	25
26	.12				.16	.01		.25		.42	.28	.01	26
27	.01				.01				.17	.01	.05	.21	27
28	.18		.12			.12	.08	.03	.04		.03	.08	28
29	.35	.32	.03		.01	.14		.25		.02	.08	.16	29
30		×	.42	.01		.04	.12			.03	.01	.20	30
31	.29	×	.02	×		×	.10		×	.02	×		31
TOTAL	3.50	2.21	2.02	1.09	1.96	3.87	.95	2.60	1.56	3.12	3.32	2.08	YEAR'S TOTAL 28.28
Days with .01 in. or more.	22	15	18	15	13	18	10	17	14	22	23	19	206
Days with .04 in. or more.	17	9	9	6	8	15	7	12	10	15	17	14	139

40-9999

(Signed) ..... DATED 1/29

Section **A** for the entry of Daily Observations. Circ 7. Sent 21.8.30 Glos. agrees. 6/9/30 FOR OFFICIAL USE. 3851

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

3851

Kept at Hawarden County School

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 257 ft.

Estimated 2 days 21st-30th Sept.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·06	–	·01	·01	·13	–	·06	–	·14	–	·06	1
2	–	·12	–	·06	–	–	–	·10	–	·08	–	·12	2
3	–	·03	–	–	–	·05	·04	·35	–	·02	–	·12	3
4	–	–	–	·13	·24	–	·73	·09	·04	–	·12	·43	4
5	–	–	–	–	·44	·17	·21	·07	–	·50	·19	·05	5
6	·06	–	–	–	·10	·23	·31	·29	–	·34	·04	·48	6
7	–	·01	–	–	·14	–	–	–	–	·09	·27	·22	7
8	–	·23	–	·10	–	·36	–	·01	–	·34	–	·11	8
9	·15	·26	–		–	–	·22	–	–	·10	·66	·24	9
10	·13	–	–		·12	–	·06	–	–	·18	·02	·21	10
11	–	·02	–		·11	–	–	–	·46	–	·68	·04	11
12	–	–	–		·01	·17	·17	–	–	–	·05	·07	12
13	·07	–	–		·29	·15	–	·18	–	–	–	·02	13
14	·04	–	–		·12	·28	–	–	–	–	–	–	14
15	·03	tr.	–		–	·01	–	–	·06	–	·45	–	15
16	–	–	–		–	–	–	·13	–	–	–	–	16
17	–	–	–	tr.	–	–	–	·20	–	·10	–	–	17
18	·08		–		–	–	–	–	–	·11	·11	–	18
19	–		–		–	·01	–	·03	·01	·15	·18	·02	19
20	–		–		–	·01	–	·05	–	·02	·03	·37	20
21	–	·02	·03		–	·11	·10	·02	–	·02	–	–	21
22	·01	–	–	tr.	–	·08	·11	·06	–	–	·06	–	22
23	–	·04	–		–	–	–	·72	–	·34	·25	–	23
24	–	–	·02	·02	–	–	–	·35	–	·27	·27	–	24
25	–	–	·04	·19	–	–	–	–	–	·03	·37	–	25
26	–	·11		·07	–	–	–	–		·10	·06	–	26
27	·13			·08	–	–	·04	·03		·24	·06	–	27
28	·22			·10	–	–	–	·01	1·01	·22	·39	–	28
29	·04				–	–	–			·04	·09	·41	29
30	–	×			–	–	·04				·14	·25	30
31	·27	×		×	–	×	·45		×		×	·04	31
TOTAL	1·23	0·90	0·09	0·76	1·58	1·76	2·48	2·75	1·58	3·43	4·49	3·26	YEAR'S TOTAL ~~25·12~~
Days with ·01 in. or more.	12	10	3	9	10	13	12	18	7	21	21	18	154
Days with ·04 in. or more.	10	6	1	7	8	10	12	13	6	17	19	16	125

24·31

40-9999

(Signed) C. J. Williams

P.T.O.

3943

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Hawarden County School

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 10 in.

,, Ground ,, Sea Level 257 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·17	·02	·33	—	·01	—	·08	—	—	·50	—	1
2	—	·03	—	·02	—	·01	—	·37	—	—	·31	—	2
3	—	—	·01	·11	—	—	—	·42	—	·63	·12	—	3
4	·29	—	·08	·35	·05	—	tr	·11	·03	·11	—	—	4
5	·19	—	·21	—	·42	—	—	·32	—	·23	—	—	5
6	·03	—	·32	—	·01	—	—	—	·17	·24	·30	·15	6
7	·10	—	—	—	—	—	—	—	—	·13	·37	·21	7
8	·12	—	—	·28	·01	—	—	—	·12	·33	—	·08	8
9	·24	—	·28	·97	—	·10	—	—	·06	·01	·01	·14	9
10	·50	—	·13	—	·30	·04	·03	·16	—	—	·02	·36	10
11	—	—	·08	·03	·05	·01	—	·43	·07	·15	·02	·15	11
12	·15	—	·03	·03	·12	—	—	·20	·01	·01	—	·26	12
13	·08	—	·46	·08	·01	—	·23	·10	·70	tr	—	—	13
14	·61	·08	·53	—	—	—	·15	·05	—	—	—	·31	14
15	—	—	·35	—	tr	—	·20	tr	—	·13	·16	·20	15
16	tr	—	—	—	—	·07	·20	·02	·14	·07	—	·22	16
17	—	—	·03	—	·03	—	·21	·12	·76	·03	—	tr	17
18	—	—	·77	·02	—	·93	·22	·11	·01	·01	·39	—	18
19	—	—	·11	·03	—	·09	·02	—	·81	·08	·06	·01	19
20	—	—	·15	05	—	·01	1·68	·55	·26	tr	·08	·01	20
21	tr	—	·36	tr	·01	·04	·01	·14	tr	·12	·25	—	21
22	·14	—	—	—	—	—	·74	·04	·06	·21	·32	—	22
23	—	—	—	·12	·06	·10	·15	·16	·05	·04	·30	—	23
24	·17	—	—	·30	·03	·10	tr	—	tr	·38	·41	—	24
25	—	·25	—	·16	—	—	—	—	·41	·76	·13	·05	25
26	·71	·04	—	·07	—	·01	—	—	—	·02	·01	·25	26
27	—	—	·18	·06	·01	—	·13	—	·02	·01	—	·12	27
28	tr	—	—	—	—	·01	·02	—	tr	·05	—	·49	28
29	—	—	·02	—	—	—	·11	·32	—	·03	—	·14	29
30	—	×	—	—	—	tr	—	·18	—	·08	—	·84	30
31	·27	×	tr	×	—	×	—	—	×	·16	×	·06	31
TOTAL	3·69	0·57	4·12	3·01	1·11	1·53	4·10	3·88	3·68	4·02	3·76	4·05	YEAR'S TOTAL 37·52
*Days with ·01 in. or more.	15	5	19	17	13	14	15	19	16	25	18	19	195
*Days with ·04 in. or more.	14	4	14	12	6	8	11	18	12	18	14	17	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. T. Williams [P.T.O.

Section **A** for the ent

FORM 1090. METEOR

FOR OFFICIAL USE.

NIZATION.

4275

NORTHOP.
SOUGHTON HALL
1925 – 30

Kept at Soughto

in the County of Flu

d to read the instructions
g in this form.

Diameter of Funnel of Ga
Height of top of Gauge abo
" Ground

ould fill in section C

THE MORNING US DAY.

An observer who does not conform to this Rule should insert the words "Local Mean Time" and the date of January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39		.4					(.16) .16	.4	.3	.11		1
2	.18								.10		.6		2
3	.34			.16				.18	.11		.3		3
4	.18			.10	.16				.5		.2		4
5		.42			.17			.18	.34		.23		5
6	.10	.14					.40	.18	.2		.83		6
7		.16	.25	.4	.37			.23	.9		1.00	.11	7
8		.6	.12	.8	.8			.17	.41		.33	.30	8
9		.55			.11		.17		(.61) .61		.16	.15	9
10		.50	.2					.95	.3		.10	.11	10
11		.57			.7			.5	.2	.46	.20	.10	11
12		.53		.6		.4	.4	.9		.45			12
13		.3		.4						.14			13
14	.16			.15					.5	.11		.2	14
15		.4	.20	.4						.68		.5	15
16		.15	.10	.22						.16		.2	16
17		.40		.5					.6	.03 .53			17
18			.4	.24	.48			.82		.78			18
19								.45	.45			.60	19
20		.20			.16			.18	.15	.2		.15	20
21		.13	.2					.42	.16	.21			21
22				.18	.3		.17	.2	.15	(.20)			22
23	.05			.9	.56		.76		.33	.26		.35	23
24		.30		.3	.21				.29	.8	.33		24
25		.31		.20	.23		.21		.20	.6		.47	25
26		.30		.27			.3		.20	.12	.16		26
27	.3			.8			.46		.2	.6	.10	.1	27
28	.13	.22		.4	.8		.17			.6	.20	.14	28
29	.22	.4			.9		.3				.50	.44	29
30	.9	X			.3			.5			.12	.9	30
31	.45	X	.18	X	.13	X	.9	.23	X	.5	X	.11	31
TOTAL	2.42	4.99	.97	2.43	2.96	.4	2.53	4.36	3.68	4.11	3.59	3.22	YEAR'S TOTAL 35.30
Days with .01 in. or more.	12	19	9	19	16	1	11	16	21	17	12 13	17	176
Days with .04 in. or more.	11	18	7	18	14	1	9	15	17	15	11 12	14	150

897

(Signed) John S Baukes [P.T.O.

Section **A** for the entry of Daily Observations

ann. total agreed by Obs.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3721

Register of Rainfall in 1925.

Kept at Soughton Hall. Northop

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 418 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.39		.4					.16	.4	.3.	.11		1
2	.18								.10		.6		2
3	.34			.16				.18	.11		.3		3
4	.18			.10	.16				.5		.2		4
5		.42			.17			.18	.34		.23		5
6	.10	.14					.40	.18	.2		.83		6
7		.16	.25	.4	.37			.23	.9		1.00	.11	7
8		.6	.12	.8	.8			.17	.41			.30	8
9		.55			.11		.17		.61			.15	9
10		.50	.2					.95	.3			.11	10
11		.57			.7			.5	.2	.16	.20	.10	11
12		.53		.6		.4	.4	.9					12
13		.3		.4						.14			13
14	.16			.15					.5	.11		.2	14
15		.4	.20	.4						.68		.5	15
16		.15	.10	.22						.16		.2	16
17		.40		.5					.6	.03			17
18			.4	.24	.48			.82		.78			18
19								.45	.45			.60	19
20		.20			.16			.18	.15	.2		.15	20
21		.13	.2.					.42	.16	.21			21
22				.18	.3.		.17	.2	.15	(.20)			22
23	.5			.9	.56		.76		.33	.26		.35	23
24		.30		.3	.21				.29	.8	.33		24
25		.31		.20	.23		.21			.6		.47	25
26		.30		.27			.3		.20	.72	.16		26
27	.3.			.8			.46		.2	.6	.10	.1	27
28	.13.	.22		.4	.8		.17.			.6		.14	28
29	.22	.4			.9		.3				.50	.44	29
30	.9	×			.3			.5			.12	.9	30
31	.45	×	.18	×	.13	×	.9	.23	×	.5	×	.11	31
TOTAL	2.42	4.99	.97	2.43	2.96	.4	2.53	4.36	3.68	4.11	3.59	3.22	YEAR'S TOTAL 35.30
Days with .01 in. or more.	12	19	9	19	16	1	11	16	21	17	12	17	
Days with .04 in. or more.	11	16	7	18	14	1	9	15	17	15	11	14	

(Signed) John E. Bankes

[P.T.O.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1920.

37.17

Kept at Soughton Hall. Northop

in the County of Flint

Diameter of Funnel of Gauge 5 in. in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 418 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.18	.2	—	.40	—	—	—	.36	—	.34	.14	1
2	.21	.8	—	—	—	.9	—	—	.10	—	—	.17	2
3	.32	.1	.34	—	—	—	—	—	—	—	—	—	3
4	—	.3	.20	.3	.14	—	.2	—	.12	—	.31	.12	4
5	.6	.10	.13	—	.47	—	.23	.40	.25	—	—	.8	5
6	.36	.19	.7	—	.18	—	.76	—	.6	.14	.23	—	6
7	.3	.12	—	—	.27	.19	—	—	.5	.36	.12	—	7
8	.1	.4	.6	—	.19	.12	—	—	.45	.57	.5	—	8
9	—	—	.19	—	—	.19	—	.82	—	—	—	—	9
10	—	.2	—	—	.18	.8	.9	.4	—	.19	.53	—	10
11	—	—	—	—	—	.12	—	.15	.6	—	.4	—	11
12	—	—	—	—	.52	.27	—	.15	.4	.50	—	—	12
13	—	—	—	—	.16	.53	—	—	.6	.14	.28	.6	13
14	.4	.29	—	.18	.11	—	—	.37	—	—	.28	.4	14
15	.8	.11	—	.19	—	.3	—	—	—	—	.56	—	15
16	—	.4	—	.4	—	—	—	—	—	.9	.79	.5	16
17	.25	.1	—	—	—	—	—	.9	—	—	.9	.5	17
18	.19	.14	—	.20	—	—	1.73	—	—	—	.42	.11	18
19	—	—	.4	—	—	—	2.47	.4	.79	—	—	—	19
20	—	—	—	.3	—	—	—	—	—	—	.20	—	20
21	—	—	—	—	—	—	.31	—	—	.20	.5	—	21
22	.22	.36	—	—	—	—	—	—	—	—	—	—	22
23	.8	—	—	—	—	—	—	—	—	—	—	—	23
24	.10	—	—	—	.17	.46	.20	.11	.8	.34	.11	—	24
25	.16	.24	—	.8	.5	—	.4	—	.9	—	—	—	25
26	—	—	—	—	.5	—	—	—	.10	—	.4	.2	26
27	.18	—	—	.8	.3	—	.4	—	.38	—	—	—	27
28	.16	—	—	—	.13	—	.72	—	.18	.14	—	—	28
29	.17	—	—	.8	.12	—	.14	—	—	—	.5	.5	29
30	.8	×	—	.4	.8	—	—	.52	—	—	—	—	30
31	.2	×	.2	×	3 —	×	—	3	×	—	×	—	31
TOTAL	2.86	2.02	1.07	.95	2.20	2.08	6.75	2.72	3.17	2.66	4.21	.88	YEAR'S TOTAL 32.57
Days with .01 in. or more.	20	16	9	10	16	10	12	11	16	10	17	11	158
Days with .04 in. or more.	17	12	7	8	15	9	11	10	16	10	17	10	142

Please read the Notes and Instructions Overleaf.

(144ws) *(Signed)* [P.T.O.

Copy

WWW V.V

Copied for Meteorological Office D.2 Sent 16.2.28.

3699

FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Soughton Hall. Northf

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 418 ft.

150

Revised value for 31st March sent on Return card 3A File 73462/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.9			.21	.5	.13		.20	.62		1
2	.23			.7	.7		.5				.12		2
3	.7	-4	.16	.8	.2		.3			.4			3
4	.26		.3	.8	.39	.17	.20				.6		4
5	.5	-21	.40	.7		.85					.23		5
6			.4			.27		.13	.44		.44		6
7	.19	-10	48	.9		.6	.18						7
8			5	.27				.20	.5				8
9			6	.46			.4	.50			9		9
10				.2				24	20				10
11				.8			23		.7				11
12	.20							.45	.8				12
13	.20			.7				.90		.8	.14		13
14	.17			.6	.7			.15	.47		.19		14
15	.16				.66			.14	.24	23		.12	15
16						.54		.24	.28	.12			16
17						.3		.50	.31	.4			17
18						.87		1.90		4	.88		18
19		.6					.8	.15	.3	.10	.60		19
20		-21			.4	.9	12	48	.5		.54		20
21	-25	-57				.18	.5	.32	.56	.13	.8	64	21
22		-4	.15	.2			.5	.14	.25		.13	.14	22
23	.7		.13	.3		.50	.5	.30	.25	.68	.28	.26	23
24	.53		.30	.9		.7			.52	.5		.44	24
25	.5	.15	.73	.19		.64	.10		.37	.23			25
26	.52	.26	1.03	.3		.5	.10		.5	.14			26
27		.28	.4	.9		.12	1.00	.18		.3			27
28	.27	.30	.7			.5		.23	.16	.12	.45		28
29			.8			.6	.12		23	5			29
30	.4	X	.4	.4	.13	.40		19	4	9			30
31		X	.71	X		X			X		X		31 41.21
TOTAL	3.25	2.22	~~3.98~~ 4.59	1.84	1.38	5.29	2.45	6.77	4.69	2.37	4.05	1.50	YEAR'S TOTAL ~~41.20~~
Days with .01 in. or more.	16	11	17	18	7	18 ~~17~~	16	20	20	17	15	5	~~170~~ 180
Days with .04 in. or more.	16	11	16	14	6	17 ~~15~~	15	20	19	16	15	5	~~167~~ 170

40-12-1-27
144w)

(Signed) John E. V. Bankes

[P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Soughton Hall. Northop

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 418 ft.

days 150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.2	.6	—	—	—	—	—	—	—	—	.11	1
2	.10	.40	.23	.8	—	—	—	—	—	.2	.7	—	2
3	—	.3	—	.7	—	—	—	—	.2	.2	.7	—	3
4	.13	.33	.5	—	—	—	.36	—	—	—	—	.2	4
5	.33	.4	—	—	—	.11	.12	—	.24	.15	—	.1	5
6	—	—	.2	—	.4	.14	—	.14	—	.9	—	.12	6
7	—	—	[illegible]	.23	—	.58	—	.25	.1	.17	—	.14	7
8	—	—	[illegible]	.11	—	.20	.4	—	.2	—	—	—	8
9	.5	—	—	—	—	.3	—	—	.21	.16	—	.37	9
10	.17	.39	—	.2	.2	—	—	—	.6	.75	.10	—	10
11	.2	.33	.6	.22	—	—	—	.64	.8	.14	.69	.24	11
12	.5	.20	.7	.36	—	.54	—	.17	—	—	.7	—	12
13	—	—	—	.6	.11	.85	—	.26	—	—	.9	—	13
14	.8	.38	—	—	—	.10	—	.26	.5	.60	.29	—	14
15	.20	.12	—	—	.3	.2	—	.13	—	.6	.13	.7	15
16	—	.9	.3	—	.35	.3	—	—	—	.7	.65	.12	16
17	.17	—	.2	.4	.25	.6	—	—	.6	—	—	—	17
18	.37	—	.4	—	.10	.9	—	—	—	.16	.5	.16	18
19	—	—	.4	.2	.80	.40	.2	.9	.9	.21	.39	.20	19
20	.14	—	.22	—	.36	.4	—	.5	—	.25	.22	—	20
21	.16	—	.17	.16	.4	.14	—	—	—	—	.7	—	21
22	.43	.3	.9	—	.9	—	—	.26	—	—	.10	.16	22
23	.5	—	.4	.15	—	.4	.6	.10	.17	.10	.12	.2	23
24	—	—	.1	—	—	.2	.15	.15	.92	.28	.50	.33	24
25	.28	—	.4	—	—	.24	—	—	—	.7	.43	.9	25
26	.20	—	—	—	.17	.9	.2	.34	—	.40	.68	—	26
27	.8	—	—	—	.3	—	.1	.23	.16	.3	.8	.19	27
28	.19	—	.7	—	—	.14	.9	.8	.4	.2	.11	.14	28
29	.33	.27	.25	—	—	.36	—	.18	—	—	.8	.7	29
30	—	×	.16	.4	—	.8	.14	.	—	.14	.6	.48	30
31	.17	×	.6	×	—	×	.12		×	.11	×		31
TOTAL	3.95	2.63	1.73	1.56	2.39	4.10	.13	3.33	2.13	4.00	5.05	2.98	YEAR'S TOTAL 34.98
Days with .01 in. or more.	22	13	20	13	13	22	11	16	14	22	22	19	207
Days with .04 in. or more.	21	10	16	11	10	18	8	16	11	18	22	16	177

40-9999

(Signed) ..... P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19 29.

Kept at Soughton Hall. Northop

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 418. ft.

Dec. 18-28th Corrd. + Observer agrees. F. 739462/27

150 dups

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.05	—	—	.04	.19	—	.10	.05	.15	—	.05	1
2	—	.10	—	—	—	.02	—	.12	—	.05	.09	.17	2
3	—	.02	—	—	—	.09	.06	.28	.11	.04	.05	.20	3
4	—	—	—	.22	.37	.02	.37	.14	—	.07	.14	.58	4
5	—	—	—	—	.38	.20	.26	.09	—	—	.15	.08	5
6	—	—	—	—	.15	.16	.11	.18	—	.80	.39	.75	6
7	.02	—	—	.15	.23	—	—	—	—	.12	.02	.35	7
8	.05	.16	—	—	.09	.41	—	.03	—	.31	—	.15	8
9	.09	.24	—	—	—	—	.25	.07	—	.14	.80	.27	9
10	.12	—	—	—	.05	—	.07	—	—	.30	.07	.18	10
11	—	—	—	—	.11	—	.01	—	—	—	1.00	.06	11
12	—	—	—	—	—	.41	.21	—	.16	.01	.12	.08	12
13	.10	—	—	—	.36	—	—	.17	—	—	.26	.02	13
14	.14	—	—	—	.14	.59	—	—	.04		.09	.10	14
15	—	—	—	—	—	.02	—	—	—	.08	.39	—	15
16	—	—	—	—	—	—	—	.13	—	.07	—	—	16
17	.10	—	—	—	—	—	—	.42	—	.09	—	—	17
18	—	—	—	—	—	—	—	—	.03	.02	.08	.34	18 —
19	—	—	.03	—	—	.05	—	.10	—	.18	.25	.02	19 —
20	—	—	.16	—	—	—	—	.06	.03	—	.08	.30	20 .34
21	—	.05	—	—	—	.12	.11	.03	.05	.06	.01	.07	21 —
22	.03	—	—	.07	.07	.19	.20	.09	—	—	.12	.27	22 .02
23	—	.14	—	—	.07	—	—	1.00	—	.03	.24	.06	23 .30
24	—	—	.07	.07	—	—	—	.32	—	.47	.27	.27	24 .37
25	—	—	.07	.22	—	—	—	.01	—	.30	.57	.04	25 .27
26	—	—	—	.19	—	—	—	—	—	.31	.06	.15	26 .06
27	.16	—	—	.08	—	—	.06	.04	—	.27	.05	.56	27 .15
28	.18	—	—	.16	—	—	.14	—	.07	.09	.39	.80	28 .56
29	.06	—	—	—	—	—	—	—	—	.05	.10	.30	29
30	—	×	—	—	—	—	.08	—	.40	—	.14	.07	30
31	.27	×	.03	×		×	.59	.02	×	—	×	.16	31 31.37 ~~32.50~~
TOTAL	1.32	.76	.36	1.16	2.06	2.47	2.52	3.40	1.54	4.21	5.93	~~6.87~~ 5.64	YEAR'S TOTAL ~~32.60~~
Days with .01 in. or more.	.12	.7	5	8	12	13	14	20	9	23	26	28	1794
Days with .04 in. or more.	.10	.6	3 ~~5~~	8	12	10	13	16 ~~15~~	.7	20	24	23	1582

40-9999

(Signed) John S. Barclay [P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Soughton Hall. Northop.

in the County of Flint

150

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.2	.12	—	-35	—	—	-17	-18	—	—	.58	—	1
2	.1	.3	—	-7	—	—	—	-34	—	—	-24	—	2
3	.38	—	—	.20	—	—	.4	-31	—	-61	-16	—	3
4	.19	—	.7	-60	-25	—	-01	03	-7	-15	-04	—	4
5	.14	—	-14	—	-48	—	—	-39	—	.27	—	—	5
6	.1	—	-36	—	-2	—	—	-01	.28	-22	02	05	6
7	.10	—	—	—	—	—	-02	—	.03	.27	-34	-27	7
8	.24	—	—	-31	.7	—	—	-02	.14	-07	03	-17	8
9	.28	—	-39	-80	-27	-18	—	—	-03	—	-04	-06	9
10	.60	—	-21	-2	.24	.6	—	.18	—	—	-11	-43	10
11	.2	—	-5	-3	-6	-1	—	40	-06	-18	—	-24	11
12	.15	—	—	-4	-8	—	—	-42	—	-04	—	-35	12
13	.13	—	-60	-13	—	—	-25	-25	-49	—	—	-01	13
14	.62	-16	-44	—	-3	—	-18	-4	—	—	-02	-32	14
15	—	-38	-42	—	—	—	-21	-8	—	-23	-25	-16	15
16	—	—	-4	—	—	-11	-6	—	-18	-14	—	-23	16
17	.2	—	—	—	-5	—	-49	-17	-28	-09	—	-02	17
18	—	—	-50	—	—	87	-08	-14	-03	-5	-52	—	18
19	—	—	—	-8	.3	.7							19
20	—	—	-15	-5	-3	—	2.05	.50	.43	-03	.13	.2	20
21	—	—	45	—	—	.9	-07	-16	—	-14	-32	—	21
22	.13	—	—	—	—	—	-52	.10	-07	-42	-49	—	22
23	.81	—	—	-9	-6	-21	-11	-10	-10	-06	-32	-26	23
24	.16	—	—	-25	—	-9	—	—	.94	1.27	-36	—	24
25	.18	—	—	-19	—	—	—	—	-44	-61	-29	-05	25
26	.82	.7	—	-10	—	—	—	—	—	-03	.2	-29	26
27	—	—	-10	-5	-4	—	-10	-24	.03	-2	—	-29	27
28			-4	—	—	—	-57	—	-18	.87	—	.70	28
29	—	—	-2	—	—	—	-26	-25	—	-07	—	-30	29
30	—	×	—	—	-3	—	—	-16	—	-13	—	-92	30
31	.57	×	-1	×	—	×	.59	—	×	-20	×	-05	31
									3.28	.37	.28		3.42.90
TOTAL	4.68	.76	3.99	3.36	1.74	1.69	4.72	4.27	4.27	5.45	4.37	4.79	43.99
*Days with .01 in. or more.	21	5	17	17	15	9	18	23	17	24	19	21	204
*Days with .04 in. or more.	15	54	15	15	10	8	14	20	13	21	15	18	169

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) 19 Peter E Bawden

[P.T.O.

Section A for AIR

4273.

MOLD ALUN COUNTY SCH

1930

FOR OFFICIAL USE.

AINFALL ORGANIZATION.

1930.

FORM 1090.

Kept at Alun

in the County of

Diameter of Funnel of

Height of top of Gauge

,, Ground

THE MORNIN S DAY.

An observer who does no... this Form should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.45	-	-	-	-	-	-	-	-	.17	-	1
2	-	.21	-	.34	-	-	.06	.15	-	-	.48	-	2
3	.12	.07	-	.07	-	-	-	.31	-	-	.21	-	3
4	.22	-	-	.15	-	-	.07	-	-	.70	.08	-	4
5	.22	-	.07	.52	.12	-	-	-	.02	.07	-	-	5
6	.18	-	.20	-	.46	-	-	.95	-	.25	-	-	6
7	-	-	.37	-	.03	-	-	.02	.20	.16	-	-	7
8	.13	-	-	-	-	-	.01	-	.06	.16	.25	.31	8
9	.13	-	-	.27	.03	-	-	-	.16	.29	-	.18	9
10	.28	-	.37	.82	.28	-	-	-	.02	.05	-	-	10
11	.54	-	.13	-	.22	.21	-	.10	-	-	-	.45	11
12	.01	-	.06	.02	.03	.02	-	.36	.03	.15	.13	.17	12
13	.11	-	.02	.02	.06	-	-	.34	-	.01	-	.27	13
14	.10	-	.20	.17	.01	-	.16	.14	.44	-	-	-	14
15	.63	-	.50	-	.02	-	.19	-	-	-	.02	.08	15
16	-	.30	- + .37 + Snow	-	-	-	.14	.06	-	.17	.18	.10	16
17	-	-		-	-	.13	.04	-	.20	.10	-	.15	17
18	-	-	.05	-	.02	-	.27	.15	.62	.07	-	.01	18
19	-	-	.23	.04	-	.78	.15	.07	.02	.03	.37	-	19
20	-	-	.02	.08	.02	.06	.03	-	1.03	.07	.06	-	20
21	-	-	.20	.06	.02	.02	1.95	.51	.35	.02	.10	.01	21
22	-	-	.49	-	.03	.06	.03	.07	-	.11	+	-	22
23	.11	-	-	-	-	-	.38	.18	.06	.42	1.10+	-	23
24	-	-	-	.07	.03	.20	.10	.03	.06	-	+	.03	24
25	.18	-	-	.38	-	.07	-	-	.05	+	.35	-	25
26	.05	.04	-	.14	-	-	-	-	.36	1.60+	.20	.08	26
27	.81	.02	-	.07	-	-	-	-	-	.02	-	.21	27
28	-	-	.07	-	-	-	.10	-	.01	-	-	.01	28
29	-	-	.03	.02	.04	-	.07	-	-	.07	.02	.49	29
30	-	×	.01	-	-	-	.28	.25	-	.03	-	.24	30 *
31	-	×	-	×	-	×	-	.13	×	.10	×	.97	31 38.25
TOTAL	4.27 3.93 4.45	.64 1.04	3.39	3.24	1.42	1.55	4.03	3.82	3.69	4.82 4.55 4.17	3.55 3.72	3.83 3.89	YEAR'S TOTAL 38.25
* Days with .01 in. or more.	17	6 5	18	17	16	9	17	17	17	22 23	16 15	17 18	189
* Days with .04 in. or more.	16	5 4	14	14	6	7	14	15	12	17 18	14 13	12	147

40-9999 * Gauge probably over-sheltered.

*See Instruction 2 (*f*) on other side.

(Signed) Harold S. Shaw
(or Orella Hughes Esq)

[P.T.O.

Section [A] for [redacted]

3943⁴

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

X1/2 Cert 1/1

Kept at Alun Court School Mold.

in the County of Hantshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 365 ft.

Circ C. sent 8/3/31.

Last year 1929-29 read 11/31 file 66071/3.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.45	–	–	–	–	–	–	–	–	.17	–	1
2	–	.21	–	.34	–	–	.06	.15	–	–	.48	–	2
3	.12	.07	–	.07	–	–	–	.31	–	–	.21	–	3
4	.22	–	–	.15	–	–	.07	–	–	.70	.08	–	4
5	.22	–	.07	.52	.12	–	–	–	.02	.07	–	–	5
6	.18	–	.20	–	.46	–	–	.95	–	.25	–	–	6
7	–	–	.37	–	.03	–	–	.02	.20	.16	–	–	7
8	.13	–	–	–	–	–	.01	–	.06	.16	.25	.31	8
9	.13	–	–	.27	.03	–	–	–	.16	.29	–	.18	9
10	.28	–	.37	.82	.28	–	–	–	.02	.05	–	–	10
11	.54	–	.13	–	.22	.21	–	.10	–	–	–	.45	11
12	.01	–	.06	.02	.03	.02	–	.36	.03	.15	.13	.17	12
13	.11	–	.02	.02	.06	–	–	.34	–	.01	–	.27	13
14	.10	–	.20	.17	.01	–	.16	.14	.44	–	–	–	14
15	.63	–	.50	–	.02	–	.19	–	–	–	.02	.08	15
16	–	.30	–	–	–	–	.14	.06	–	.17	.18	.10	16
17	–	–	.37	–	–	.13	.04	–	.20	.10	–	.15	17
18	–	–	.05	–	.02	–	.27	.15	.62	.07	–	.01	18
19	–	–	.23	.04	–	.78	.15	.07	.02	.03	.37	–	19
20	–	–	.02	.08	.02	.06	.03	–	1.03	.07	.06	–	20
21	–	–	.20	.06	.02	.02	1.95	.51	.35	.02	.10	.01	21
22	–	–	.49	–	.03	.06	.03	.07	–	.11	†	–	22
23	.11	–	–	–	–	–	.38	.18	.06	.42	1.10	–	23
24	–	–	–	.07	.03	.20	.10	.03	.06	–	†	.03	24
25	.18	–	–	.38	–	.07	–	–	.05	†	.35	–	25
26	.05	.04	–	.14	–	–	–	–	.36	1.60	.20	.08	26
27	.81	.02	–	.07	–	–	–	–	–	.02	–	.21	27
28	–	–	.07	–	–	–	.10	–	.01	–	–	.01	28
29	–	–	.03	.02	.04	–	.07	–	–	.07	.02	.49	29
30	–	×	.01	–	–	–	.28	.25	–	.03	–	.24	30 *
31	–	×	–	×	–	×	–	.13	×	.10	×	.97	31 38.25
TOTAL	4.27 3.93 +.45	.64 .64	3.39	3.24	1.42	1.55	4.03	3.82	3.69	4.82 4.65 +.17	3.55. 3.55	3.83 3.82 +.01	YEAR'S TOTAL 38.35
*Days with .01 in. or more.	17	6 5	18	17	16	9	17	17	17	23 23	16 15	17 18	189
*Days with .04 in. or more.	16	5 4	14	14	6	7	14	15	12	17 18	14 13	8. 12	147

40-9999 * Gauge probably over-sheltered.

*See Instruction 2 (*f*) on other side.

(Signed) Harold E. Shaw
W. Clarke Hughes Esq

[P.T.O.

Section [A] for the entr — FOR OFFICIAL USE.

AIR MIN — ORGANIZATION. 36980

FORM 1090. **RE** — 192 7.

4274

MOLD MOUNT PLEASANT

1927 – 30

MOLD

Kept at Mount

in the County of

Diameter of Funnel of Gaug

Height of top of Gauge abov

„ Ground „

THE MORNING — **OUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·17	–	–	·09	·04	·03	·01	·22	·60	·02	1
2	·16	–	·10	·08	·05	–	–	–	–	·03	·09	–	2
3	·05	–	·01	·08	·09	·07	·03	–	–	–	·01	–	3
4	·21	–	·03	·07	·25	·05	·08	–	–	–	·07	·01	4
5	·03	·16	·35	·08	–	·88	·69	–	–	–	·23	–	5
6	–	–	·04	–	–	·32	·06	·09	·37	–	·38	–	6
7	·13	·09	·18	·07	–	·06	·17	–	·01	–	–	–	7
8	·06	–	·13	·26	–	–	–	·17	·04	–	–	–	8
9	–	–	·05	·47	–	–	–	·43	–	–	·06	·02	9
10	–	–	–	·04	–	–	–	·20	·18	–	–	–	10
11	·04	–	–	·06	–	–	·21	–	·09	·01	–	–	11
12	·08	–	–	–	–	–	·04	·46	·01	–	–	–	12
13	·15	–	–	·08	·02	–	–	·18	·08	·05	·11	–	13
14	·16	–	–	·07	·06	–	–	·10	·35	–	·18	·10	14
15	·14	–	–	–	·63	–	–	·09	·21	·19	·04	–	15
16	·08	–	–	–	·02	·54	–	·25	·33	·09	·02	–	16
17	–	–	–	–	–	·05	–	·46	·20	·03	–	–	17
18	–	–	–	–	–	·80	–	1·64	–	·03	·91	–	18
19	–	·03	–	–	–	·03	·10	·09	·02	·09	·57	–	19
20	·11	·20	–	–	·03	·05	·15	·52	·05	–	·48	–	20
21	·10	·07	–	–	·07	–	·04	·37	·45	·13	·08	·48	21
22	·03	·05	·18	·03	–	·20	·05	·13	·23	·10	·15	·06	22
23	–	·04	·17	·02	–	·51	·02	·01	·16	–	·28	·31	23
24	·55	–	·29	·08	–	·15	–	·32	·43	·07	–	·40	24
25	·07	·08	·61	·14	–	·61	·11	–	·33	·10	–	–	25
26	·37	·31	1·13	·04	–	·05	·09	·07	·05	·26	–	–	26
27	–	·20	·04	·08	–	·10	·75	·27	–	·03	–	–	27
28	·26	·25	·07	·02	–	·04	·01	–	·07	·19	·46	–	28
29	·08		·09	·03	–	·08	·12	·21	·35	·05	–	–	29
30	·08	X	·04	–	·06	·38	·03	·07	·04	·09	–	–	30
31	–	X	·69	X	·13	X	–	·04	X	–	X	–	31
TOTAL	2·94	1·42	4·43	1·80	1·41	5·06	2·49	6·20	4·06	2·36	4·72	1·40	YEAR'S TOTAL 38·59
Days with ·01 in. or more.	21	11	19	19	11	20	19	23	23	18	18	8	210
Days with ·04 in. or more.	19	10	18	15	8	19	15	21	19	13	16	5	148

Please read the Notes and Instructions Overleaf.

(144ws) (Signed) R. T. Baker. [P.T.O.

Section A for the entr

FOR OFFICIAL USE. 36980

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

MOLD

Kept at Mount Pleasant. [illegible]

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 503 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·17	–	–	·09	·04	·03	·01	·22	·60	·02	1
2	·16	–	·10	·08	·05	–	–	–	–	·03	·09	–	2
3	·05	–	·07	·08	·09	·07	·03	–	–	–	·01	–	3
4	·21	–	·03	·07	·25	·05	·08	–	–	–	·07	·01	4
5	·03	·16	·35	·08	–	·88	·69	–	–	–	·23	–	5
6	–	–	·04	–	–	·32	·06	·09	·37	–	·38	–	6
7	·13	·09	·18	·07	–	·06	·17	–	·01	–	–	–	7
8	·06	–	·13	·26	–	–	–	·17	·04	–	–	–	8
9	–	–	·05	·47	–	–	–	·43	–	–	·06	·02	9
10	–	–	–	·04	–	–	–	·20	·18	–	–	–	10
11	·04	–	–	·06	–	–	·21	–	·09	·01	–	–	11
12	·08	–	–	–	–	–	·04	·16	·01	–	–	–	12
13	·15	–	–	·08	·02	–	–	·18	·08	·05	·11	–	13
14	·16	–	–	·07	·06	–	–	·10	·35	–	·18	·10	14
15	·14	–	–	–	·63	–	–	·09	·21	·19	·04	–	15
16	·08	–	–	–	·02	·54	–	·25	·33	·09	·02	–	16
17	–	–	–	–	–	·05	–	·16	·20	·03	–	–	17
18	–	–	–	–	–	·80	–	1·64	–	·03	·91	–	18
19	–	·03	–	–	–	·03	·10	·09	·02	·09	·57	–	19
20	·11	·20	–	–	·03	·05	·15	·52	·05	–	·48	–	20
21	·10	·07	–	–	·07	–	·04	·37	·45	·13	·08	·48	21
22	·03	·05	·18	·03	–	·20	·05	·13	·23	·10	·15	·06	22
23	–	·04	·17	·02	–	·51	·02	·01	·16	–	·28	·31	23
24	·55	–	·29	·08	–	·15	–	·32	·43	·07	–	·40	24
25	·07	·08	·61	·14	–	·61	·11	–	·33	·10	–	–	25
26	·37	·31	1·13	·04	–	·05	·09	·07	·05	·26	–	–	26
27	–	·20	·04	·08	–	·10	·75	·24	–	·03	–	–	27
28	·26	·25	·07	·02	–	·04	·01	–	·07	·19	·46	–	28
29	·08		·09	·03	–	·08	·12	·21	·35	·05	–	–	29
30	·08	X	·04	–	·06	·38	·03	·07	·04	·09	–	–	30
31	–	X	·69	X	·13	X	–	·04	X	–	X	–	31
TOTAL	2·94	1·42	4·43	1·80	1·41	5·06	2·79	6·20	4·06	2·36	4·72	1·40	YEAR'S TOTAL 38·59
Days with ·01 in. or more.	21	11	19	19	11	20	19	23	23	18	18	8	210
Days with ·04 in. or more.	19	10	18	15	8	19	15	21	19	13	16	5	148

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) A. T. Dakin. [P.T.O.]

3776

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Mount Pleasant

in the County of Flint.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 503 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.04	.05	–	–	–	.01	.02	–	.01	–	.03	1
2	.07	.38	.23	.09	–	–	–	–	–	.01	.07	.06	2
3	.01	.04	.02	.05	–	–	–	–	.01	–	–	–	3
4	.12	.33	.03	.02	–	–	.15	–	–	.11	.05	–	4
5	.39	.04	.01	–	–	.10	.20	–	.25	.08	.01	.01	5
6	.01	–	–	–	–	.08	.09	.10	.01	–	–	.14	6
7	.03	–	–	.21	–	.52	–	.21	–	.14	–	.32	7
8	—	–	–	–	–	.38	.02	–	.24	–	–	.06	8
9	.03	.02	–	.07	–	.03	–	–	.06	.10	–	–	9
10	.14	.35	.03	.05	.03	.01	–	–	.08	.65	.19	–	10
11	—	.30	–	.19	–	–	–	.13	–	.22	.62	.22	11
12	.06	.19	–	.35	–	.52	–	.11	–	–	.05	.02	12
13	—	–	–	.04	.10	.62	–	.23	–	–	.11	–	13
14	.08	.11	–	–	–	.15	–	.21	.04	.50	.26	–	14
15	.21	.15	.10	–	.03	.02	–	.14	–	.05	.11	.04	15
16	.01	.10	.04	.02	.31	.01	–	–	.01	.06	.62	.10	16
17	.13	–	–	–	.38	.05	–	–	.04	–	.01	–	17
18	.39	–	.03	.05	.09	.10	–	–	.04	.14	.03	.15	18
19	—	–	.05	–	.15	.25	–	.10	.05	.22	.11	.18	19
20	.03	–	.29	–	.45	.03	–	.04	.03	.22	.19	–	20
21	.25	–	.20	.05	.04	.13	–	.01	.05	.06	.11	–	21
22	—	.03	.08	–	–	–	–	.31	–	–	.12	.08	22
23	.59	–	.03	.11	.06	.02	.06	.05	.10	.05	.13	–	23
24	.05	–	–	–	–	.01	.12	.11	.93	.26	.56	.30	24
25	.24	–	–	–	–	.14	–	–	–	.03	.39	.08	25
26	.17	–	.03	–	.17	.06	–	.27	–	.42	.54	.02	26
27	.07	–	–	–	.01	–	–	.19	.16	.04	.07	.13	27
28	.18	–	.08	–	–	.15	.07	.07	.03	–	.10	.19	28
29	.32	.29	.26	–	–	.29	.01	.16	–	.04	.06	.07	29
30	.02	×	.16	.03	–	.08	.11	–	–	.07	.04	.34	30
31	.21	×	.05	×	–	×	.12	–	×	.07	×	–	31
TOTAL	4.03	2.67	1.71	1.33	2.42	3.75	.96	3.06	2.13	3.55	4.88	2.54	YEAR'S TOTAL 33.12
Days with .01 in. or more.	26	14	19	14	12	23	11	18	17	23	24	20	221
Days with .04 in. or more.	19	12	12	11	9	16	8	16	12	20	21	16	172

40-12-1-27
144w)

(Signed) R. T. Baker [P.T.O.

3852

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

3852

Kept at Mount Pleasant

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 503 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.05	–	–	.01	.15	–	.11	.10	.13	–	.05	1
2	–	.11	–	–	–	.01	–	.10	–	.06	.05	.19	2
3	–	.02	.08	–	–	.08	.05	.22	.13	.03	.06	.15	3
4	–	.03	–	.16	.34	.03	.23	.15	–	.07	.03	.60	4
5	–	–	.01	–	.40	.18	.20	.09	–	.43	.16	.09	5
6	.02	–	–	–	.16	.15	.16	.20	–	.60	.11	.80	6
7	–	.01	–	–	.19	.07	–	.01	–	.08	.37	.29	7
8	.03	.24	–	.14	.09	.29	–	.02	–	.25	.02	.14	8
9	.10	.23	–	–	–	–	.23	.05	–	.12	.71	.23	9
10	.12	.02	–	–	.01	–	.06	–	–	.28	.04	.20	10
11	–	–	–	–	.10	–	.02	–	–	–	.86	.07	11
12	–	–	–	–	–	.38	.18	–	.12	–	.08	.09	12
13	.09	–	–	–	.37	.06	–	.14	–	–	.23	.03	13
14	.08	–	–	–	.12	.77	–	–	.04	–	.05	.08	14
15	.03	–	–	–	.02	.02	–	–	.02	.01	.26	.01	15
16	–	–	–	–	–	–	–	.12	–	.06	.02	–	16
17	.07	–	–	.01	–	–	–	.25	.01	.05	–	–	17
18	–	–	–	–	–	–	–	.06	.02	.10	.09	–	18
19	–	–	–	–	–	.05	–	.06	.01	.01	.22	.03	19
20	–	–	–	–	–	–	–	.04	.03	.16	.05	.37	20
21	.02	.03	.04	–	–	.11	.10	.02	–	.05	.01	–	21
22	.01	–	–	.06	–	.15	.20	.12	–	–	.10	.03	22
23	–	.06	–	–	.03	.01	–	.06	–	.38	.24	.27	23
24	–	–	.06	.04	–	–	–	.30	–	.23	.29	.37	24
25	–	–	.05	.20	–	–	–	–	–	.09	.41	.24	25
26	.18	–	–	.16	–	–	–	–	–	.27	.05	.08	26
27	.20	–	–	.10	–	–	.05	.05	–	.26	.05	.15	27
28	.10	–	–	.21	–	–	.10	–	.61	.28	.30	.50	28
29	.05		–	–	–	–	–	.01	.03	.05	.10	.28	29
30	–	×	–	–	–	–	.09	–	.38	–	.14	.04	30
31	.30	×	.03	×	–	×	.48	.01	×	–	×	.16	31
TOTAL	1.40	.80	.27	1.08	1.84	2.51	2.15	3.09	1.50	4.05	5.22	5.54	YEAR'S TOTAL 29.45
Days with .01 in. or more.	15	10	6	9	12	16	14	22	12	24	28	27	195
Days with .04 in. or more.	10	5	4	8	8	12	13	17	6	21	24	23	151

40-9999

(Signed) R. T. Baker P.T.O.

Section **A** for the entry of Daily Observations.

3944

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Mount Pleasant

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 503 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.11	–	.37	–	.02	.06	.17	–	–	.58	–	1
2	.04	.03	.01	.08	–	–	–	.29	–	–	.26	–	2
3	.34	–	–	.16	–	–	.05	.34	–	.63	.17	–	3
4	.20	–	.07	.51	.17	–	–	.02	.04	.13	.02	–	4
5	.12	–	.15	.01	.46	–	–	.53	–	.25	–	–	5
6	.01	–	.35	–	.01	–	–	.02	.17	.21	.01	.04	6
7	.13	–	.01	–	–	–	.01	.01	.03	.17	.33	.30	7
8	.17	–	–	.28	.04	–	.02	.02	.10	.25	–	.16	8
9	.26	–	.40	.83	.27	.17	–	–	.06	.06	.03	.07	9
10	.65	–	.16	.01	.25	.04	.01	.13	.01	.01	.02	.40	10
11	.01	–	.04	.02	.04	.02	–	.33	.08	.15	.08	.20	11
12	.14	–	.01	.01	.10	.03	–	.36	.01	.02	–	.31	12
13	.11	–	.18	.11	.02	–	.23	.18	.52	–	–	.01	13
14	.65	.12	.24	–	.01	–	.17	.04	.01	–	.02	.33	14
15	–	.04	.31	–	–	–	.18	.05	–	.20	.19	.11	15
16	.01	.19	.17	–	–	.13	.04	–	.18	.12	–	.20	16
17	–	.04	.03	–	.03	.04	.40	.15	.67	.04	–	.01	17
18	–	.07	–	.01	–	1.34	.10	.11	.02	.04	.47	.01	18
19	–	–	–	.03	.02	.10	.02	.01	1.06	.06	.08	–	19
20	–	–	.39	.04	.01	.02	1.85	.50	.40	.02	.16	.01	20
21	–	–	.46	.02	.03	.07	.04	.13	.01	.12	.27	–	21
22	.12	–	.01	–	–	–	.54	.15	.06	.35	.44	–	22
23	–	–	–	.08	.02	.18	.10	.08	.07	.05	.40	.04	23
24	.15	–	–	.30	.04	.07	.01	–	.03	.59	.35	.01	24
25	.07	.05	–	.23	–	–	–	–	.60	1.02	.20	.04	25
26	.68	.02	–	.09	–	.01	–	–	.01	.02	.02	.33	26
27	–	–	.11	.03	.03	.01	.10	.01	.01	.01	–	.13	27
28	.01	–	.03	–	.01	–	.07	–	–	.06	.01	.58	28
29	–		.01	–	–	–	.23	.18	–	.05	–	.23	29
30	–	×	–	–	.03	–	–	.17	–	.11	–	.80	30
31	.48	×	.02	×	.01	×	–	–	×	.17	×	.05	31
TOTAL	4.36	.67	3.46	3.22	1.60	2.28	4.23	3.98	4.15	4.91	4.11	4.37	YEAR'S TOTAL 41.34
Days with .01 in. or more.	21	9	21	20	20	15	20	24	22	27	21	23	243
Days with .04 in. or more.	16	4	13	12	8	9	15	18	13	22	14	18	165

40-9999

(Signed) R. T. Baker

[P.T.O.

FORM A. 1. METEOROLOGICA… ZATION.

REGIS…

MOLD
THE PARK
FLINT
1921

2757

Kept at The Park (Mesy…

in the County of Flint.

by J. J. Reynolds.

2 40 MN 1921

…old

…ge 5 in.

…ound 1 ft. — in.

Level 370 ft. about

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·67	—	0·12	—	—	—							1
2	·15	—	·01	—	0·16	—							2
3	·04	—	·08	—	·01	·02							3
4	—	—	·04	—	·09	·02							4
5	·08	—	·10	0·04	·03	—							5
6	·01	—	·04	—	·08	—							6
7	·18	—	·03	—	·01	—							7
8	·01	0·04	·01	—	·01	—							8
9	—	—	·08	·07	—	—							9
10	·21	—	—	—	·01	—							10
11	·16	—	·06	—	·07	·01							11
12	·44	·05	—	—	·01	·01							12
13	·06	·01	·18	·48	—	·02							13
14	·08	·02	·08	·18	·21	—							14
15	·01	·05	·12	·04	—	—							15
16	·12	·04	·02	·12	·01	—							16
17	·39	·01	·13	·03	—	·04							17
18	·08	—	·08	—	—	—							18
19	·02	—	·07	—	—	·10							19
20	—	—	·01	—	—	·04							20
21	·08	—	—	·08	—	·01							21
22	·01	—	·16	·09	—	—							22
23	·01	—	—	·04	—	—							23
24	—	·15	—	·01	—	—							24
25	·13	·04	·12	·02	—	—							25
26	·07	—	·05	—	·06	·09							26
27	·01	—	·09	—	·15	—	End of Record						27
28	—	—	·29	—	·28								28
29	·06		—	—	·08	(-)							29
30	·03		—	—	·07								30
31	1·14		—		·02		#						31
TOTAL	4·25	0·41	1·97	1·20	1·36	·36							YEAR'S TOTAL
Days with ·01 in. or more	26	9	23	12	18	√10							
Days with ·04 in. or more	18	6	18	9	10	4							

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICA[redacted]ZATION.

REGISTER OF RAINFALL IN 192[redacted]

Kept at The Park (Mrs. J. Hyman) Mold.
in the County of Flint.
by J. J. J. Reynolds. M. Inst. C.E.

Lat. 53° 9' 47" N Long. 3° 8' 40" W. N 1921
Time of Observation 9 a.m.
Nearest Railway Station Mold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 370 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.67	—	0.12	—	—	—							1
2	.15	—	.01	—	0.16	—							2
3	.04	—	.08	—	.01	.02							3
4	—	—	.04	—	.09	.02							4
5	.08	—	.10	0.04	.03	—							5
6	.01	—	.04	—	.08	—							6
7	.18	—	.03	—	.01	—							7
8	.01	0.04	.01	—	.01	—							8
9	—	—	.08	.07	—	—							9
10	.21	—	—	—	.01	—							10
11	.16	—	.06	—	.07	.01							11
12	.44	.05	—	—	.01	.01							12
13	.06	.01	.18	.48	—	.02							13
14	.08	.02	.08	.18	.21	—							14
15	.01	.05	.12	.04	—	—							15
16	.12	.04	.02	.12	.01	—							16
17	.39	.01	.13	.03	—	.04							17
18	.08	—	.08	—	—	—							18
19	.02	—	.07	—	—	.10							19
20	—	—	.01	—	—	.04							20
21	.08	—	—	.08	—	.01							21
22	.01	—	.16	.09	—	—							22
23	.01	—	—	.04	—	—							23
24	—	.15	—	.07	—	—							24
25	.13	.04	.12	.02	—	—							25
26	.07	—	.05	—	.06	.09							26
27	.01	—	.09	—	.15	—	End of Record						27
28	—	—	.29	—	.28								28
29	.06	X	—	—	.08	(-)							29
30	.03	X	—	—	.07								30
31	1.14	X	—	X	.02	X			X		X		31
TOTAL	4.25	0.41	1.97	1.20	1.36	.36							YEAR'S TOTAL
Days with .01 in. or more	26	9	23	12	18	√10							
Days with .04 in. or more	18	6	18	9	10	4							

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM 1090 METEOR… RGANIZATION.

(*formerly B.R.O. Form A.1*).

MOSTYN. VICARAGE
FLINTSHIRE

1921 - 1930

Kept at Mostyn

in the County of ……

by Rev W Vaughan

g 3° 14′ 50″ W
9 am
Mostyn
Rain Gauge 5 in.
above Ground 1 ft. in.
„ Sea Level 100 ft.
t entered to the previous day.

IMPORTANT N…
If an Observer prefers … the reading at 9 a.m. … this paragraph. Full i… and particulars as to … sent post-free on app… Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

equested to add it at the end of … of rain gauges, *nfall Observers,"* …n, 62, Camden

Jan. 1, following.
·00
·01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	–	·15	–	–	–	–	·36	·13	–	·03	·06	1
2	·11	–	–	–	·07	–	–	·82	–	·22	·75	–	2
3	·05	–	·17	·01	–	–	–	·01	–	·85	·35	–	3
4	02	–	·03	–	–	·01	–	·10	–	·04	·15	–	4
5	–	–	·10	·01	·06	–	–	·45	–	–	·15	·03	5
6	–	–	–	–	·02	–	–	·01	–	·01	·15	·06	6
7	·23	–	·06	–	–	–	–	·23	–	–	·21	·01	7
8	·05	·02	–	–	·01	–	–	·23	–	–	–	–	8
9	–	–	–	·03	·02	–	–	·19	·10	–	–	–	9
10	·13	–		–	·03	·01	–	·25	·02	–	–	·10	10
11	·10	–	·02	–	·13	–	–	·21	·42	·16	–	–	11
12	·45	·03	–	–	–	·03	–	·10	·41	–	–	·03	12
13	·05	·03	·31	·65	–	–	–	·13	·06	·28	·12	–	13
14	–	–	·11	·04	·26	–	·55	·16	·01	–	·02	·36	14
15	·01	·02	·10	·02	–	–	·21	.	–	–	·01	–	15
16	·21	–	·01	·24	·08	–	·18	·02	·01	–	·01	·03	16
17	·52	–	·08	·01	–	–	–	·02	–	–	–	–	17
18	·08	–	·13	–	–	–	–	–	–	–	–	02	18
19	·01	–	·08	–	·03	·01	–	–	–	·11	·01	·06	19
20	–	–	·02	–	–	·02	·02	·02	–		·01	–	20
21	·08	–	·02	·06	–	·01	–	·02	–	·15	·22	·23	21
22	–	–	·05	·19	–	–	·17	–	–	·56	·01	·36	22
23	–		–	–	–	–	·10	–	·13	·11	–	–	23
24	–	·17	–	–	–	–	·07	–			–	·80	24
25	·27	–	·14	·04	–	–	·09	·03	–		–	·01	25
26	·05	–	·14	–	·21	·02	–	·01	–		–	·21	26
27	·01	–	·11	–	·12	–	·01	·07	–	·01	·02	·53	27
28	–	–	·23	–	·26	–	·11	·58	–	–	–	·09	28
29	·04	–	·01	–	·07	–	·01	·18	–	–	–	·14	29
30	·03		–	–	·03	–	·01	–	–	–	–	·20	30
31	1·39		–		·04		·02	·09		·15		·01	31
TOTAL	4·47	0·27	2.07	1·30	1·39	0·12	1·55	4·29	1·29	2.65	2·22	3·34	YEAR'S TOTAL 24·96
Days with ·01 in. or more	22	5	21	11	16	7	13	24	9	12	16	20	176
Days with ·04 in. or more	17	1	15	6	9	–	8	16	6	10	8	13	109

(65,296). Wt.21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH [redacted] RGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921

19 JAN 1922

Kept at Mostyn Vicarage
in the County of Flint
by Rev W Vaughan-Jones

Lat 53° 18' 5" N Long 3° 14' 50" W
Time of Observation 9 am
Nearest Railway Station Mostyn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
·00
·01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·58	–	·15	–	–	–	–	·36	·13	–	·03	·06	1
2	·11	–	–	–	·07	–	–	·82	–	·22	·75	–	2
3	·05	–	·17	·01	–	–	–	·01	–	·85	·35	–	3
4	02	–	·03	–	–	·01	–	·10	–	·04	·15	–	4
5	–	–	·10	·01	·06	–	–	·45	–	–	·15	·03	5
6	–	–	–	–	·02	–	–	·01	–	·01	·15	·06	6
7	·23	–	·06	–	–	–	–	·23	–	–	·21	·01	7
8	·05	·02	–	–	·01	–	–	·23	–	–	–	–	8
9	–	–	–	·03	·02	–	–	·19	·10	–	–	–	9
10	·13	–		–	·03	·01	–	·25	·02	–	–	·10	10
11	·10	–	·02	–	·13	–	–	·21	·42	·16	–	–	11
12	·45	·03	–	–	–	·03	–	·10	·41	–	–	·03	12
13	·05	·03	·31	·65	–	–	–	·13	·06	·28	·12	–	13
14	–	–	·11	·04	·26	–	·55	·16	·01	–	·02	·36	14
15	·01	·02	·10	·02	–	–	·21	.	–	–	·01	–	15
16	·21	–	·01	·24	·08	–	·18	·02	·01	–	·01	·03	16
17	·52	–	·08	·01	–	–	–	·02	–	–	–	–	17
18	·08	–	·13	–	–	–	–	–	–	–	–	02	18
19	·01	–	·08	–	·03	·01	–	–	–	·11	·01	·06	19
20	–	–	·02	–	–	·02	·02	·02	–		·01	–	20
21	·08	–	·02	·06	–	·01	–	·02	–	·15	·22	·23	21
22	–	–	·05	·19	–	–	·17	–	–	·56	·01	·36	22
23	–		–	–	–	–	·10	–	·13	·11	–	–	23
24	–	·17	–	–	–	–	·07	–			–	·80	24
25	·27	–	·14	·04	–	–	·09	·03	–		–	·01	25
26	·05	–	·14	–	·21	·02	–	·01	–		–	·21	26
27	·01	–	·11	–	·12	–	·01	·07	–	·01	·02	·53	27
28	–	–	·23	–	·26	–	·11	·58	–	–	–	·09	28
29	·04	–	·01	–	·07	–	·01	·18	–	–	–	·14	29
30	·03		–	–	·03	–	·01	–	–	–	–	·20	30
31	1·39		–		·04		·02	·09		·15		·01	31
TOTAL	4·47	0·27	2·07	1·30	1·39	0·12	1·55	4·29	1·29	2·65	2·22	3·34	YEAR'S TOTAL 24·96
Days with ·01 in. or more	22	5	21	11	16	7	13	24	9	12	16	20	176
Days with ·04 in. or more	17	1	15	6	9	–	8	16	6	10	8	13	109

(65,296). Wt.21,625—6780. 7000. 11/21. Gp.132. A.&E.W.

3871

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at MOSTYN, VICARAGE

in the County of Flint

by Rev. W. Vaughan-Jones.

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station MOSTYN (1¾ miles)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following. –

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	~~April~~	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.19	.30	–	.16	.01	.11	.04	.14	–	.29	.05	1
2	.19	.80	.04	–	–	–	.01	–	–	–	–	.01	2
3	.07	.43	.01	–	.05	–	.05	.07	–	.02	.35	.01	3
4	–	.06	.03	–	.05	–	.02	–	–	–	.02	–	4
5	.08	.02	.02	.33	–	–	1.38	–	–	.08	.49	.01	5
6	.35	–	.43	–	–	–	.04	.01	–	–	.58	.01	6
7	.18	–	.01	.03	–	–	.10	.67	–	–	.06	.03	7
8	.02	–	.07	.02	–	–	.64	.82	.01	–	.02	.02	8
9	.02	–	.03	–	–	–	.01	–	–	–	–	–	9
10	.04	–	–	–	–	–	–	–	–	–	.02	–	10
11	.07	–	–	–	–	–	–	.10	–	–	–	–	11
12	–	–	–	.47	.01	.14	.10	.12	.44	.04	–	–	12
13	.40	.01	–	.24	–	.28	.06	–	.05	–	–	–	13
14	.01	.02	–	.06	–	–	–	–	.16	–	–	.34	14
15	.23	.08	–	.16	–	–	–	–	.01	–	–	.02	15
16	.45	.16	–	.01	.43	.01	.18	.16	.04	–	–	.03	16
17	.06	.07	–	–	.09	–	.07	–	.07	–	–	.17	17
18	.18	.03	–	–	.02	.07	–	.14	.47	–	.03	.36	18
19	.03	.16	.26	–	–	–	–	–	.26	.02	.02	.17	19
20	.04	.16	–	–	.01	.01	–	–	–	–	.02	.59	20
21	.02	.32	.01	.14	.01	–	.12	–	.01	–	–	.12	21
22	–	.26	–	–	.23	.18	–	.34	–		.01	.33	22
23	–	.02	–	.17	–	.02	.11	.01	–	–	–	1.08	23
24	–	.04	.44	.01	.01	.44	–	.15	.01	–	–	–	24
25	.21	.04	.08	.13	–	.11	–	–	.15	–	–	.01	25
26	.14	.01	.01	.01	–	.07	.53	.07	.17	–	.02	.46	26
27	.11	.42	.14	.01	–	.10	–	.01	.79	.02	.11	.26	27
28	.05	.01	–	–	–	.29	–	.33	.05	–	.07	.01	28
29	.02	×	–	–	–	.12	.07	–	–	–	–	.45	29
30	–	×	.04	.03	–	.17	–	.02	.23	.02	.24	.36	30
31	.37	×	.03	×	–	×	.01	.03	3.07	.08	×	–	31
TOTAL	3.44	3.31	1.95	1.82	1.07	2.02	3.61	3.09	~~3.27~~	0.28	2.35	4.90	YEAR'S TOTAL ~~31.11~~ 30.91
Days with .01 in. or more	25	21	17	15	11	15	18	17	17	7	16	23	202
Days with .04 in. or more	19	14	9	8	6	11	14	12	13	3	8	13	130 ✓

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

B.R
FORM C 1

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

PLEASE fill in name of place and month

RAINFALL at Mission Vineyard, Zoutpansberg in the County of Transvaal

In the Month of March 1922.

Date	Inches.	Remarks on the Days.
1	.14	1
2	—	
3	—	
4	—	
5	—	
6	—	
7	—	
8	.01	
9	—	
10	—	
11	—	
12	.43	
13	.05	
14	.16	
15	.02	
16	.04	
17	.07	
18	.47	
19	.26	
20	—	
21	.01	
22	—	
23	—	
24	.01	
25	.15	
26	.17	
27	.79	
28	.05	
29	—	
30	.23	
31	x	
TOTAL	3.27	Days with .01 in. or more.....
	3.07	Days with .04 in. or more.....

Moderate all round. Rain ceased via evng. Mist & cloud W. N. end 16.5.23

R 3.07.

NOTE.—Observations returned on this form should be made at 9 a.m. daily and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this form.

1st of following month.

ON HIS MAJESTY'S SERVICE.

ADDITIONAL REMARKS.

SIGNED.....

No writing on this side of the line.



METEOROLOGICAL OF
Exhibition Road,
South Kensington,
LONDON, S.W.7.

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, Camden Square,

LONDON, N.W. 1.

EXD — 3901

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

4 JAN 1924

Kept at The Vicarage, MOSTYN

in the County of Flint

by Rev. W. Vaughan-Jones M.A.

Lat. 53° 18.05' Long. 3° 14.5'

Time of Observation 9 am

Nearest Railway Station Mostyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	.08	.09	.17	-	-	-	.05	.11	.19	.08	.23	.03	1
2	.07	—	.13	-	-	-	-	.01	-	.21	.08	.18	2
3	.02	.01	15	-	-	-	-	.01	.44	.33	.25	.11	3
4	-	-	-	.01	-	-	.01	-		.05	.09	.02	4
5	.39	.02	.12	.06	.38	.06	-	-	-	.03	.36	—	5
6	.34	.14	.18	.27	-	.06	—	.29	.08	.13	.10	—	6
7	.07	.48	.06	.03	.01	-	.01	.01	.04	.01	.07	.03	7
8	.08	.01	-	-	07	.10	-	.03	-	.31	.65	.16	8
9	.05	.10			.05	-	.09	-		.01	.08	-	9
10	.60	.06	-	.28	.37	-	.02	-	.01	.07	-	-	10
11	.02	.04	-	.33	.23	-	-	-	-	-	.01	-	11
12	—	.05	.02	.10	.04	.14	-	.06	.13	.41	.20	.07	12
13	.02	.50	-	.01	.08	-	.01	-	.17	.74	.34	—	13
14	-	-	-	.01	.14	-	-	.02	-	.25	.07	.03	14
15	.01	-	.01	-	.47	.04	.10	—	.17	-	.33	.03	15
16	-	.04	.01	.01	.27	-	-	.14	.06	.07	.72	-	16
17	.03	.63	-	-	.01	-	-	.25	.28	-	.11	-	17
18	-	.11	-	-	.02	.01	-	.09	.12	.11	.14	.20	18
19	.17	-	-	-	.02	-	.17	.09	.56	-	.05	-	19
20	-	.10	.13	-	.02	-	.01	.12	.41	.10	.01	.19	20
21	.01	.01	-	-	.07	.01	-	.13	.04	.12	-	.44	21
22	.04	-	-		.82	-	-	.08	.02	.05	-	.44	22
23	-	.07	.55	.05	-	-	.20	.13	.14	.09	-	.15	23
24	-	.17	.[illegible]	.06	.08	-	.08	-	.10	.29	-	.03	24
25	-	.43	.[illegible]	.07	-	.16	.01	.07	.04	.29		.52	25
26	-	.37	.01		-	-		.01	-	.48	-	.10	26
27		.64	.04	.03	.19	.01	.81	.01	.02	.90	-	.40	27
28		.18	-	.12	.03		.37	.02	-	.10	.02	-	28
29	.20	-	-	.08			.61	.52	-	.33	-	.25	29
30	.09	X	.13	.33	.01	.01	.32	.06	-	-	.06	.33	30
31	.11	X	.01	X	-	X	.01	.13	X	-	X	.73	31
TOTAL	2.40	4.25	1.04	1.85	3.38	0.60	2.88	2.39	3.02	5.56	3.97	4.44 35	YEAR'S TOTAL 35.78
Days with .01 in. or more	19	22	13	17	21	10	17	23	19	25	21	21	228
Days with .04 in. or more	13	18	8	11	14	6	10	15	16	22	18	15	166

(*237) Wt. 10569—9158. 9,000. 8/23. T. S. 128.

FOR OFFICIAL USE. 3696

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. 35 SAN
River Dist.
Station No. 35

REGISTER OF RAINFALL IN 1924.

Kept at The Vicarage MOSTYN

in the County of Flint

by Rev. W. Vaughan-Jones M.A.

Lat. 58° 18' 05" Long. 3. 14' 5" W

Time of Observation 9 am

Nearest Railway Station Mostyn

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following. .04

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	–	.04	–	.05	.44	.03	.55	–	–	.22	–	1 WRR Col
2	.01	–	.03	–	.01	.03	–	–	–	.01	.18	.02	2
3	–	–	.03	–	.04	.02	.22	.01	–	–	–	–	3
4	–	.02	.04	–	.02	.10	.12	.25	–	–	–	.71	4
5	–	–	.08	.	.37	.03	.09	.05	.05	.14	.03	.09	5
6	–	.15	–	–	.16	.04	.05	.05	.09	.35	–	–	6
7	–	–	–	.03	.28	.11	.01	–	.50	.01	–	.44	7
8	.05	–	–	.07	.05	.17	–	–	.49	.06	–	.08	8
9	.11 Snow 2 in.	.04	–	slight Sn. .07	.11	15	–	–	.23	.16	–	.01	9
10	.04	.02	–	.07	.06	.09	.01	–	.03	.44	–	–	10
11	.15	–	–	slight Sn. .07	.13	.64	–	–	–	.01	.11	–	11
12	.14	.02	–	.10	.13	.02	–	.33	.01	–	.03		12
13	.20	–	–	.36	.14	–	.17	–	.47	–	–	.14	13
14	–	–	–	slight Sn. .10	.02	–	–	.35	–	–	.02	.03	14
15	–	.13	–	–	.02	–	.02	.06	.01	–	–	.12	15
16	–		–	–	–	–	.01	.15	.16	.06	–	.01	16
17	.04	.10	–	–	–	.21	.02	.35	.01	–	–	–	17
18	.17	.04	–	–	.54	–	.02	.01	–	.41	.03	–	18
19	.10	–	–	–	.65	–	–	.04	.08	.10	–	–	19
20	.22	–	–	–	.05	–	.86	.45	.08	–	–	–	20
21	.27	.01	–	–	.05	.06	.74	.09	.42	.84	–	–	21
22	.03	.04	.10	.05	.08	–	–	.29	.31	–	.06	.22	22
23	.04	–	.18	.14	.06	–	.16	.39	.41		.08	.17	23
24	–	–	.01	.13	.06	–	.13	.02	.06		–	.40	24
25	–	(.09)	–	.03	.13	–	.06	.11	.04		.14	24	25
26	.14	–	–	.15	.04	.02	–	.11	.04	.48	.42	10	26
27	–	.02	–	.14	.01	–	.32	.02	–	.05	.02	.12	27
28	–	–	.	.07	–	.05	.99	.43	.17	.11	.07	–	28
29	.02	.28	–	.30	–	.07	.02	.04	–	.05	.02	.35	29
30	–	X	–	.27	.08	.01	.04	.03	.13	.20	–	.18	30
31	.04	X	–	X	2.64	X	.01	.12	X	–	X	.04	31 868
TOTAL	1.78	0.92	0.51	2.15	5.97	2.26	4.10	4.30	3.79	3.48	1.43	3.47	YEAR'S TOTAL 34.16.
Days with .01 in. or more.	18	13	8	17	27	18	22	24	21	17	14	19	218
Days with .04 in. or more	14	8	5	15	22	12	13	19	17	14	8	15	162

Section **A** for the entry of Daily Observations. JJW 10 **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3721

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at The Vicarage MOSTYN

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.16	–	–	.36	–	–	–	.42	–	.30	–	1
2	.22	.04	–	–	–	.02	–	–	.05	–	.06	.23	2
3	.41	.01	.25	.02	–	–	–	.04	.01	–	–	.06	3
4	–	.02	.11	–	.06	–	.04	–	.10	–	.30	.12	4
5	.02	.11	.06	–	.23	–	–	–	.31	–	.10	.11	5
6	.52	.16	.09	–	.25	–	.74	.36	.08	.06	.34	–	6
7	.03	.80	.02	.01	.16	.22	–	–	.03	.17	.11	.03	7
8	–	.01	.17	–	.31	.05	.02	.01	.42	.49	.01	.01	8
9	.01	–	.09	–	.06	.09	–	.58	–	.12	.01	–	9
10	–	–	.01	–	.26	.01	.04	.12	–	.26	.46	–	10
11	–	–	.01	–	.01	.01	–	.80	–	.27	.01	–	11
12	–	–	–	–	.62	–	–	.24	.12	.50	.01	–	12
13	–	.10	–	–	.14	.19	–	.01	–	.56	.11	.02	13
14	.01	.33	–	.12	.04	.40	–	.25	.06	.01	–	.11	14
15	–	.03	–	.06	–	.02	–	.05	.01	.01	.61	.03	15
16	–	.06	–	.02	–	–	–	–	–	.10	.72	.04	16
17	.07		–	.04	–	–	–	.06	–	–	.01	.28	17
18	.21	.24	–	.02	–	–	2.02	–	–	–	.28	.01	18
19	–	–	–	–	–	–	.10	.11	1.61	.01	.03	.01	19
20	–	.01	–	.02	–	–	–	.01	–	–	.13	.01	20
21	–	.05	–	.01	–	.01	.45	.01	–	.04	.09	–	21
22	.17	.23	–	.01	–	–	–	–	–	.05	.01	–	22
23	.08	–	–	–	–	–	–	.01	.08	–	–	–	23
24	.18	–	–	–	.15	.02	.46	.15	.58	.44	–	–	24
25	.04	–	–	–	.01	–	.01		.56	.05	.14	–	25
26	–	.01	–	.01	.18	–	–		.88	–	.01	–	26
27	.09	.02	–	.05	.10	–	.02		.04	–	–	.01	27
28	.04	–	–	.03	.08	–	.87	–	.02	.08	03	.03	28
29	.17	X	–	.02	.08	–	.14	.01	–	–	–	–	29
30	.01	X	–	–	.06	–	.01	.57	–	–	–	–	30
31	.06	X	.11	X	.03	X	–		X		X	.05	31
TOTAL	2.41	2.39	0.92	0.44	3.19	1.04	4.92	3.39	5.38	3.22	3.88	1.16	YEAR'S TOTAL 32.34
Days with .01 in. or more.	19	18	10	14	20	11	13	18	18	17	23	17	198.
Days with .04 in. or more.	14	11	7	4	17	5	9	12	14	14	14	8	~~130~~ 129 ✓

Please read the Notes and Instructions Overleaf.

(144ws) (*Signed*) W. Vaughan Jones P.T.O.

3703

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at The Vicarage, Mostyn

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 100 ft.

see over
note for back of BR
not wanted
J.G.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.08	–	–	–	.06	.01	.02	.26	.58	–	1
2	.11	.02	.08	.04	.10	–	–	–	–	.04	.22	–	2
3	.13	–	.08	.05	.05	.14	–	–	–	–	.01	–	3
4	.18	–	.02	.08	.41	.06	.25			–	.12		4
5	.06	.09	.26	.08	–	.20	.45	–	–	–	.42	–	5
6	–		.02	.03	–	.17	–	.09	.38	–	.09	–	6
7	.13	.04	.38	.03	–	.02	.22	.02	–	–	.02	–	7
8	.05	–	.06	.08	–	–	–	.18	.02	–	–	–	8
9	–	–	.03	.10	–	–	–	.09	–	–	.04	.01	9
10	–	–	–	.01	–	–	–	.11	.10	–	–	–	10
11	.04	–	–	.10	–	–	.13	–	.02	–	–	–	11
12	.10	–	.01	.01	–	–	.03	.67	–	–	–	–	12
13	.24	–	–	.06	.02	–	–	.24	.31	.09	.10	–	13
14	.15	–	–	.05	.03	–	–	.22	.35	–	.25	.03	14
15	.10	–	–	–	.46	–	–	.44	.08	.19	.01	–	15
16	.06	–	–	–	.17	.49	–	.20	.27	.33	–	–	16
17	–	.01	.01	–	–	.01	–	.31	.41	.07	–	–	17
18	–	–	–	–	–	.63	–	1.68	.01	.10	.85	–	18
19	–	.05	–	–	–	–	.01	.30	.02	.05	.29	–	19
20	.26	.23	–	–	.05	.04	.09	.36	.03	.02	.29	slight fr	20
21	.14	.06	.02	.01	.03	–	.23	.28	.81	.11	.15	.38	21
22	.08	.02	.15	.12	–	.19	.12	.30	.65	.48	.02	.03	22
23	.04	–	.24	.02	.01	.59	.03	.16	.36	–	.28	.33	23
24	.82	–	.37	.12	–	.05	–	.23	1.20	.07	–	.31	24
25	.06	.02	.89	.12	–	.37	.08	–	.87	.08	–	V. slight snow	25
26	.20	.21	.73	.02	–	.02	.04	–	.10	.31	–	.01	26
27	.02	.26	.04	.23	–	.15	.25	.13	–	–	–	–	27
28	.17	.16	.08	.07	–	.11	–	.40	.57	.08	.50	–	28
29	.14	–	.03	.01	–	.03	.10	–	.18	.10	–	–	29
30	.09	X	–	.02	.03	.28	.05	.12	.08	.17	–	–	30
31	–	X	.57	X	–	X	–	–	X	.01	X	.01	31
TOTAL	3.37	1.17	4.09	1.46	1.69	4.05	2.14	6.55	6.84	2.56	4.24	1.11	YEAR'S TOTAL 39.27
Days with .01 in. or more.	23	12	21	23	12	17	16	22	22	18	18	8	212
Days with .04 in. or more.	22	8	14	14	7	13	13	20	16	16	14	4	161

40-12-1-27
144w)

(Signed) W. Vaughan Jones 5 Jan 1928 (P.T.O.)

3782

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Mostyn Vicarage

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	.04	.04	–	–	–	.02	.01	–	–	–	–	1
2	.03	.29	.20	.08	–	–	–	–	–	.02	.09	.04	2
3	.01	.05	.01	.02	–	–	–	–	.02	–	–	–	3
4	.05	.31	.03	.01	–	–	.52	–	–	–	.04	.03	4
5	.40	.05	.01	tr	–	.03	.09	–	.33	.26	.01	.03	5
6	–	–	.01	tr	–	.16		.25	.01	–	–	.15	6
7	.04	–	–	.09	–	.44	–	.20	.02	.27	tr	.16	7
8	–	.03	–	.01	–	.49	.01	.02	.21	.01	–	.05	8
9	.05	–	–	–	–	.22	–	–	.06	.08	–	tr	9
10	.07	.47	.01	.10	–	.02	–	.01	.07	.53	.11	tr	10
11	–	.27	–	.21	–	.03	–	.40	–	.01	.54	.10	11
12	.04	.14	(S.) .05	.29	–	.51	–	.12	–	–	.04	.01	12
13	–	.03	.02	.04	.07	.86	–	.21	–	–	.03	–	13
14	.07	.33	–	–	.01	.03	–	.16	.01	.69	.24	–	14
15	.28	.14	–	–	.01	.01	–	.08	–	.03	.25	.11	15
16	.01	.14	.01	–	.12	–	–	.01	–	.08	.62	.08	16
17	.11	.05	–	–	.13	.02	–	–	.06	–	.02	–	17
18	.36	–	.01	.05	.04	.06	–	–	.03	.12	.04	.16	18
19	–	–	.02	–	.64	.23	–	.17	.11	.06	.30	.23	19
20	.03	–	.08	–	.23	–	–	–	–	.25	.07	–	20
21	.35	–	.07	–	.03	.23	–	.13	.05	.21	.18	–	21
22	–	.01	.02	.02	–	–	.03	.22	–	–	.25	.08	22
23	.56	–	.02	.09	.03	.12	.05	.02	.11	.06	.14	–	23
24	.16	–	.01	–	–	–	.19	.14	.35	.06	.49	.31	24
25	.14	–	–	–	–	.21	.01	.01	–	.03	.06	.02	25
26	.34	–	.05	–	.08	.07	.02	.23	–	.21	.47	–	26
27	.13	–	–	–	.03	.01	–	.12	.15	tr	.07	.12	27
28	.19	–	.03	–	–	.15	.36	.01	.01	–	.05	.10	28
29	.44	.11	.25	–	–	.32	.05	.57	–	.12	.07	.17	29
30	.02	✕	.25	.05	–	.06	.06	–	–	.06	.04	.09	30
31	.15	✕	.01	✕	–	✕	.15	–	✕	.47	✕	–	31
TOTAL	4.35	2.45	1.21	1.06	1.42	4.28	1.56	3.09	1.60	3.63	4.20	2.04	YEAR'S TOTAL 30.89
Days with .01 in. or more.	25	16	22	13	12	22	13	21	16	21	24	19	224
Days with .04 in. or more.	20	13	14	9	7	15	8	14	10	16	21	15	162

40-9999

(Signed) W Vaughan Jones [P.T.O.

3858

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at The Vicarage, Mostyn

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.02	–	.04	.12	.10	–	.09	.01	.20	–	–	1
2	–	.02	–		–	.04	–	.15	–	.09	.29	.10	2
3	–	.01	–	–	–	.16	449	.31	.10	.02	.02	.22	3
4	–	–	–	.20	.34	–	.04	.10	–	.06	.02	.30	4
5	–	–	–	–	.44	.13	.11	.13	–	.30	.09	.06	5
6	.03	–	–	–	.28	.03	.08	.23	–	.52	.05	1.15	6
7	–	–	–	–	.29	–	–	–	–	.12	.40	.48	7
8	–	.21	–	.19	.04	.36	[illegible]	.02	–	23	.09	.33	8
9	.20	.18	–	–	–	–	.21	–	–	.13	.63	.37	9
10	.12	–	–	–	.01	–	.06	–	–	.18	.05	.18	10
11	–	–	–	–	.11	–	.04	.01	–	.01	1.02	.04	11
12	–	–	–	–	–	.49	.13	–	.47		.37	.06	12
13	.07	–	–	–	.24	.02	–	.11	–	–	.22	.01	13
14	.13	–	–	–	.09	.04	–	–	.03	–	.10	.09	14
15	–	–	–	–	–	.01	–	–	–	.01	.13	–	15
16	–	–	–	–	–	–	–	.14	–	.08	–	–	16
17	.07	–	–	.01	–	–	–	.67	–	.30	–	–	17
18	.01	–	–	–	–	–	–	–	.02	.16	.03	–	18
19	–	–	–	–	–	.05	–	–		.03	.14	.03	19
20	–	–	–	–	–	–	–	.07	.02	.30	.04	.21	20
21	–	.10	.01	–	–	.16	.18	.02	–	.03	–	.02	21
22	–	–	–	–	–	.17	.47	.10	.01	.01	.05	.06	22
23	–	.02	–	–	.03	–	–	.47	–	.53	.27	.18	23
24	–	–	.13	.01	–	–	–	.23		.13	.12	.19	24
25	–	–	–	.29	–	–	–	–		.15	.38	.11	25
26	– Snow 2" ?		–	.01	–	–	–	–		.04	.16	.03	26
27	.40	–	–	.08	–	–	–	.04		.24	.01	.20	27
28	.19	–	–	.06	–	–	.26	.02	1.07	.22	.35	.33	28
29	.06	–	–	–	–	–	.01			.07	.04	.27	29
30	–	×	–	–	–	–	.02	.01	.53	–	.14	.07	30
31	.10	×		×	–	×	.80	.01	×	–	×	.08	31
TOTAL	1.38	0.56	0.14	0.89	1.99	1.76	2.90	3.00	2.24	4.16	5.21	5.17	YEAR'S TOTAL 29.42
Days with .01 in. or more.	11	8	2	9	11	13	14	21	9	26	26	26	176
Days with .04 in. or more.	9	2	1	6	9	10	12	15	4	20	22	22	132

40-9999

(Signed) W. Vaughan Jones P.T.O.

3951

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at The Vicarage Mostyn Flintshire

in the County of Flint

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

Observer left before Dec 31st died Dec 31st

Entries made by daughter

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.05	–	.20	–	–	.20	.14	–	–	.62	–	1
2	.05	.01		–	–	–	–	.09	–	–	.16	–	2
3	.35	–		.21	–	–	.01	.35	–	.52	.14	–	3
4	.20	–	.06	.51	–	–	.02	.02	.01	.05	.02	–	4
5	.24	–	.32	–	.40	–	–	.04	–	.48	–	–	5
6	–	–	.22	.01	–	–	tr	.22	.33	.63	.05	.03	6
7	.11	–	–	–	–	–	–	.08	.02	.09	.54	.24	7
8	.34	–	.01	.39	.03	–	.14	.01	.04	.15	–	.14	8
9	.35	–	.31	.57	.12	.28	–	–	.01	.02	.02	.12	9
10	.41	–	.21	–	.32	.05	.01	.20	–	–	.01	.47	10
11	.01	–	.08	.05	.06	.15	tr	.34	.32	.10	.09	.29	11
12	.17	–	.04	–	.05	.01	–	.32	–	–	–	.38	12
13	.25	–	.41	.14	–	–	.23	.13	.43	–	–	.03	13
14	.67	.13	.06	–	–	–	.11	.01	–	.02	–	.11	14
15	–	.19	.42	–	.01	–	.10	.03	–	.10	.26	.24	15
16	–	–	–	–	–	.03	.17	–	.16	.13	–	.10	16
17	–	–	.03	–	.13	–	.66	.14	.47	.04	–	Owing to frost & deep snow rain gauge not reached & measurement impossible	17
18	–	–	–	–	–	.78	.21	.13	–	.07	.46		18
19	–	–	.13	.04	.03	.10	.05	–	.36	.06	.05		19
20	–	–	.43	.02	.02	.02	1.02	.53	.11	.04	.04		20
21	–	–	.41	–	–	.02	.01	.22	–	.10	.38	1.90 in this month	21
22	.13	–	–	–	–	–	.56	–	.03	.33	.73		22
23	–	–	–	.04	.02	.20	.06	.12	.02	.22	.09		23
24	.18	–	–	.39	.01	.16	–	–	.03	.69	.44		24
25	–	.03	–	.14	–	–	–	–	.19	.42	.09		25
26	.75	–	–	.05	–	–	–	.15	–	.01	–		26
27	–	–	.01	.04	.03	tr	.02	.01	.01	.01	–		27
28	–	–	.03	.01	–	–	.05	.02	–	.08	–		28
29	–		–	–	–	–	.18	.14	–	.03	–		29
30	–	×	–	–	–	–	.01	.10	–	.09	–		30
31	.64	×	–	×	–	×	–	o	×	.14	×		31
TOTAL	4.84	.41	3.18	2.84	1.23	1.80	3.82	3.57	2.54	4.62	4.19	4.05	YEAR'S TOTAL 37.09
*Days with .01 in. or more.	17	5	17	16	13	11	20	24	16	26	18	~~19~~ 20	
*Days with .04 in. or more.	15	3	13	13	6	7	14	18	9	21	15	~~16~~ 15	

40-9999

Late Rev W Vaughan Jones

(Signed) per W H Stephens

*See Instruction 2 (*f*) on other side.

[P.T.O.

FORM A. 1. METEOROLOG... ...NIZATION.

REG...

OVERTON BRIDGE

FLINT

1921

Kept at Min-ys-dfr...

in the County of ...

by Arthur ...

...a.m.

...orth.-n.-Dec.

Gauge 5-in. in.

Ground 1 ft. — in.

Sea Level 100. ft.

IMPORTANT NOTE.—Ra... ...red to the previous day.
If an Observer prefers not to co... ..., he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 0.00.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	X	These figures of Lat & Long. refer to Riverton, V. Overton Bridge is 3½ miles due east from there.						0.36.	0.00.	0.00.	0.03.	0.10.	2
3								0.07.	0.00	0.00.	0.04.	0.05.	3
4								0.04	0.00.	0.24	0.70	0.06.	4
5								0.25	0.00	1.77.	0.16.	0.06.	5
6								0.23	0.00.	0.14	0.01	0.04.	6
7								0.04	0.00	0.00.	0.23.	0.00.	7
8								0.37	0.00	0.00.	0.15.	0.00.	8
9								0.03	0.00	0.00.	0.52.	0.00	9
10								0.05	0.00	0.00.	0.00	0.06	10
11								0.22	0.07	0.00.	0.00.	0.00.	11
12								0.20	0.10.	0.05.	0.00.	0.17.	12
13								0.23	0.35.	0.00.	0.00.	0.00.	13
14								0.00	0.04	0.09.	0.00.	0.16.	14
15								0.00	0.00.	0.00.	0.26.	0.00.	15
16								0.00	0.00.	0.00.	0.00.	0.00.	16
17								0.14	0.00.	0.00.	0.04.	0.00.	17
18								0.00	0.00	0.00.	0.38.	0.01.	18
19								0.00	0.00.	0.00.	0.00.	0.04.	19
20								0.00	0.00.	0.00.	0.01.	0.05.	20
21								0.03	0.00	0.10.	0.02.	0.04.	21
22								0.00	0.00.	0.00.	0.14	0.22.	22
23								0.00	0.00.	0.04	0.02.	0.08.	23
24								0.00	0.00	0.48.	0.06.	0.33.	24
25								0.00	0.00	0.11.	0.00.	0.04.	25
26								0.00	0.00.	0.00.	0.00.	0.18.	26
27								0.02	0.00	0.00.	0.00.	0.26	27
28								0.60	0.00	0.00.	0.00.	0.09.	28
29								0.02	0.00	0.00	0.10.	0.11.	29
30		X						0.00	0.00	0.00.	0.00.	0.32.	30
31		X		X		X		0.08.	X	0.00	X	0.00.	31
TOTAL					5 months.			3.00.	0.56.	~~3.02~~ 3.03 3-05	~~2.97~~ 2.94	2.41.	~~10.96~~
Days with ·01 in. or more								18.	4.	19.	18.	20.	~~69~~
Days with ·04 in. or more								14.	4	9.	13.	19.	~~59~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI[illegal] NIZATION.

REGI[illegal]

Kept at Min-y-pa-for Bridge

in the County of Flint

by Arthur Woods.

Time of Observation 9 a.m.

Nearest Railway Station Overton-on-Dee

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " about Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.00.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	×	These figures of Lat & Long refer to Rivaxton, V. Overton Bridge is 3½ miles due east from there.						0.36.	0.00	0.00.	0.03	0.10.	2
3								0.07.	0.00	0.00.	0.04.	0.05.	3
4								0.04.	0.00.	0.24	0.70	0.06.	4
5								0.25	0.00	1.77.	0.16.	0.06.	5
6								0.23	0.00.	0.14	0.01	0.04.	6
7								0.04	0.00	0.00.	0.23.	0.00.	7
8								0.37	0.00	0.00.	0.15.	0.00.	8
9								0.03	0.00.	0.00.	0.52.	0.00	9
10								0.05	0.00	0.00.	0.00	0.06	10
11								0.22	0.07	0.00.	0.00.	0.00.	11
12								0.20	0.10.	0.05.	0.00.	0.17.	12
13								0.23	0.35.	0.00.	0.00.	0.00.	13
14								0.00	0.04	0.09.	0.00.	0.16.	14
15								0.00	0.00.	0.00.	0.26.	0.00.	15
16								0.00	0.00.	0.00.	0.00.	0.00.	16
17								0.14	0.00.	0.00.	0.04.	0.00.	17
18								0.00	0.00.	0.00.	0.38.	0.01.	18
19								0.00	0.00.	0.00.	0.00.	0.04.	19
20								0.00	0.00.	0.00.	0.01.	0.05.	20
21								0.03	0.00	0.10.	0.02.	0.04.	21
22								0.00	0.00.	0.00.	0.14	0.22.	22
23								0.00	0.00.	0.04	0.02.	0.08.	23
24								0.00	0.00	0.46.	0.06.	0.33.	24
25								0.00	0.00	0.11.	0.00.	0.04.	25
26								0.00	0.00.	0.00.	0.00.	0.18.	26
27								0.02	0.00	0.00.	0.00.	0.26	27
28								0.60.	0.00	0.00.	0.00.	0.09.	28
29								0.02	0.00	0.00	0.10.	0.11.	29
30		×						0.00	0.00	0.00.	0.00.	0.32.	30
31		×		×		×		0.08.	×	0.00	×	0.00.	31
TOTAL					5 months.			3.00.	0.36.	3.03 3.05	2.94	2.41.	TOTAL
Days with ·01 in. or more								18.	4.	19.	18.	20.	
Days with ·04 in. or more								14.	4	9.	13.	19.	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEC ORGANIZATION.

.92 .

Kept at Fac

in the County of

by B

Long.

9 AM.

tion Overton on Dee

of Rain Gauge 5 in.

ge above Ground ft. 20 in.

,, Sea Level 220 ft.

sult entered to the previous day.

y requested to add
for it at the end of
cing of rain gauges,
Rainfall Observers,"
tation, 62, Camden

Jan. 1, following.

OVERTON
FAIRLEIGH
FLINTSHIRE

1921 - 1930

IMPORTANT
If an Observer pr
the reading at 9 a.
this paragraph. Fu
and particulars as
sent post-free on
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·66	trace	–	–	–	–	–	·39	·02	–	·05	·13	1
2	·02	–	·02	–	·12	–	–	·13	–	·19	·73	·01	2
3	·01	–	·01	–	·05	·03	–	·08	–	·80	·11	–	3
4	·16	–	nm.	–	·02	·01	–	·25	–	·10	·01	·01	4
5	nm.	–	·01	–	–	–	–	·27	–	nm	·18	·10	5
6	·02	–	·01	–	·09	–	trace	·03	–	–	·15	·03	6
7	·05	–	·04	–	–	–	–	·40	–	–	·49	–	7
8	·01	–	nm.	–	·16	–	–	·04	–	–	–	–	8
9	–	trace	–	·05	·02	–	–	·07	trace	–	–	–	9
10	·16	–	nm.	–	·02	–	–	·27	·06	·07	–	·06	10
11	·24	–	–	–	·12	–	–	·23	·14	–	–	–	11
12	·61	·02	·02	–	–	–	–	·22	·35	–	–	·17	12
13	·10	–	·24	·24	·02	–	–	–	·04	·09	·27	·01	13
14	trace	·01	·10	·52	·13	–	·01	·02	nm.	–	–	·16	14
15	trace	–	·12	·01	–	–	·05	–	–	–	·07	·01	15
16	·02	–	·14	·15	·07	–	–	·20	–	–	·30	–	16
17	·32	–	·07	·04	–	–	–	·01	–	–	·02	–	17
18	·05	–	·01	–	–	–	–	–	–	–	–	–	18
19	·01	–	·01	–	·01	·06	–	–	·01	·14	–	·04	19
20	–	–	·01	–	–	·01	–	trace	–	–	·02	·04	20
21	–	–	–	·07	–	–	–	·04	–	·05	·15	·06	21
22	–	–	·10	·10	–	–	·02	trace	–	·54	·06	·22	22
23	·01	–	nm.	·04	–	–	nm.	–	·01	·11	–	·07	23
24	–	·19	–	·01	–	–	–	–	–	·01	–	·33	24
25	·11	·02	·12	–	–	–	·17	–	–	–	–	·08	25
26	·01	–	·03	–	·03	·08	–	–	–	–	–	25	26
27	nm.	–	·01	–	·05	–	·04	·02	–	–	·13	·26	27
28	·02	–	·16	–	·12	–	·17	·69	–	–	·01	·08	28
29	·06	X	–	–	·13	–	·01	·03	–	–	–	·12	29
30	·13	X	–	–	·13	–	–	–	–	–	·04	·23	30
31	62	X	–	X	–	X	nm.	·05	X	·03	X	·01	31
TOTAL	3·40	·24	1·23	1·23	1·29	0·19	047	3·44	0·63	3·13	2·79	2·48	YEAR'S TOTAL 20·52
Days with ·01 in. or more	22	4	19	10	17	5	7	20	7	11	17	23	162
Days with ·04 in. or more	13	1	9	9	11	2	4	15	4	9	13	17	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192[illegible].

Kept at Faverleigh Overton

in the County of Hants.

by B. O. R. Wright.

Lat. ..... Long. .....

Time of Observation 9 A.M.

Nearest Railway Station Overton Dec

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 2 0 in.

" " " " Sea Level 2 2 0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·66	trace	–	–	–	–	–	·39	·02	–	·05	·13	1
2	·02	–	·02	–	·12	–	–	·13	–	·19	·73	·01	2
3	·01	–	·01	–	·05	·03	–	·08	–	·80	·11	–	3
4	·16	–	nm.	–	·02	·01	–	·25	–	·10	·01	·01	4
5	nm.	–	·01	–	–	–	–	·27	–	nm	·18	·10	5
6	·02	–	·01	–	·09	–	trace	·03	–	–	·15	·03	6
7	·05	–	·04	–	–	–	–	·40	–	–	·49	–	7
8	·01	–	nm.	–	·16	–	–	·04	–	–	–	–	8
9	–	trace	–	·05	·02	–	–	·07	trace	–	–	–	9
10	·16	–	nm.	–	·02	–	–	·27	·06	·07	–	·06	10
11	·24	–	–	–	·12	–	–	·23	·14	–	–	–	11
12	·61	·02	·02	–	–	–	–	·22	·35	–	–	·17	12
13	·10	–	·24	·24	·02	–	–	–	·04	·09	·27	·01	13
14	trace	·01	·10	·52	·13	–	·01	·02	nm.	–	–	·16	14
15	trace	–	·12	·01	–	–	·05	–	–	–	·07	·01	15
16	·02	–	·14	·15	·07	–	–	·20	–	–	·30	–	16
17	·32	–	·07	·04	–	–	–	·01	–	–	·02	–	17
18	·05	–	·01	–	–	–	–	–	–	–	–	–	18
19	·01	–	·01	–	·01	·06	–	–	·01	·14	–	·04	19
20	–	–	·01	–	–	·01	–	trace	–	–	·02	·04	20
21	–	–	–	·07	–	–	–	·04	–	·05	·15	·06	21
22	–	–	·10	·10	–	–	·02	trace	–	·54	·06	·22	22
23	·01	–	nm.	·04	–	–	nm.	–	·01	·11	–	·07	23
24	–	·19	–	·01	–	–	–	–	–	·01	–	·33	24
25	·11	·02	·12	–	–	–	·17	–	–	–	–	·08	25
26	·01	–	·03	–	·03	·08	–	–	–	–	–	·25	26
27	nm.	–	·01	–	·05	–	·04	·02	–	–	·13	·26	27
28	·02	–	·16	–	·12	–	·17	·69	–	–	·01	·08	28
29	·06	X	–	–	·13	–	·01	·03	–	–	–	·12	29
30	·13	X	–	–	·13	–	–	–	–	–	·04	·23	30
31	62	X	–	X	–	X	nm.	·05	X	·03	X	·01	31
TOTAL	3·40	·24	1·23	1·23	1·29	0·19	047	3·44	0·63	3·13	2·79	2·48	YEAR'S TOTAL 20·52
Days with ·01 in. or more	22	4	19	10	17	6	7	20	7	11	17	23	162
Days with ·04 in. or more	13	1	9	9	11	2	4	15	4	9	13	17	106

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Ex M 8-1

3864

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1922.

Kept at Fairleigh Overton.
in the County of Flints.
by W. Wright.

Lat. ..... Long. .....
Time of Observation 9 A.M.
Nearest Railway Station Overton on Dee
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 20 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.33	.43	–	nm.	trace	.18		.18	.01	.17	.02	1
2	.08	.27	.01	–	.01	–	nm.	–	–	–	.01	–	2
3	.16	.24	.01	–	.06	–	.09	.19	–	.02	.07	–	3
4	.42	.27	.23	–	.07	–	.01	–	–	.15	.04	–	4
5	.17	–	.13	.18	–	–	1.26	–	–	.05	.16	–	5
6	.17	–	.19	.09	–	–	.04	.02	–	–	.22	–	6
7	.02	–	.10	.08	–	–	.20	.45	.01	–	.01	.03	7
8	.01	–	.04	nm.	–	–	.46	.21	.03	–	.05	.17	8
9	.01	–	.02	.51	–	–	.02	.07	–	–	.01	–	9
10	–	–	–	–	–	.01	–	nm.	–	–	.04	–	10
11	.06	–	–	–	.01	–	–	.03	–	–	–	.01	11
12	–	–	–	.27	–	.16	.21	.40	.53	–	–	.01	12
13	.54	–	–	.40	–	.32	.21	–	.03	–	–	.03	13
14	.01	nm.	–	.10	–	–	.01	–	.30	–	–	.46	14
15	.57	.04	–	.07	–	–	nm.	–	.06	–	–	.04	15
16	.62	.15	–	.06	.03	–	.01	.19	.04	–	–	.06	16
17	.01	.06	–	–	.04	–	.08	–	.08	–	–	.22	17
18	.31	.03	–	–	.02	–	–	–	.29	.03	–	.08	18
19	.02	.08	.25	–	–	–	–	–	.02	.17	nm.	.75	19
20	.16	.20	–	–	–	–	.01	–	–	.01	–	.23	20
21	.05	.25	–	.06	–	–	.03	.03	–	–	–	.53	21
22	nm.	.04	–	–	.18	.01	.04	.12	–	–	–	.48	22
23	–	.05	–	.19	–	–	.15	.03	–	–	–	.25	23
24	.01	.02	.29	.02	–	.16	.01	.18	–	–	–	.12	24
25	.21	.16	–	.60	–	.04	–	–	.26	.01	–	.30	25
26	.17	.16	.01	.03	–	.04	.04	.07	.02	trace	–	.28	26
27	.13	.62	.16	.15	–	.02	–	.04	.37	–	.02	.17	27
28	.19	.17	.01	–	–	trace	–	.30	.31	–	.01	.06	28
29	nm.	X	–	–	–	.04	.04	–	–	–	.01	.21	29
30	.02	X	.12	.17	–	.01	–	.11	–	–	.12	.06	30
31	.27	X	nm.	X	–	X	.02	.27	X	.33	X	.01	31
TOTAL	4.55	3.24	2.00	2.98	0.47	0.86	3.12	2.41	2.53	0.78	0.99	4.65	YEAR'S TOTAL 28.58
Days with .01 in. or more	26	18	15	16	8	10	21	17	15	9	14	24	193
Days with .04 in. or more	18	16	10	14	4	6	13	13	10	4	8	18	134

(65,296). Wt. 1,625—6780. 7000. 11/21. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

2 - JAN 1924

Kept at Farneyh Overton

in the County of Flints.

by B. Wright.

Lat. ..... Long. .....

Time of Observation 9 AM.

Nearest Railway Station Overton-on-Dee

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. 20 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	·30	–	–	–	·07	·15	·01	–	·01	·31	1
2	·15	–	·07	–	·01	–	·05	·04	–	·13	·01	·02	2
3	·03	–	·10	–	–	·01	–	·02	·15	·33	·04	·10	3
4	–	n.m.	·06	·03	–	–	–	–		·03	·02	·06	4
5	·29	–	·02	·25	·53	·01	–	·01		·06	–	trace	5
6	·26	·35	·15	·31	–	·01	–	·12	·01	·03	·15	·05	6
7	n.m.	·37	·09	·05	–	–	·25	–	–	·09	n.m.	·17	7
8	·08	·03	·01	–	–	·06	–	–	–	·22	·15	n.m.	8
9	·06	·24	·01	–	–	·01	·17	·01		–	·13	–	9
10	·15	·12	–	·41	·09	·05	·03	–	–	·17	·01	–	10
11	·05	·03	–	·35	·34	–	·04	–	–	–	–	–	11
12	·06	·14	·01	·25	·06	·03	n.m.	–	–	·12	·10	·02	12
13	·02	·36	–	·04	·10	n.m.	–	–	·04	·06	·49	·01	13
14	–	·06	–	·05	·19	n.m.	n.m.	·19	–	·10	·03	·01	14
15	·02	·19	·03	–	·10	·03	·07	–	trace	n.m.	·18	·02	15
16	·01	·14	n.m.	·01	·19	·04	–	·06	·06	trace	·21	–	16
17	·01	·58	–	–	·09	·01	–	·01	·36	–	·03	–	17
18	–	·08	–	–	[illegible]	n.m.	·07	·30	·04	·05	·16	·09	18
19	·07	·01	–	–	–	·01	·23	–	·21	–	·14	·06	19
20	·03	·14	–	–	–	–	–	·14	·34	·24	·02	·06	20
21	–	·01	–	–	·01	n.m.	–	·21	·07	·21	n.m.	·34	21
22	–	·26	·03	–	·68	–	·08	·03	·01	·04	–	·10	22
23	–	·06	trace	·02	n.m.	–	·13	·27	·16	·24	–	·12	23
24	–	·36	–	·18	·04	n.m.	·17	·01	·23	·30	–	·02	24
25	–	·43	–	·06	·07	·10	–	·29	·38	·28	–	·25	25
26	–	·50	·07	–	–	–	–	·01	–	·64	–	·21	26
27	–	·13	·07	·01	·60	–	·47	·08	n.m.	·34	–	·28	27
28	–	·04	·03	·15	·09	–	·02	·13	–	·03	·10	–	28
29	·01		·06	·01	·01	–	·18	·76	–	·19	·01	·11	29
30	–		·23	·04	–	·03	·27	·01	–	·02	·04	·13	30
31	–		·20		–		·45	·02		–		·46	31
TOTAL	1·35	4·66	1·54	2·22	3·02	0·40	2·75	2·87	2·07	3·92	2·03	3·00	YEAR'S TOTAL 29·83
Days with ·01 in. or more	17	24	18	17	17	13	17	22	14	23	20	23	225
Days with ·04 in. or more	10	19	11	12	13	4	15	13	11	19	12	17	156

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3689

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Fairleigh Overton

in the County of Hants.

by B. Wright.

Lat. _____ Long. _____

Time of Observation 9 A.M. (G.T.)

Nearest Railway Station Overton or Dec

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 20 in.

" " " " Sea Level 220 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	–	.43×	–	.07	.39	.13	.04	–	–	.25	.01	1
2	.01	–	.14×	–	.07	.10	–	.01	–	.01	.08	–	2
3	–	–	.03×	–	.07	.03	.25	.22	–	–	–	–	3
4	–	–	–	–	.04	.16	.22	.01	–	–	–	.61	4
5	–	–	.41	–	.04	.05	.46	–	nm.	.20	.01	.06	5
6	–	–	trace	–	.17	.02	.01	.12	.18	.14	nm.	–	6
7	.02	–	–	–	.09	.06	.01	–	.50	.23	–	.04	7
8	.01	–	–	.01	.04	.02	–	–	.29	.02	–	.02	8
9	.17	.05	–	.11×	.07	.15	–	–	.29	.14	–	–	9
10	.03	.02	–	.07	.16	.08	–	–	.01	.42	–	–	10
11	.72	–	–	.15	.15	.19	–	–	.02	.01	.20	–	11
12	.17	.02	–	.01	.08	.06	–	.16	.01	–	nm.	–	12
(17) 13	.17	–	–	.37	.16	–	–	–	.12	–	–	.16	13
14	.01	–	–	.34	trace	–	–	.07	–	–	.01	.06	14
15	–	.02	–	–	trace	–	.05	.05	.04	–	–	.12	15
16	.02	–	–	–	–	–	–	.29	.06	–	–	tr.	16
17	.12	.03	–	–	–	.20	.40	.22	.02	–	trace	–	17
18	.18	.06	–	–	.10	–	.01	–	–	.50	–	–	18
19	.01	–	–	–	.07	–	–	–	.06	.04	–	–	19
20	.20	–	.01×	–	.03	–	.77	.07	.31	.09	–	–	20
21	.34	–	–	–	.08	.02	.58	.05	.08	1.00	–	–	21
22	.19	–	.30	.03	.07	–	trace	.35	.12	–	–	.32	22
23	.02	.02	.07	.14	.17	–	.01	.26	.19	–	–	.43	23
24	.01	.04	–	.07	.12	–	.01	.09	.09	–	–	.35	24
25	–	nm.	–	.07	.02	–	.27	.10	.38	–	.21	.07	25
26	.02	–	–	.07	–	–	.12	.05	.08	.51	.40	.76	26
27	–	.01	–	.22	.01	–	.38	.02	–	.17	.16	.04	27
28	–	–	–	–	–	.03	1.12	.21	–	.03	.18	.01	28
29	–	.15	–	.50	–	trace	.17	.15	.01	.40	.18	.46	29
30	–	×	–	.17	.31	nm.	.01	.21	.31	.26	.10	.37	30
31	–	×	–	×	3.22	×	.02	nm.	×	nm.	×	.11	31
TOTAL	2.43	0.42	1.39	2.33	5.40	1.56	5–	2.80	2.97	4.17	1.78	4.00	YEAR'S TOTAL
Days with .01 in. or more	20	10	7	15.	24	15.	20.	21	21.	17	11.	18.	34.25 inches.
Days with .04 in. or more	9	4	5	12.	21.	10.	13.	18.	16.	13	9	15.	199

870

(*237) Wt. 10569—9158. 9,000. 8/23. T.S. 128.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3718

REGISTER OF RAINFALL IN 1925.

Kept at Tairleigh Overton

in the County of Flints.

by R. J. Elwright.

Lat. _____ Long. _____

Time of Observation 9 AM (G.T.)

Nearest Railway Station Overton on Dee (G.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground _____ ft. 20 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	
1	.80		.09	–	–	–	–	.42	–	–	.18	.01	1
2	.13	Fr.	–	.02	–	–	–	.02	.01	–	.17	–	2
3	.23	.01	Fr.	–	–	–	.16	.04	.08	.01	.04	–	3
4	.23	.01	–	.08	.39	–	–	–	.06	.01	.27	–	4
5	.01	.13	–	.30	.21	–	–	.66	.24	–	.11	–	5
6	–	.05	–	.04	.11	–	.57	.14	–	.02	.66	–	6
7	–	.11	.05	–	.40	–	–	.07	–	.01	.34	.03	7
8	.05	.04	.09	–	.14	–	.01	.43	.08	–	trace	.10	8
9	–	.32	.01	.05	.07	–	.02	.01	.43	–	.13	.01	9
10	–	.48	.01	.08	–	–	–	.28	.01	–	–	.03	10
11	–	.74	–	–	.01	–	–	.01	.04	–	–	.12	11
12	.01	.39	–	.01	–	–	–	.05	–	.04	–	–	12
13	–	.01	.05	.02	–	–	–	.01	–	.04	–	.04	13
14	.23	–	.01	.06	–	–	–	–	–	–	–	–	14
15	–	–	–	.17	–	.01	–	–	.03	.28	–	.01	15
16	.03	.10	–	.02	–	–	–	–	–	.17	–	–	16
17	–	.07	–	.01	–	–	–	–	.03	trace	–	.09	17
18	–	.40	–	.29	.09	–	–	–	–	–	–	.02	18
19	–	Fr.	–	.02	.02	–	trace	.21	.50	.68	–	.41	19
20	–	–	.23	–	.02	–	–	.33	.11	.13	–	.11	20
21	–	.20	.01	–	.01	–	.21	.24	.10	.39	–	.01	21
22	–	.05	–	.11	.04	–	1.00	.34	.21	.45	–	.54*	22
23	.02	Fr.	.02	–	.43	–	–	.13	.16	.13	–	.15	23
24	–	.14	.12	.08	.16	–	–	.06	.11	–	.08	.03	24
25	–	.39	.03	.20	.04	–	.28	–	.16	.06	–	.16x	25
26	–	.14	.13	–	.32	.03	.01	.01	.18	.46	.05	.02	26
27	.01	.06	–	–	.17	–	.21	.01	.01	.02	.02+	.04	27
28	.09	.20	–	.03	.10	–	.02	–	–	.17	–	.12	28
29	.11		–	.01	.24	–	–	–	.02	nm.	.27	.57	29
30	–	X	–	.01	–	–	–	–	–	.01	.02	.21	30
31	.18	X	.09	X	–	X	.02	.08	X	.03	X	.02	31
TOTAL	2.13	4.04	0.94	1.61	2.97	0.04	2.51	3.50	2.57	3.11	2.34	2.88	YEAR'S TOTAL 28.64
Days with .01 in. or more	14.	21.	14.	20.	19.	2.	11.	21.	20.	19.	13.	23.	197
Days with .04 in. or more	9.	18.	8.	11.	13.	0.	6.	14.	14.	12.	11.	14.	132

* = snow. + = rain & snow. x = rain & snow.

727

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

Section **A** for the entry of Daily Observations.

3713

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at Fairleigh, Overton

in the County of ~~Hunts~~ FLINT.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 20 in.

„ Ground „ Sea Level 220 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	.43	.16	–	–	.50	.06	–	–	.34	–	1.18	.10	1
2	.09	.22	–	–	–	.02	–	–	.07	–	.12	.03	2
3	.31	.04	.14	.01	–	–	.01	–	–	–	.01	.03	3
4	tr.	.01	.22	–	.15	–	.03	–	.14	–	.57	.08	4
5	.05	.30	.03	–	.47	–	.14	.13	.09	–	.07	.09	5
6	.33	.15	tr.	–	.01	–	.21	.02	.12	.03	.29	.01	6
7	.01	.68	–	.04	.25	.12	–	–	.10	.14	.22	–	7
8	.01	.03	–	.01	.04	.10	–	.01	.06	.70	.38	–	8
9	–	–	.03	–	.02	.22	.02	1.45	–	.09	.02	–	9
10	–	–	–	–	.19	.05	.02	.09	–	–	.40	–	10
11	–	–	–	–	–	.06	–	.02	.02	.04	.07	–	11
12	–	–	–	–	.40	.08	–	.05	.03	.41	.22	–	12
13	*.03	–	–	–	.14	.03	–	tr.	–	.10	.09	.01	13
14	*tr.	.23	–	.28	.32	.14	.01	.13	.05	–	.02	.10	14
15	*.01	.20	–	.13	.08	tr.	–	.01	.04	.08	.24	–	15
16	*.21	.06	–	.09	.01	.02	–	.01	trace	.01	.80	~~.55~~	16
17	*.13	.03	–	.02	–	.17	tr.	.10	–	–	.17	.08	17
18	.30	.03	–	.05	–	–	1.42	.03	–	–	.21	.03	18
19	–	–	.02	.03	–	–	.26	.03	.86	–	.07	.01	19
20	–	–	–	.04	–	–	.02	–	–	–	.27	–	20
21	.06	.03	–	.03	.01	–	.10	–	–	.18	.03	–	21
22	.20	–	–	.10	–	–	.01	–	–	tr.	.01	–	22
23	.04	–	–	–	–	–	–	–	.09	–	.02	–	23
24	.13	–	–	–	.06	.02	.17	.01	.14	.37	tr.	–	24
25	.01	–	–	.10	.02	–	–	–	.08	.12	.04	.02	25
26	–	–	–	–	.08	–	–	–	.21	–	tr.	–	26
27	.20	–	–	.08	.05	–	.03	–	.02	tr.	–	–	27
28	.14	–	–	.03	–	–	.42	–	.03	.06	.03	–	28
29	.10	X	–	.21	.10	–	.05	–	–	–	–	–	29
30	.08	X	–	.05	.04	–	–	.64	–	–	–	–	30
31	.19	X	–	X	–	X	–	.01	X	–	X	–	31
TOTAL	3.06	2.17	0.44	1.30	2.94	1.09	2.92	2.74	2.49	2.33	5.55	0.59	YEAR'S TOTAL 27.62
Days with ·01 in. or more.	22.	14.	5.	17.	20.	13.	16.	16.	18	13.	25	12.	191
Days with ·04 in. or more.	17	9.	2.	11.	15.	9.	9	7.	14	11.	18.	5.	127

*Snow

** Continuous thunder storm.

(Signed) R. E. Wright

[P.T.O.

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

3696

Kept at Fairleigh Overton

in the County of Flints

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 20 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.11	–	–	–	.06	–	.05	.19	.09	–	1
2	.05	–	.17	.12	.10	–	–	–	–	.01	.04	–	2
3	.03	.04	.08	.05	.06	.08	.10	–	–	–	–	.01	3
4	.04	–	.09	.05	.23	n.m.	.32	–	–	–	.02	–	4
5	.04	.08	.09	.04	–	.65	.30	–	–	–	.08	–	5
6	–	.01	.07	–	.04	–	.07	.05	.42	–	.38	–	6
7	.07	.11	.09	–	–	.25	.07	–	–	–	–	–	7
8	.03	–	.02	.90	–	–	–	.17	.06	tr.	–	–	8
9	–	–	.07	1.14	–	–	–	.08	–	–	.08	–	9
10	–	–	–	.04	–	.01	–	.14	.14	tr.	–	–	10
11	.01	–	.05	.01	–	–	.29	.10	.04	–	–	–	11
12	.13	–	.02	.00	.04	–	.09	.28	.12	–	–	–	12
13	.15	–	–	.02	.06	–	.02	.05	.21	.08	.10	.03	13
14	–	–	–	.05	–	–	–	–	.90	–	.03	.14	14
15	–	–	–	–	.56	–	–	.08	.12	.04	tr.	.02	15
16	.04	.01	–	–	.08	.48	–	.25	.13	–	–	–	16
17	–	–	–	–	–	.04	–	.64	.07	–	–	–	17
18	.02	–	–	–	–	.81	–	.71	.08	.02	.90	–	18
19	–	.08	.01	–	–	.03	.03	.27	–	.04	.39	–	19
20	.12	.30	–	–	.07	.05	.13	.16	.06	–	.18	.30	20
21	.03	.17	.02	–	.03	–	.18	.55	.37	.44	.21	.62+	21 + snow.
22	.03	.15	.21	.05	–	.26	tr.	.09	.43	.04	.18	.03	22
23	.04	.07	.16	tr.	–	.27	–	.11	.12	–	.20	.32	23
24	.52	.03	.32	.07	–	.02	.09	.13	.15	.04	–	.45	24
25	.07	.08	.18	.05	–	.24	.07	–	.04	.34	–	.08+	25 snow.
26	.17	.20	.05	–	–	.01	.22	–	.02	.22	–	.02	26
27	.26	.24	–	.01	–	.09	1.04	.02	–	.04	–	.02	27
28	.62	.19	.08	–	–	.05	–	.05	.25	.12	.41	–	28
29	.09	X	.06	–	–	.14	.08	–	.19	.10	.01	–	29
30	.05	X	.03	–	–	.45	.07	.15	.08	.12	.02	–	30
31	–	X	.35	X	.08	X	–	.01	X	.04	X	.03	31
TOTAL	2.55	1.76	2.33	2.60	1.35	3.93	3.23	4.09	4.05	2.48	3.32	2.07	YEAR'S TOTAL 33.76
Days with .01 in. or more.	22.	15.	22.	14.	11.	18.	18.	21.	22.	16.	17.	13.	209
Days with .04 in. or more.	16.	12.	17.	11.	10.	14.	16	19.	21.	14.	13	6.	169

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) D. E. Wright J.P.T.O.

Section A for the entry of Daily Observations.

3775

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Fairleigh Overton

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	.07	.03	—	—	—	.05	.03	.03	.01	—	—	1
2	.04	.27	.21	.06	.01	—	—	—	—		.05	—	2
3	.02	—	.01	.03	—	—	—	—	.02		tr.	—	3
4	.09	.27	.03	.02	—	—	.19	—	—	.31	.05	—	4
5	.10	.06	.03	.02	—	.21	.11	—	.43	.11	.01	.01	5
6	—	—	.03	—	.01	.70	—	.04	—	.01	—	.11	6
7	.05	—	—	.23	—	.31	—	.15	.02	.30	.01	.08	7
8	—	—	—	.03	—	.22	.04	—	.20	.06	—	.04	8
9	.10	—	—	.02	—	.28	—	—	—	.14	—	.01	9
10	.23	.53	.06	.03	.05	.01	—	—	—	.74	.14	—	10
11	—	.14	.03	.18	.02	—	—	.35	—	.05	.19	.20	11
12	.18	.25	.04	.29	—	.24	—	.07	—	—	.07	.03	12
13	—	.01	—	.02	—	.50	—	.21	—	—	.17	—	13
14	.13	.12	—	—	—	.11	—	.19	.03	.49	.35	—	14
15	.15	.11	—	—	.05	.07	—	.04	—	.02	.26	.04	15
16	.02	.14	.04	—	.13	.01	—	—	—	.13	.40	.15	16
17	.08	—	.04	—	.13	.02	—	—	—	—	—	—	17
18	.26	—	.12	.09	.20	.39	—	—	.12	.22	.12	.11	18
19	.01	—	.08	—	.37	.07	—	.09	—	.49	.38	.12	19
20	.04	—	.31	—	.63	.09	—	—	—	.09	.30	—	20
21	.63	—	.12	mm.	.04	.07	—	.08	.17	—	.14	—	21
22	—	—	.10	—	tr.	—	.02	.24	—	.01	.27	.08	22
23	.24	—	.03	.08	.03	.03	.09	.04	—	.19	.30	.01	23
24	.04	—	.03	—	—	.01	.04	.20	.71	.24	.23	.09	24
25	.20	—	—	—	—	.11	—	.05	—	.08	.20	.24	25
26	.45	—	.03	—	.10	.14	.01	.35	—	.55	.48	.05	26
27	.05	—	—	—	.01	—	—	.49	.10	.03	.11	.20	27
28	.16	—	.20	—	—	.35	.03	.03	.11	—	.08	.23	28
29	.44	.88	.37	—	—	.31	.01	.31	—	.09	.02	.19	29
30	.01	X	.09	.06	—	.01	.55	.01	—	.14	.01	.30	30
31	.14	X	.01	X	—	X	.36	—	X	.04	X	—	31
TOTAL	4.42	2.35	2.04	1.15	1.78	4.26	1.50	2.97	1.94	4.54	4.34	2.29	YEAR'S TOTAL 33.58
Days with .01 in. or more.	26.	12.	23.	14.	14.	23.	12.	19.	11.	24	24	20	222
Days with .04 in. or more.	22.	11.	13.	7.	9.	17.	8	16.	7.	19	20	16	165

40-12-1-27

144w)

(Signed) H. G. Wright

[P.T.O.

3849

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Fairleigh, Overton

in the County of Flints

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.06	—	Tr.	.07	.20	—	.13	.06	.14	—	.13	1
2	—	.12	—	—	—	—	—	.03	—	.03	.08	.25	2
3	—	—	—	.03	.04	.08	.20	.27	.09	—	.01	.04	3
4	—	.02	—	.15	.21	.02	.23	.12	.02	.12	.02	.64	4
5	—	—	—	—	.44	.20	.28	.23	—	1.29	.61	.05	5
snow 6	.05	—	—	—	.08	.39	.17	.27	—	.23	Tr.	.50	6
7	Tr.	—	—	—	.30	.02	—	—	—	.22	.28	.43	7
8	.08	.16	—	.08	—	.13	—	.05	—	.17	.02	.41	8
9	.07	.12	—	—	—	—	.14	.02	—	.02	.77	.20	9
10	.11	—	—	—	.01	—	.01	.01	—	.12	.06	.24	10
snow + 11	—	× Tr.	—	—	.24	—	—	—	.03	—	.57	.03	11
12	—	—	—	.01	.03	.43	.18	—	.25	—	.01	.04	12
13	.04	—	—	—	.24	.13	—	.10	—	—	.23	.06	13
14	.03	.03	—	—	.02	.26	—	—	.10	—	.01	.03	14
15	.06	—	—	—	.01	.05	—	.08	.02	Tr.	.35	—	15
16	—	—	—	—	—	—	—	.09	—	.04	.01	—	16
snow × 17	× .10	—	—	.02	—	—	—	.09	—	.05	.01	—	17
18	.01	—	—	—	—	—	—	.02	—	.03	.39	—	18
19	—	—	—	—	—	.01	—	—	.05	.06	.39	.07	19
20	—	—	—	—	—	—	—	.03	—	.13	.10	.36	20
21	Tr.	Tr.	.10	—	—	.10	.04	.04	—	.01	.01	.01	21
22	.01	—	—	.02	—	.03	.04	.28	—	—	.03	.08	22
23	—	.02	—	—	—	Tr.	.05	.20	—	1.03	.25	.32	23
24	—	—	—	—	—	—	—	—	—	.36	.28	.20	24
snow 25	.01	× .07	.04	.13	—	—	—	—	—	.09	.33	.20	25
26	—	× .05	—	Tr.	—	—	—	.01	—	.09	.11	.07	26
27	.03	—	—	.14	—	—	.02	.02	—	.23	.15	.04	27
28	.38	—	—	.10	—	—	.19	—	.50	.13	.56	.80	28
29	.02	×	—	—	—	—	—	—	—	.09	.22	.44	29
30	.01	×	—	—	—	—	.03	.04	.87	—	.13	Tr.	30
31	.19	×	Tr.	×	—	×	.25	.06	×	—	×	.02	31
TOTAL	1.12	0.65	0.14	0.68	1.69	2.05	1.83	2.14	1.99	4.68	5.99	5.66	YEAR'S TOTAL 28.62
Days with .01 in. or more.	15.	9.	2.	9.	12.	14.	14.	20.	10.	22.	28	26	181
Days with .04 in. or more.	8.	6.	2	5.	8.	10.	11.	13.	7.	15	19.	22	129

40-12-1-27

144w)

(Signed) R. J. Wright

P.T.O.

3941

Section [A] for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Fairleigh Overton

in the County of Flints

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.24	—	.27	—	.03	—	.13	—	—	.54	—	1
2	.02	.14	.07	.05	—	—	—	.17	—	—	.29	—	2
3	.17	.02	.04	.20	—	—	.04	.15	—	—	.12	—	3
4	.14	—	.09	.49	.24	—	—	.07	Tr.	.49	.02	—	4
5	.07	—	.14	.01	.55	—	—	.10	—	.10	—	—	5
6 snow	—	*.03	.57	—	—	—	.05	.12	.41	.07	—	.01	6
7	.16	—	—	—	—	—	—	.01	.07	.19	.12	.15	7
8	.10	—	—	.27	—	—	—	.03	.42	.10	—	.13	8
9	.71	—	.23	.67	.45	.04	—	—	—	.02	—	.03	9
10 snow	≥.68	—	.17	—	.14	.01	—	.21	Tr.	—	—	.76	10
11	.15	—	.03	.01	.09	.01	.03	.06	.08	.07	.04	.10	11
12	.33	—	.03	.01	.09	—	—	.11	—	.03	—	.23	12
13 part snow	.09	—	or .30	.07	.04	—	.20	.07	.49	.01	—	.03	13
14	.64	.03	*.52	.03	—	—	.31	.01	—	Tr.	—	.10	14
15 snow	Tr.	*.19	.23	—	—	—	.17	.02	.04	.35	.08	.30	15
16	—	.01	—	—	—	—	.22	—	.16	.07	.02	.22	16
17	.01	—	.03	—	.06	—	.20	.08	.63	.11	—	—	17
18	—	—	—	—	—	.67	.10	.08	.07	.03	.30	—	18
19	—	—	.25	.09	.01	.04	Tr.	—	.47	.13	.20	—	19
20	—	—	.10	.01	—	.07	1.27	.72	.39	.03	.12	—	20
21	—	—	.20	—	.02	.17	.01	.06	—	.38	.12	—	21
22	.20	—	—	—	—	.03	.16	.17	—	.10	.24	—	22
23	.02	—	—	.06	.04	.04	.11	.03	.08	—	.20	.02	23
24	.33	—	—	.40	.08	—	.01	—	.02	.54	.15	—	24
25	.09	.03	—	.25	.05	—	—	—	.38	.43	.15	.25	25
26	.77	.10	—	.05	.08	—	—	—	.03	.07	.07	.25	26
27	—	—	.09	.04	—	.05	.20		.03	.03	—	.10	27
28	—	—	.04	—	—	—	.11	—	—	.02	.04	.62	28
29	—	X	.02	—	—	—	.07	.24	—	.02	—	.17	29
30	—	X	—	—	.06	—	.14	.09	—	.09	—	.59	30
31	.29	X	.06	X	.04	X	—	.02	X	.12	X	.35	31
TOTAL	4.89	0.79	3.26	2.98	2.04	0.66	3.45	2.75	3.77	3.60	2.87	4.41	YEAR'S TOTAL 35.47
Days with ·01 in. or more.	19.	9.	20	18.	16.	11.	18.	23.	16.	25	18.	19.	212.
Days with ·04 in. or more.	16.	4.	16	13.	14.	7.	15.	17.	13.	17	16.	15	163.

40-9999

(*Signed*) W. Kerruish

[P.T.O.

Section [A] for the en — FOR OFFICIAL USE.

AIR MIN — ALL ORGANIZATION. Flint/2

FORM 1090. REC — 29.

4285.

PRESTATYN.

1929 - 30

Kept at Prestaty

in the County of

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M — AY.

An observer who does not conform to this Rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. .06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	-	.03	.17	-	.02	-	.31	-	.01	1
2	-	-	-	-	-	.05	-	.15	-	.08	.16	.11	2
3	-	.05	-	-	.20	.05	.07	.23	.05	Tr.	-	.26	3
4	-	-	-	.20	.19	.02	.01	.25	-	.08	.03	.27	4
5	-	-	Tr.	-	.34	.13	.15	.22	-	.21	.09	.01	5
6	.02	-	Tr.	-	.14	.01	-	.13	-	.39	.05	.28	6
7	08	.08	-	-	.09	-	.12	-	-	.12	.57	.30	7
8	-	.40	-	.11	.01	.24	-	.03	Tr.	.05	.01	.26	8
9	.20	-	-	-	-	-	.07		Tr.	.03	.60	.35	9
10	.01	-	-	-	.03	-	.01	.08	-	10	.06	.09	10
11	-	-	-	-	.08	-	Tr.	.03	-	-	.92	.04	11
12	.02	-	-	-	-	.23	.10	-	.02	-	.12	.04	12
13	.03	-	-	-	.06	-	-	.12	Tr.	-	.35	-	13
14	-	-	-	-	.09	.06	-	-	-	.01	.14	.06	14
15	-	-	-	-	-	.01	-	.11	-	-	.27	Tr.	15
16	.06	-	-	-	-	-	-	.09	Tr.	-	-	-	16
17	Tr.	-	-	-	-	-	-	.29	Tr.	.29	-	-	17
18	-	-	-	-	-	-	-	-	.03	.05	.05	-	18
19	Tr.	-	-	-	-	.03	-	-	-	.04	.09	.04	19
20	-	.27	Tr.	-	-	-	-	.06	.02	.24	.04	.35	20
21	-	.01	-	-	-	.24	.36	.03	-	.03	Tr.	-	21
22	-	-	-	-	-	-	.61	.12	-	-	.03	.10	22
23	Tr.	.15	-	Tr.	-	-	-	.43	-	-	.21	.19	23
24	-	-	.26	.05	-	-	-	.18	-	.75	.14	.33	24
25	-	.04	-	.25	-	-	-	-	-	.24	.26	.16	25
26	-	-	-	-	-	-	-	-	-	.09	.07	.03	26
27	.38	-	-	.07	-	-	-	.16	-	.17	.01	.06	27
28	.24	-	-	.43	-	-	-	-	1.05	.19	.48	.26	28
29	.06	-	-	-	-	-	.25	-	-	.04	.02	.40	29
30	Tr.	×	-	-	-	-	.01	Tr.	.44	Tr.	.12	.08	30
31	.04	×	.03	×	-	×	.47	Tr.	×	Tr.	×	-	31
TOTAL	1.14	1.02	.29	1.11	1.26	1.24	2.23.	2.73	1.61	3.51	4.89	4.78	YEAR'S TOTAL 25 81
Days with ·01 in. or more.	11	8	2	6	11	12	12	19	6	21	25	24	15 7
Days with ·04 in. or more.	7	6	1	6	8	8	9	15	3	18	20	21	12 2

40-9999

(*Signed*) I C Roberts J R Nicholson P.T.O.

Town Clerk

Section [A] for the en[redacted] FOR OFFICIAL USE.
AIR MIN[redacted]ALL ORGANIZATION. Flint/2

3863P

FORM 1090.

REGISTER OF RAINFALL IN 19[redacted]29.

Kept at Prestatyn.

in the County of Flintshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 17 ft.

PRESTATYN U.D. COUNCIL
RECEIVED
30 DEC. 1929
REPLIED 8.1.30

Copy R
monthly
sheet
OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. .06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.02	-	-	.03	.17	-	.02	-	.31	-	.01	1
2	-	-	-	-	-	.05	-	.15	-	.08	.16	.11	2
3	-	.05	-	-	.20	.05	.07	.23	.05	Tr.	-	.26	3
4	-	-	-	.20	.19	.02	.01	.25	-	.08	.03	.27	4
5	-	-	Tr.	-	.34	.13	.15	.22	-	.21	.09	.01	5
6	.02	-	Tr.	-	.14	.01	-	.13	-	.39	.05	.28	6
7	08	.08	-	-	.09	-	.12	-	-	.12	.57	.30	7
8	-	.40	-	.11	.01	.24	-	.03	Tr.	.05	.01	.26	8
9	.20	-	-	-	-	-	.07		Tr.	.03	.60	.35	9
10	.01	-	-	-	.03	-	.01	.08	-	10	.06	.09	10
11	-	-	-	-	.08	-	Tr.	.03	-	-	.92	.04	11
12	.02	-	-	-	-	.23	.10	-	.02	-	.12	.04	12
13	.03	-	-	-	.06	-	-	.12	Tr.	-	.35	-	13
14	-	-	-	-	.09	.06	-	-	-	.01	.14	.06	14
15	-	-	-	-	-	.01	-	.11	-	-	.27	Tr.	15
16	.06	-	-	-	-	-	-	.09	Tr.	-	-	-	16
17	Tr.	-	-	-	-	-	-	.29	Tr.	.29	-	-	17
18	-	-	-	-	-	-	-	-	.03	.05	.05	-	18
19	Tr.	-	-	-	-	.03	-	-	-	.04	.09	.04	19
20	-	.27	Tr.	-	-	-	-	.06	.02	.24	.04	.35	20
21	-	.01	-	-	-	.24	.36	.03	-	.03	Tr.	-	21
22	-	-	-	-	-	-	.61	.12	-	-	.03	.10	22
23	Tr.	.15	-	Tr.	-	-	-	.43	-	-	.21	.19	23
24	-	-	.26	.05	-	-	-	.18	-	.75	.14	.33	24
25	-	.04	-	.25	-	-	-	-	-	.24	.26	.16	25
26	-	-	-	-	-	-	-	-	-	.09	.07	.03	26
27	.38	-	-	.07	-	-	-	.16	-	.17	.01	.06	27
28	.24	-	-	.43	-	-	-	-	1.05	.19	.48	.26	28
29	.06	-	-	-	-	-	.25	-	-	.04	.02	.40	29
30	Tr.	×	-	-	-	-	.01	Tr.	.44	Tr.	.12	.08	30
31	.04	×	.03	×	-	×	.47	Tr.	×	Tr.	×	-	31
TOTAL	1.14	1.02	.29	1.11	1.26	1.24	2.23.	2.73	1.61	3.51	4.89	4.78	YEAR'S TOTAL 25 81
Days with ·01 in. or more.	11	8	2	6	11	12	12	19	6	21	25	24	15 7
Days with ·04 in. or more.	7	6	1	6	8	8	9	15	3	18	20	21	12 2

40-9999

(Signed) J C Roberts J R Hutchinson P.T.O.
Town Clerk

3957

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at PRESTATYN

in the County of FLINT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 17·52 O.D. ft.

not measured

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .03

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.03	Trace	.26	–	–	Trace	.20	–	–	.87	–	1
2	.04	.02	–	–	–	–	Trace	.06	Trace	–	.10	–	2
3	.10	–	–	.29	–	–	–	.67	–	.64	.05	–	3
4	.18	–	.11	.84	–	–	–	–	Trace	.05	.01	–	4
5	.17	–	.33	–	.26	–	–	.10	–	.47	–	–	5
6	.12	–	.23	–	–	–	.01	.19	.32	.41	.04	.15	6
7	–	–	–	–	–	–	–	.07	–	.11	.40	.22	7
8	.08	–	–	.48	–	–	Trace	–	.10	.05	Trace	.23	8
9	.16	–	.48	.57	.18	.38+	–	–	.02	.02	.04	.08	9
10	.47	–	.11	–	.30	.16	Trace	.33	Trace	–	.05	.39	10
11	.55	–	.13	.09	.14	.05	–	.40	.20	–	.03	.28	11
12	–	–	.02	–	.03	–	–	.05	.04	.34	–	.21	12
13	.18	–	.38	.15	Trace	–	.02	.11	.34	–	–	.02	13
14	.23	.09	.37	–	–	–	.05	.02	–	–	.14	.15	14
15	.39	.09	.85	–	.02	–	.12	.06	–	.05	.07	.37	15
16	–	–	–	–	–	–	.30	–	.13	.20	–	–	16
17	Trace	–	.07	–	.15	–	.10	.24	.37	.03	–	–	17
18	–	–	.19	–	–	.02	.78	.11	.07	–	.47	–	18
19	–	–	.01	.02	.04	–	.13	.02	.21	.06	.07	–	19
20	Trace	–	.48	–	.02	.14	.09	.29	Trace	–	Trace	–	20
21	.09	Trace	.20	.03	–	–	.62	.18	Trace	.15	.44	–	21
22	.09	–	–	–	–	Trace	.02	.04	.02	.30	.69	–	22
23	–	–	–	–	.05	.17	.28	.06	.04	.14	.18	.23	23
24	.13	–	–	.03	–	.12	.01	–	.03	.55	.07	–	24
25	.80	.04	–	.58	–	–	–	–	.15	.44	.11	.16	25
26	–	–	–	.21	–	–	–	.03	–	–	.03	.16	26
27	–	Trace	.02	.06	–	–	.08	–	–	Trace	–	–	27
28	Trace	–	–	.01	Trace	–	.01	–	–	.09	–	.47	28
29	Trace	X	.02	–	–	–	.60	.15	–	.08	–	.12	29
30	–	X	–	–	.01	.03	–	.11	–	.07	–	.69	30
31	.48	X	.03	X	–	X	–	–	X	.21	X	–	31
TOTAL	4.32	.27	4.03	3.62	1.20	1.07	3.22	3.49	2.04	4.46	3.86	3.93	YEAR'S TOTAL 35.51
*Days with ·01 in. or more.	18	5	18	14	11	8	16	22	14	21	19	16	182
*Days with ·04 in. or more.	18	3	14	10	7	6	11	19	11	19	16	15	149

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) I.C.Roberts. [P.T.O.

FORM A. 2. METEOROLOGICAL ORGANIZATION. 3768

RHYL (SEWAGE WKS)
FLINTSHIRE

1921 – 1930

R 1921.

Kept at Rhyl

in the County of F

by Borough

Long. 3° 29' W

gh 2 18h G.M.T.

on

Rain Gauge 8 in.

above Ground 1 ft. 0 in.

,, Sea Level 31 ft.

IMPORTANT NOT

If an Observer prefers n

the reading at 9 a.m. on

this paragraph. Full inst

and particulars as to the

sent post-free on applica

Square, London, N.W. 1.

t entered to the previous day.

equested to add

it at the end of

g of rain gauges,

nfall Observers,"

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17·5	-	1·5	-	-	-	-	6·1	1·0	0·1	1·2	0·3	1
2	3·0	-	-	-	4·2	-	-	21·7	—	4·8	14·5	—	2
3	0·5	-	1·7	-	-	0·4	-	0·1	—	20·0	4·4	—	3
4	1·7	-	0·2	-	-	0·6	-	6·4	—	2·1	2·6	0·3	4
5	-	-	1·9	0·1	1·5	-	-	10·3	—	—	2·4	0·8	5
6	0·5	-	0·2	-	0·4	-	-	0·3	—	—	7·4	1·5	6
7	4·1	-	1·0	-	-	-	-	4·9	—	—	6·8	0·2	7
8	0·4	0·3	-	-	1·5	-	-	-	—	—	—	0·1	8
9	-	-	-	1·6	-	-	-	2·1	2·4	—	—	—	9
10	2·8	-	-	-	-	-	-	2·4	1·5	—	—	2·3	10
11	3·3	0·2	0·5	-	1·0	-	-	4·7	9·3	—	—	—	11
12	6·5	0·3	-	-	-	1·2	-	3·7	8·7	—	—	0·7	12
13	0·7	-	2·3	14·3	-	-	1·0	0·5	1·6	14·6	0·8	—	13
14	-	0·1	2·6	0·5	1·6	-	1·3	0·5	0·8	—	1·4	4·1	14
15	-	-	5·1	1·7	-	-	6·6	-	—	—	—	0·4	15
16	7·1	-	1·0	2·8	1·5	-	1·2	4·7	0·2	—	—	0·2	16
17	7·7	-	0·9	-	-	-	-	0·5	—	—	—	0·2	17
18	1·0	-	2·6	-	-	-	-	-	—	—	—	0·1	18
19	0·5	-	1·7	-	0·6	1·1	-	-	—	6·9	—	1·6	19
20	-	-	-	-	-	0·3	-	0·2	—	—	1·0	0·2	20
21	2·7	-	0·4	2·1	-	0·2	0·1	-	—	2·1	4·7	6·7	21
22	-	-	2·8	1·1	-	-	2·6	-	—	12·1	—	5·8	22
23	0·2	-	-	-	-	-	3·9	-	1·6	1·0	—	0·7	23
24	0·2	7·8	-	-	-	-	1·2	-	—	—	—	14·6	24
25	5·0	0·2	3·6	1·4	-	1·9	0·9	-	—	—	—	—	25
26	1·2	-	2·9	-	7·6	0·6	-	0·1	—	—	0·3	4·2	26
27	-	-	1·0	-	5·3	-	0·6	0·2	—	—	0·4	9·3	27
28	-	-	4·7	-	5·8	-	7·3	8·7	—	—	—	1·6	28
29	1·3		0·3	-	1·1	-	-	1·6	—	—	—	1·8	29
30	2·3	X	-	-	0·5	-	0·2	-	—	—	0·2	3·5	30
31	33·9	X	-	X	0·4	X	0·4	2·2	X	1·6	X	—	31
TOTAL	104·1	8·9	38·9	25·6	33·0	6·3	27·3	81·9	27·1	65·3	48·1	61·2	YEAR'S TOTAL 527·7
Days with 0·2 mm. or more	23	5	21	8	14	8	12	19	9	9	14	22	164
Days with 1·0 mm. or more	16	*1	15	7	10	3	8	13	7	9	10	12	111

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from M 3202.

FORM A. 2. METEORO[redacted]ORGANIZATION. 3768

REGISTER OF RAINFALL IN 192[1].

Kept at Rhyl MO

in the County of Flint

by Borough Surveyor

Lat. 53° 19' Long. 3° 29' W

Time of Observation 9h & 18h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17·5	-	1·5	-	-	-	-	6·1	1·0	0·1	1·2	0·3	1
2	3·0	-	-	-	4·2	-	-	21·7	—	4·8	14·5	—	2
3	0·5	-	1·7	-	-	0·4	-	0·1	—	20·0	4·4	—	3
4	1·7	-	0·2	-	-	0·6	-	6·4	—	2·1	2·6	0·3	4
5	-	-	1·9	0·1	1·5	-	-	10·3	—	—	2·4	0·8	5
6	0·5	-	0·2	-	0·4	-	-	0·3	—	—	7·4	1·5	6
7	4·1	-	1·0	-	-	-	-	4·9	—	—	6·8	0·2	7
8	0·4	0·3	-	-	1·5	-	-	-	—	—	—	0·1	8
9	-	-	-	1·6	-	-	-	2·1	2·4	—	—	—	9
10	2·8	-	-	-	-	-	-	2·4	1·5	—	—	2·3	10
11	3·3	0·2	0·5	-	1·0	-	-	4·7	9·3	—	—	—	11
12	6·5	0·3	-	-	-	1·2	-	3·7	8·7	—	—	0·7	12
13	0·7	-	2·3	14·3	-	-	1·0	0·5	1·6	14·6	0·8	—	13
14	-	0·1	2·6	0·5	1·6	-	1·3	0·5	0·8	—	1·4	4·1	14
15	-	-	5·1	1·7	-	-	6·6	-	—	—	—	0·4	15
16	7·1	-	1·0	2·8	1·5	-	1·2	4·7	0·2	—	—	0·2	16
17	7·7	-	0·9	-	-	-	-	0·5	—	—	—	0·2	17
18	1·0	-	2·6	-	-	-	-	-	—	—	—	0·1	18
19	0·5	-	1·7	-	0·6	1·1	-	-	—	6·9	[illegible]	1·6	19
20	-	-	-	-	-	0·3	-	0·2	—	—	1·0	0·2	20
21	2·7	-	0·4	2·1	-	0·2	0·1	-	—	2·1	4·7	6·7	21
22	-	-	2·8	1·1	-	-	2·6	-	—	12·1	—	5·8	22
23	0·2	-	-	-	-	-	3·9	-	1·6	1·0	—	0·7	23
24	0·2	7·8	-	-	-	-	1·2	-	—	—	—	14·6	24
25	5·0	0·2	3·6	1·4	-	1·9	0·9	-	—	—	[illegible]	—	25
26	1·2	-	2·9	-	7·6	0·6	-	0·1	—	—	0·3	4·2	26
27	-	-	1·0	-	5·3	-	0·6	0·2	—	—	0·4	9·3	27
28	-	-	4·7	-	5·8	-	7·3	8·7	—	—	—	1·6	28
29	1·3		0·3	-	1·1	-	-	1·6	—	—	—	1·8	29
30	2·3	X	-	-	0·5	-	0·2	-	—	—	0·2	3·5	30
31	33·9	X	-	X	0·4	X	0·4	2·2	X	1·6	X	—	31
TOTAL	104·1	8·9	38·9	25·6	33·0	6·3	27·3	81·9	27·1	65·3	48·1	61·2	YEAR'S TOTAL 527·7
Days with 0·2 mm. or more	23	5	21	8	14	8	12	19	9	9	14	22	164
Days with 1·0 mm. or more	16	1	15	7	10	3	8	13	7	9	10	12	111

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from 10 3202.

3876

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922.

Kept at Rhyl

in the County of Flint

by Arthur A. Sodall

Lat. 53·19 N. Long. 3·29 W.
Time of Observation 9 am & 5 pm
Nearest Railway Station Rhyl.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·7	1·8	3·2	–	1·1	0·6	3·4	0·1	9·4	–	5·5	1·0	1
2	0·6	9·5	0·4	–	0·5	–	1·5	0·2	–	–	–	0·5	2
3	4·1	8·3	–	–	0·6	–	2·3	2·2	–	0·3	15·1	0·3	3
4	–	10·3	1·1	0·1	0·3	–	0·2	–	–	1·9	0·3	–	4
5	1·5	–	0·8	8·1	–	–	31·4	–	–	2·9	8·9	–	5
6	6·2	0·1	9·0	–	0·3	–	1·2	0·1	–	–	8·6	–	6
7	1·8	–	0·4	1·2	–	–	2·8	2·3	–	–	0·3	2·4	7
8	0·1	–	0·5	0·2	–	–	8·0	9·2	0·3	–	0·2	1·5	8
9	0·6	–	0·7	0·3	–	0·5	–	–	–	–	–	0·6	9
10	–	–	–	–	–	–	–	0·4	–	–	1·1	–	10
11	2·5	–	–	–	–	–	–	3·4	0·2	–	–	–	11
12	–	0·3	–	10·2 ~~0·2~~	–	3·4	4·5	5·4	8·1	4·0	–	–	12
13	10·6	0·1	–	5·1	–	5·2	1·5	–	1·4	–	–	0·1	13
14	–	–	–	2·5	–	–	–	–	3·1	–	–	8·7	14
15	5·5	1·6	–	4·2	–	–	–	–	0·1	–	–	1·4	15
16	7·0	6·3	–	0·3	0·3	–	0·5	4·0	1·6	–	–	0·5	16
17	1·0	1·7	–	–	2·5	–	0·1	–	0·8	–	–	3·4	17
18	4·3	1·7	–	–	0·5	0·9	–	3·0	9·9	–	–	7·6	18
19	0·1	4·4	8·1	–	–	–	–	–	1·2	–	0·1	1·5	19
20	0·2	9·2	–	–	–	1·1	–	–	–	–	0·2	3·9	20
21	0·5	8·9	0·2	~~4·3~~	2·3	–	1·6	–	0·7	–	0·3	3·8	21
22	–	7·5	–	0·6	5·5	5·4	0·3	5·6	–	–	0·4	5·0	22
23	–	0·2	–	1·0	–	–	2·9	0·1	0·1	–	–	20·0	23
24	–	0·6	5·5	0·8	–	8·6	–	3·3	0·2	–	–	1·7	24
25	0·5	2·1	1·1	10·8	–	4·1	–	–	4·2	–	0·2	0·4	25
26	7·1	1·0	0·2	0·2	–	0·3	2·7	1·1	0·1	–	–	8·5	26
27	0·2	11·8	1·6	–	–	3·7	–	0·2	6·8	–	1·9	3·3	27
28	0·4	–	–	–	–	1·0	–	4·0	2·5	–	0·3	0·1	28
29	0·6	–	0·2	–	–	2·7	1·1	–	–	–	–	12·3	29
30	–	X	2·9	1·2	–	0·8	–	0·5	6·6	2·9	2·0	13·5	30
31	2·9	X	–	X	–	X	–	1·3	X	4·6	X	–	31
TOTAL	60·0	87·4	35·9	~~47·1~~ 46·8	13·9	38·3	66·1	46·4	58·3	16·6	45·4	102·0	617·1 YEAR'S TOTAL ~~617~~
Days with 0·2 mm. or more	21	18	16	16	10	14	16	16	16	6	15	22	186
Days with 1·0 mm. or more	13	15	8	10	4	9	13	12	11	5	7	17	124

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

3876

Ex 20

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922.

Kept at Rhyl

in the County of Flint

by .....

Lat. 53° 19' Long. 3° 29' W

Time of Observation 9 a.m.

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.7	1.8	3.2	-	1.1	0.6	3.4	0.1	9.4	-	5.5	1.0	1
2	0.6	9.5	0.4	-	0.5	-	1.5	0.2	-	-	-	0.5	2
3	4.1	8.3	-	-	0.6	-	2.3	2.2	-	0.3	15.1	0.3	3
4	-	10.3	1.1	0.1	0.3	-	0.3	-	-	1.9	0.3	-	4
5	1.5	-	0.8	8.1	-	-	31.4	-	-	2.9	8.9	-	5
6	6.2	0.1	9.0	-	0.3	-	1.2	0.1	-	-	8.6	-	6
7	1.8	-	0.4	1.2	-	-	2.8	2.3	-	-	0.3	2.4	7
8	0.1	-	0.5	0.2	-	-	8.0	9.2	0.3	-	0.2	1.8	8
9	0.6	-	0.7	0.3	-	0.5	-	-	-	-	-	0.3	9
10	-	-	-	-	-	-	-	0.4	-	-	1.1	-	10
11	2.5	-	-	-	-	-	-	3.4	0.2	-	-	-	11
12	-	0.3	-	10.2	-	3.4	4.5	5.4	8.1	4.0	-	-	12
13	10.6	0.1	-	5.1	-	5.2	1.5	-	1.4	-	-	2.1	13
14	-	-	-	2.5	-	-	-	-	3.1	-	-	8.7	14
15	5.5	1.6	-	4.2	-	-	-	-	0.1	-	-	1.4	15
16	7.0	6.3	-	0.3	0.3	-	0.5	4.0	1.6	-	-	0.5	16
17	1.0	1.7	-	-	2.5	-	0.1	-	0.8	-	-	3.4	17
18	4.3	1.7	-	-	0.5	0.9	-	3.0	9.9	-	-	7.6	18
19	0.1	4.4	8.1	-	-	-	-	-	1.2	-	0.1	1.5	19
20	0.2	9.2	-	-	-	1.1	-	-	-	-	0.2	3.9	20
21	0.5	8.9	0.2	-	2.3	-	1.6	-	0.7	-	0.3	3.8	21
22	-	7.5	-	0.6	5.5	5.4	0.3	5.6	-	-	0.4	5.0	22
23	-	0.2	-	1.0	-	-	2.9	0.1	0.1	-	-	20.0	23
24	-	0.6	5.5	0.8	-	8.6	-	3.3	0.2	-	-	1.7	24
25	0.5	2.1	1.1	10.8	-	4.1	-	-	4.2	-	0.2	0.4	25
26	7.1	1.0	0.2	0.2	-	0.3	2.7	1.1	0.1	-	-	6.5	26
27	0.2	11.8	1.6	-	-	3.7	-	0.2	6.8	-	1.9	3.3	27
28	0.4	-	-	-	-	1.0	-	4.0	3.5	-	0.3	0.1	28
29	0.6		0.2	-	-	2.7	1.1	-	-	-	-	12.3	29
30	-		2.9	1.2	-	0.8	-	0.5	6.6	2.9	2.0	13.5	30
31	2.9		-		-		-	1.3		4.6		-	31
TOTAL	60.0	87.4	35.9	46.8	13.9	38.3	66.1	46.4	58.3	16.6	45.4	102.0	YEAR'S TOTAL 61[illegible]
Days with 0.2 mm. or more	21	18	16	15	10	14	16	16	16	6	15	23	186
Days with 1.0 mm. or more	13	15	8	9	4	9	13	12	11	5	7	18	124

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

MO 3

Rhyl 1922

If you will inform your reading April 12th & 21st, I think we can adopt them. Our version appears more likely to be correct on the 21st and yours on the 12th. We have nothing, however, within a few miles.

Glassford
for Insp MO 7
4.VI.23

MO 7.

The observer reports no rain from before 9 am on the 16th to after midnight on the 22nd, so that the blank appears reasonable.

Stoward
MO 3

Observer written to confirm MO 3 version (file 404549/23). 7/7/23.

METEOROLOGICAL OFFICE—AIR MINISTRY.

British Rainfall Organization,

62, Camden Square,

London, N.W.1.

With THE SUPERINTENDENT'S compliments.

(2753) 2M Harrow.

AIR MINISTRY.

Form 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1923

Kept at Rhyl

in the County of Flint

by Arthur A. Goodall.

Lat. 53·19 N. Long. 3·29 W.

Time of Observation 9 hrs. & 17 hrs.

Nearest Railway Station Rhyl

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.
0·5

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·4	3·4	3·2	–	–	–	1·2	1·6	1·8	1·5	10·0	2·6	1
2	1·2	–	0·5	–	–	–	–	0·8	–	3·6	1·4	2·9	2
3	0·5	0·2	3·5	–	–	0·2	–	–	5·5	12·6	2·0	2·6	3
4	–	–	1·8	2·0	–	–	–	–	–	1·6	1·2	–	4
5	10·0	0·9	–	4·6	5·3	1·0	–	–	–	1·6	3·2	–	5
6	4·3	3·5	1·8	3·0	0·2	1·1	–	6·1	2·1	3·1	1·2	0·2	6
7	2·1	14·2	3·0	–	–	–	2·2	–	0·3	–	1·8	1·1	7
8	4·0	0·6	–	–	0·4	1·2	–	0·6	–	5·4	2·2	2·0	8
9	0·7	2·3	0·5	–	1·5	–	–	–	0·1	0·3	1·3	0·2	9
10	5·1	1·0	–	5·0	6·4	–	–	–	–	1·7	0·2	–	10
11	0·4	1·1	0·2	5·9	3·1	–	–	–	7·4	–	0·0	–	11
12	1·3	1·4	0·1	1·6	1·6	2·8	–	1·2	2·7	6·0	2·8	0·9	12
13	0·3	9·0	–	0·4	2·2	–	–	–	2·3	2·8	9·0	–	13
14	–	0·3	–	–	4·3	–	–	0·4	–	4·2	2·2	–	14
15	–	0·3	0·1	–	5·5	0·9	3·0	0·2	5·1	0·3	9·5	0·7	15
16	–	1·2	–	0·2	1·9	–	–	2·0	0·3	0·5	15·1	–	16
17	0·8	11·3	–	–	0·3	0·1	0·1	3·0	10·2	–	3·1	–	17
18	–	3·9	–	–	0·2	0·1	1·2	1·1	2·7	0·9	1·8	4·8	18
19	2·5	0·6	–	–	0·3	0·2	1·9	2·6	5·2	–	2·5	1·6	19
20	0·4	0·9	–	–	2·3	–	–	4·0	7·4	1·5	–	3·5	20
21	0·1	0·5	–	–	2·2	–	–	5·4	2·4	4·0	–	7·7	21
22	1·3	–	–	–	16·4	–	2·5	3·0	1·4	2·9	–	6·4	22
23	–	0·8	–	–	–	–	4·6	3·1	6·1	2·4	–	5·0	23
24	–	4·8	–	2·9	1·0	–	2·6	0·3	4·9	1·7	–	0·5	24
25	–	5·9	–	1·0	0·3	6·3	–	1·5	1·3	3·5	–	8·6	25
26	0·2	7·4	–	–	0·3	–	–	–	–	10·9	–	4·3	26
27	–	8·7	0·7	0·5	5·8	–	18·6	0·9	0·5	15·8	–	11·2	27
28	0·8	2·3	–	3·2	2·2	–	2·5	0·4	–	2·5	2·3	–	28
29	4·5	X	–	2·2	–	–	20·0	8·1	–	3·6	–	3·7	29
30	1·4	X	3·2	4·5	–	0·1	4·0	0·9	–	0·8	0·3	2·7	30
31	2·8	X	–	X	–	X	0·8	8·0	X	–	X	14·2	31
TOTAL	47·1	86·5	18·6	37·0	63·7	14·0	65·2	55·2	69·7	114·7	112·1	84·4	YEAR'S TOTAL 771·2
Days with 0·2 mm. or more	21	25	10	14	22	8	13	22	19	26	20	22	222
Days with 1·0 mm. or more	13	16	6	11	15	5	12	14	16	21	18	14	164

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

Jan 20 Cred 3204 Just Corr by 3204 (Jan 06 at Ruthin) 3701

FORM 1091. **AIR MINISTRY.** METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Rhyl

in the County of Flint.

by A. A. Goodall.

Lat. 53° 19' N. Long. 3° 29' W.

Time of Observation

Nearest Railway Station Rhyl

Diameter of Funnel of Rain Gauge 3 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

AIR MINISTRY 1925 APR 1925 1107

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1st following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.5	–	0.7	–	2.1	11.1	0.1	16.5	–	–	7.3	0.1	1
2	0.7	–	–	–	0.2	0.9	–	–	–	0.1	4.8	0.3	2
3	–	–	0.9	–	0.4	0.7	4.1	5.4	–	–	–	–	3
4	–	0.2	0.3	–	0.3	–	2.1	5.8	–	–	–	13.1	4
5	–	–	4.7	–	7.4	1.6	5.1	0.2	–	5.3	0.3	1.1	5
6	–	1.4	–	–	1.2	2.7	1.2	1.0	0.7	7.0	–	–	6
7	–	0.2	–	0.8	4.4	1.4	–	–	27.7	0.6	–	3.7	7
8	0.2	–	–	1.5	1.6	1.9	–	–	7.7	2.6	–	3.2	8
9	1.4	1.3	–	1.3	3.0	4.6	–	–	8.0	0.5	–	0.2	9
10	0.7	–	–	2.3	1.3	1.8	–	–	0.4	4.5	1.7	0.2	10
11	5.6	–	–	2.0	4.8	7.1	–	–	–	0.4	0.3	–	11
12	5.9	0.2	–	0.3	1.8	0.4	–	0.9	0.4	–	0.2	–	12
13	3.4	–	–	8.0	1.6	–	–	–	5.2	–	–	3.1	13
14	–	–	–	3.2	0.1	–	–	7.4	–	–	–	0.2	14
15	–	0.7	–	–	1.6	–	0.3	1.0	0.7	–	–	3.8	15
16	0.5	–	–	–	–	–	0.2	2.9	5.8	0.6	–	–	16
17	2.1	–	–	–	–	4.6	8.8	1.3	–	–	–	–	17
18	3.5	0.7	–	–	12.5	–	0.6	0.3	–	12.5	1.1	–	18
19	2.0	–	–	–	14.8	–	–	1.5	2.2	2.2	–	–	19
20	7.2	–	–	–	0.4	0.6	17.6	9.8	0.6	2.0	–	–	20
21	5.9	0.2	–	–	1.9	0.1	9.5	1.2	14.1	13.5	–	–	21
22	0.7	–	2.6	1.0	0.2	–	–	1.3	8.5	–	5.3	9.6	22
23	0.2	0.3	5.7	3.6	1.7	–	3.7	10.6	6.8	–	0.3	3.4	23
24	–	1.5	0.1	1.4	3.3	–	2.0	0.5	8.5	–	–	6.3	24
25	–	–	–	2.1	0.1	–	2.5	0.9	0.7	–	4.5	4.1	25
26	3.8	–	–	1.5	0.1	2.6	–	1.7	0.2	9.8	4.4	3.8	26
27	–	0.9	–	2.8	–	–	8.9	0.4	–	1.4	1.2	3.4	27
28	0.4	0.6	–	1.9	–	1.5	25.8	6.9	0.5	2.8	1.0	–	28
29	–	4.2	–	6.7	–	0.8	0.9	1.3	–	4.0	0.9	16.0	29
30	–	X	–	8.4	9.2	–	0.4	1.3	2.0	4.8	–	6.2	30
31	0.4	X	–	X	36.4	X	1.8	1.9	X	–	X	1.8	31
TOTAL	45.0 44.9	12.4	15.0	48.8	112.4	44.4	88.4 84.6	81.7	100.7	74.6	33.3	89.6	YEAR'S TOTAL 746.3 745.4
Days with 0·2 mm. or more.	19	13	6	14	23	16	18	24	19	17	14	19	205 206
Days with 1·0 mm. or more	10	4	3	15	18	11	12	18	11	13	9	15	139
	1.77	0.49	1.67	1.92	4.42	1.75	3.48	3.22	3.96	2.94	1.31	3.53	29.38

(*236) W. 1057—91570. 30. 8/23. T. S. 128.

Section A for the entry of Daily Observations. √.W.J 8k. FOR OFFICIAL USE.

AIR MINISTRY.

3730

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Rhyl

in the County of Flint.

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 32. ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1	15.8	–	0.6	–	–	0.3	–	16.3	0.4	–	2.3	–	1
2	5.3	0.1	–	3.0	–	–	–	0.6	2.4	–	1.3	–	2
3	4.2	1.0	–	–	–	–	–	–	1.2	0.5	0.8	–	3
4	0.8	0.1	–	0.7	0.3	–	–	0.8	1.2	0.4	4.2	–	4
5	0.2	8.6	–	2.6	1.5	–	–	12.3	7.3	0.2	6.3	–	5
6	–	2.5	0.4	4.8	–	–	7.4	0.8	0.4	0.6	5.9	–	6
7	–	3.3	4.4	–	6.3	–	–	1.8	4.0	0.7	27.4	0.4	7
8	0.6	3.3	3.3	–	1.1	–	0.2	4.3	1.40	–	2.0	5.7	8
9	–	16.2	–	–	10.0	–	0.8	1.0	8.8	–	9.0	1.0	9
10	–	21.1	0.7	–	0.3	–	–	3.7	8.9	–	0.1	1.5	10
11	–	11.3	–	–	0.5	–	–	0.2	2.2	–	–	1.3	11
12	–	3.8	–	0.6	–	–	–	5.1	–	1.6.4	–	0.1	12
13	0.3	–	1.8	0.4	–	0.3	–	–	–	0.4	–	3.3	13
14	1.2	–	0.2	2.5	–	–	–	–	–	0.6	–	–	14
15	–	0.2	–	4.6	–	0.1	1.9	–	0.7	18 6	–	2.4	15
16	0.1	3.4	–	1.6	–	–	0.5	–	–	0.1	–	0.1	16
17	–	1.4	–	–	13.3	–	–	–	1.7	1.0	–	0.8	17
18	–	3.2	–	2.5	4.2	–	–	–	–	–	–	0.1	18
19	–	–	0.1	–	2.7	–	–	0.4	9.7	33.0	–	2.9	19
20	–	–	6.2	–	3.9	–	–	11.4	1.1	0.9	–	0.2	20
21	–	4.1	0.7	–	1.2	–	1.6	14.9	2.8	6.8	–	0.9	21
22	–	1.6	0.1	3.0	0.6	–	17.7	2.0	3.6	5.1	–	1.4	22
23	0.3	1.8	0.2	0.8	18.9	–	–	–	3.4	6.5	–	4.3	23
24	–	1.7	1.5	–	0.4	–	–	1.3	2.3	1.7	4.6	0.3	24
25	–	9.5	0.9	2.6	–	–	4.0	1.3	9.3	1.6	–	11.5	25
26	0.2	7.6	–	–	5.7	–	1.7	0.2	1.8	15.9	2.4	0.1	26
27	–	2.6	–	–	4.6	–	2.5	1.5	0.5	0.6	0.5	0.1	27
28	3.6	–	–	–	1.5	–	12.9	–	0.4	0.4	–	4.9	28
29	7.8	+	–	–	0.2	–	2.2	–	1.5	0.1	11.5	8.6	29
30	1.0	X	0.4	0.2	1.0	0.3	–	0.1	0.2	–	1.0	2.1	30
31	9.2	X	2.5	X	0.2	X	10.3	6.3	X	0.8	X	1.0	31
TOTAL	1.97 50.6	4.27 100.4	.95 24.0	1.18 29.9	3.28 83.4	.04 1.0	2.51 63.1	3.52 89.5	3.54 89.8	4.44 112.9	3.13 79.3	2.17 55.0	YEAR'S TOTAL 787.3
Days with 0·2 mm. or more.	14 15	20	14	14	21	3	13	20	25	21	14	19	198
Days with 1·0 mm. or more.	8	19	6	9	14	–	10	14	19	10	12	14	135

(Signed) A. A. Lodall [PTO.

Section A for the entry of Daily Observations. √√√√ FOR OFFICIAL USE.

AIR MINISTRY.

Form 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3727

Register of Rainfall in 1926.

Kept at Rhyl

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level ..... ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1												4·5	1
2													2
3	7·3		3·0										3
4													4
5													5
6													6
7		14·9											7
8													8
9								18·1					9
10													10
11													11
12					13·8								12
13										12·9			13
14						9·3							14
15											13·1		15
16													16
17													17
18							42·7						18
19									31·7				19
20				5·0									20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	47·8	39·3	12·6	20·8	67·1	25·4	94·9	73·8	119·5	67·6	78·7	28·8	YEAR'S TOTAL 676·3
Days with 0·2 mm. or more.	19	16	8	15	17	9	14	15	14	15	21	17	180
Days with 1·0 mm. or more.	12	9	6	7	13	8	11	9	14	11	17	11	128
	1·88	1·55	0·50	0·82	2·64	1·00	3·74	2·91	4·71	2·66	3·10	1·13	26·64

(Signed) .....

P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE. 3707

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1927.

Kept at Rhyl

in the County of Flint

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 21 ft.

of mark 390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	0·1	2·5	–	–	–	2·9	0·4	0·3	6·2	4·9	0·2	1
2	2·3	–	1·9	0·2	1·9	–	–	–	–	0·3	6·1	–	2
3	0·7	–	0·9	1·2	2·2	5·6	–	–	–	–	–	–	3
4	1·2	–	1·9	1·5	12·8	0·6	3·7	–	–	–	1·2	–	4
5	1·1	2·2	2·5	0·8	0·1	19·7	11·3	–	–	–	4·1	–	5
6	–	–	1·4	1·1	–	0·5	0·3	2·2	12·7	–	2·0	–	6
7	2·9	3·4	5·2	0·8	–	–	2·2	0·3	0·2	–	11·7	–	7
8	1·0	–	0·1	0·2	–	–	0·8	4·9	0·5	–	0·2	–	8
9	0·1	–	1·1	2·0	–	–	–	3·8	–	–	3·5	–	9
10	–	–	–	0·5	–	–	–	2·4	3·7	–	–	–	10
11	0·8	–	–	1·6	–	–	0·6	–	0·9	0·1	–	–	11
12	2·7	–	–	–	–	–	5·2	8·8	1·8	–	–	–	12
13	5·8	–	–	1·2	0·7	–	–	6·5	6·3	1·7	2·1	–	13
14	1·4	–	–	1·0	0·7	–	–	3·3	9·4	–	7·0	1·0	14
15	2·6	0·2	–	0·1	8·0	–	–	6·8	4·5	3·8	–	–	15
16	1·2	–	–	–	2·3	12·6	–	2·1	7·8	0·9	–	–	16
17	–	–	0·1	–	–	0·3	–	3·7	6·8	–	–	–	17
18	–	–	–	–	–	10·1	–	26·3	0·3	1·2	2·9	–	18
19	–	1·3	–	–	–	0·4	0·7	8·5	–	1·3	1·6	–	19
20	2·2	7·0	–	–	0·5	1·3	0·5	7·5	0·6	0·4	7·9	1·5	20
21	3·6	1·6	0·3	–	0·3	–	3·1	9·9	22·0	1·9	1·5	10·2	21
22	1·1	1·4	2·7	4·5	–	2·1	0·8	3·2	9·4	9·4	0·1	0·7	22
23	0·3	–	4·3	0·6	–	9·9	0·9	10·7	2·0	–	2·1	3·4	23
24	7·0	–	5·8	1·5	–	1·5	–	15·0	20·2	1·3	0·2	7·9	24
25	0·8	1·0	15·0	1·4	–	6·8	1·8	–	8·5	1·3	–	0·4	25
26	6·0	2·9	11·7	0·6	–	0·1	2·3	–	2·0	9·8	–	–	26
27	0·8	4·7	0·7	1·7	–	2·5	1·4	3·1	–	–	–	–	27
28	7·8	4·5	3·5	2·1	–	2·5	–	8·7	12·3	3·6	11·0	–	28
29	–	×	0·4	–	–	1·3	0·7	–	4·6	5·8	–	–	29
30	2·3	×	0·4	0·5	0·8	3·8	0·4	1·5	1·2	2·6	–	–	30
31	0·1	×	12·5	×	9·3	×	0·6	–	×	–	×	0·3	31
TOTAL	2·20 55·8	1·19 30·3	2·95 74·9	·99 25·1	1·56 39·6	3·21 81·6	1·58 40·2	5·50 139·6	5·43 138·0	2·03 51·6	2·76 70·1	1·01 25·6	YEAR'S TOTAL 30·41 772·4
Days with 0·2 mm. or more.	22	11	19	20	11	17	19	22	23	16	17	9	206
Days with 1·0 mm. or more.	17	10	14	12	6	13	9	20	17	13	15	5	151

(144w)

40—9999.

(Signed) Arthur R. Goodall [P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3707

Register of Rainfall in 1927.

Kept at Rhyl

in the County of Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level ..... ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. 390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Circ sent for Apr & May

Records taken in Inches should be entered on Form 1090.

Jan. 1, following. 31/1/28.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1													1
2													2
3													3
4													4
5						19·7	11·3						5
6													6
7											11·7		7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18								26·3					18
19													19
20		7·0											20
21									22·0			10·2	21
22													22
23													23
24													24
25			15·0										25
26										9·8			26
27													27
28	7·8												28
29				not in									29
30		X											30
31		X		X		X			X		X		31
TOTAL	55·8	30·3	74·9	-	-	81·6	40·2	139·6	147·2	51·8	70·1	25·6	YEAR'S TOTAL -
Days with 0·2 mm. or more.	22	11	19	Never received		17	19	22	23	16	17	9	-
Days with 1·0 mm. or more.	17	10	14			13	9	20	17	13	15	5	-
	2·20	1·19	2·95			3.21	1·58	5·50	5·80	2·04	2·76	1·01	

(Signed) .....

3786

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(Form B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1928.

Kept at Rhyl

in the County of .....

by .....

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	~~mm.~~ in.	mm.	mm.	mm.	mm.	
1													1
2													2
3													3
4							9.6						4
5									10.6				5
6													6
7										11.6		6.9	7
8													8
9													9
10													10
11													11
12				10.5									12
13						20.5							13
14													14
15		12.7											15
16											15.1		16
17													17
18													18
19					14.6								19
20													20
21													21
22													22
23													23
24												6.9	24
25													25
26													26
27								.35					27
28													28
29	16.7												29
30		X	8.9										30
31		X		X		X			X		X		31
TOTAL	103.2	68.6	~~26~~ 34.3	23.7	39.0	96.0	23.6	55.4	35.8	86.0	89.7	47.5	YEAR'S TOTAL
Days with 0·2 mm. or more	25	17	21	13	11	22	12	19	13	20	22	20	215
Days with 1·0 mm. or more	20	11	~~1.04~~ 9 ✓ 1.35	4 0.93	6 1.54	16 3.78	7 ✓ 0.93	12 ✓ 2.18	7 1.41	15 3.39	19 3.53	14 ✓ 1.87	140 27.67 2.23

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

Register of Rainfall in 1928.

Kept at Rhyl 6

in the County of Flint

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 31 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. 9am WR

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1	8·4	8·4	1·2	–	–	–	0·5	–	–	–	–	–	1
2	1·6	8·6	4·4	0·5	–	–	–	–	–	–	3·2	0·5	2
3	0·3	0·7	0·2	0·4	–	–	–	–	0·3	–	–	–	3
4	1·7	9·8	3·9	0·3	–	0·3	9·6	–	–	3·2	4·5	0·2	4
5	5·1	0·6	0·7	0·7	–	1·8	0·8	–	10·6	3·2	0·1	0·6	5
6	0·1	–	–	0·2	–	11·5	–	6·0	–	–	–	3·1	6
7	2·5	–	–	1·5	–	8·0	–	4·7	–	11·6	–	6·9	7
8	–	1·1	–	–	–	2·9	1·1	0·5	6·9	0·1	–	3·6	8
9	3·4	–	–	3·0	–	9·4	–	–	0·5	0·5	–	–	9
10	3·6	8·5	–	0·3	–	–	–	–	0·4	9·1	1·3	–	10
11	–	4·6	0·1	4·8	–	0·2	–	4·3	–	0·9	8·3	1·2	11
12	5·1	6·6	0·2	10·5	–	12·3	–	3·1	–	0·1	1·2	0·1	12
13	–	0·2	–	–	0·2	20·5	–	2·3	–	–	1·1	–	13
14	2·8	6·0	0·1	–	–	1·1	–	0·2	0·1	11·2	3·6	–	14
15	3·0	12·7	0·2	–	0·7	0·3	–	0·3	–	0·3	1·9	1·7	15
16	–	4·9	0·2	–	5·0	–	–	–	0·1	0·6	15·1	2·2	16
17	3·2	0·2	1·2	0·1	1·2	0·4	–	–	2·6	–	–	–	17
18	6·0	–	–	0·4	0·4	2·2	–	–	0·2	3·6	1·3	5·2	18
19	0·2	–	0·2	0·6	14·6	3·1	–	2·1	2·6	2·9	8·6	3·1	19
20	0·4	–	2·2	0·3	11·8	3·5	–	1·9	0·3	5·3	2·0	0·2	20
21	5·5	0·5	4·2	–	0·8	1·8	–	0·3	0·3	7·1	3·9	0·3	21
22	–	0·2	0·2	–	–	–	0·6	5·5	–	–	6·9	1·2	22
23	11·6	–	–	–	0·3	1·5	1·9	0·2	5·6	3·7	3·5	–	23
24	2·5	–	0·4	–	–	0·4	1·8	1·6	3·4	3·0	8·6	6·9	24
25	7·2	–	0·2	–	–	6·2	–	0·9	–	1·4	0·5	0·8	25
26	4·3	–	0·5	–	3·0	0·1	1·4	6·1	–	3·6	7·9	–	26
27	0·5	–	0·2	–	1·0	0·1	–	8·9	1·9	–	3·8	1·8	27
28	4·8	–	1·0	–	–	5·6	2·7	0·1	–	–	1·4	2·2	28
29	16·7	2·0	3·1	–	–	2·6	0·3	6·2	–	2·4	0·7	4·1	29
30	0·8	×	8·9	0·1	–	0·2	0·2	–	–	0·7	0·3	1·7	30
31	1·9	×	0·8	×	–	×	2·7	0·2	×	11·5	×	–	31
TOTAL	103·2	67·6	34·3	23·7	38·0	96·4	23·6	55·4	35·8	86·0	89·7	47·6	YEAR'S TOTAL 701·3
Days with 0·2 mm. or more.	25	17	21	13	11	22	12	19	13	20	22	20	215
Days with 1·0 mm. or more.	20	10	9	4	6	16	7	12	7	15	19	14	139

M

M

(Signed) A. A. Godall 27.63

[P.T.O.

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1929.

Kept at RHYL.

in the County of FLINT.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 31 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	–	–	–	0·8	3·3	–	0·9	–	5·9	–	1·5	1
2	–	1·1	–	0·5	–	0·8	–	1·5	–	2·8	4·3	3·4	2
3	–	0·8	–	nil. ~~0·3~~	4·8	3·6	0·5	5·3	1·3	0·5	–	3·3	3
4	–	–	–	2·0	4·8	0·8	0·6	2·7	–	2·0	0·7	9·4	4
5	–	–	–	nil. ~~1·7~~	7·4	3·5	3·5	4·3	–	3·8	2·8	1·8	5
6	0·3	–	–	–	2·8	0·8	3·6	1·6	–	8·1	4·3	13·7	6
7	0·2	–	–	–	3·3	–	–	–	–	2·8	10·9	8·4	7
8	–	6·6	–	4·8	~~0·5~~	3·8	–	0·4	–	6·8	0·8	8·8	8
9	1·7	3·6	–	–	–	–	1·0	2·3	–	1·1	18·8	9·4	9
10	2·2	–	–	–	1·3	–	–	1·3	–	2·8	1·5	4·1	10
11	–	0·3	–	–	1·8	–	0·3	–	–	–	21·9 (11)	1·5	11
12	0·5	–	–	–	–	8·0	2·5	0·5	1·5	–	4·8 (11)	0·8	12
13	1·3	–	–	–	2·3	–	–	4·2	–	–	5·6 (5-6)	0·6	13
14	2·3	–	–	–	1·5	0·4	–	–	0·3	–	2·0 (11-1)	1·8	14
15	–	0·6	–	–	–	–	–	–	–	0·8	2·0	–	15
16	–	–	–	–	–	–	–	7·8	–	1·0	–	–	16
17	1·8	–	–	–	–	–	–	8·9	–	7·9	–	–	17
18	1·3	–	–	–	–	–	–	–	1·0	3·6	1·3	–	18
19	–	–	–	–	–	2·0	–	–	–	2·8	3·5	1·0	19
20	–	3·0	–	–	–	–	–	3·3	1·3	8·2	1·6	6·9	20
21	–	5·7	–	–	–	3·8	8·1	0·5	0·5	0·8	–	–	21
22	–	–	–	0·5	–	2·3	11·8	2·3	–	–	1·7	1·8	22
23	–	0·6	0·3	–	0·5	–	–	10·2	–	18·0	3·8	5·4	23
24	–	–	0·8	0·3	–	–	–	4·3	–	3·9	4·9	9·4	24
25	–	0·3	0·5	6·4	–	–	–	–	–	3·6	15·4	7·9	25
26	–	0·6	–	0·5	–	–	–	–	–	3·3	3·0	1·8	26
27	5·9	–	–	1·1	–	–	0·7	3·3	–	3·8	0·5	1·3	27
28	3·0	–	–	3·1	–	–	9·4	0·5	33·0	4·3	11·1	10·2	28
29	0·4		–	–	–	–	–	–	–	4·4	0·7	7·6	29
30	–	×	–	–	–	–	0·3	–	12·7	–	4·3	2·3	30
31	0·6	×	0·5	×	–	×	9·8	0·6	×	–	×	1·0	31
TOTAL	0·85 / 21·5	0·91 / 23·2	0·08 / 2·1	0·76 / 19·2	1·25 / 31·8	33·1 / 33·8	2·05 / 52·1	2·63 / 66·7	2·03 / 51·6	4·06 / 103·0	5·34 / 136·6	4·93 / 125·1	YEAR'S TOTAL / 666·0
Days with 0·2 mm. or more.	5	6	4	5	3	4	5	6	2	3	4	2	49
Days with 1·0 mm. or more.	8	5	–	5	9	8	8	15	6	21	24	24	130

(144w)

40-9999

(Signed) ..... [P.T.O.

Section **A** for the entry of Daily Observations.

3956

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Rhyl

in the County of Flint

400

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level 30 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·86		1
2													2
3								·45		·72			3
4													4
5													5
6													6
7													7
8													8
9			·53			·40							9
10					·35								10
11													11
12													12
13													13
14													14
15		·11											15
16													16
17									·43				17
18													18
19													19
20							·48						20
21													21
22													22
23													23
24				·69									24
25													25
26	·88												26
27													27
28												·78	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	3.90	0.31	3.42	2.96	1.22	0.92	2.46	3.34	2.14	4.02	3.89	3.78	YEAR'S TOTAL 32.66
Days with ·01 in. or more.	19	7	18	16	14	7	14	20	16	23	19	18	194
Days with ·04 in. or more.	15	3	15	12	9	6	13	19	12	20	13	15	152
40-9999	99.1	7.8	86.9	75.3	31.1	23.3	70.2	84.9	54.3	102.0	98.7	96.1	829.7

(Signed) .....

[P.T.O.

FORM 1090. METEOROLOGICAL ... N.

REGIST...

3698 A

1 JAN 1925

ST. ~~ASAPH~~
BRYN ASAPH
FLINT
1924-1925

Kept at (Bryn Asaph) Stasc

in the County of Flint

by Mrs R G Birch

5 in.

ft. 7½ in.

100 ft.

IMPORTANT NOTE.—Rain shoul... sult entered to the previous day. If an Observer prefers not ... sted to add the reading at 9 a.m. on 1st January ... d of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·28	—	—	·40	—	·50	—	—	·29	—	1
2	·01	—	·14	—	—	6	—	—	—	19	15	·01	2
3	—	—	·02	—	—	7	26	·27	—	—	—	—	3
4	—	·08	—	—	—	—	6	·12	—	—	—	·49	4
5	—	—	·14	—	—	5	11	7	—	15	4	·09	5
6	—	·05	—	—	—	·5	9	8	·5	35	~~10~~	~~·16~~	6
7	—	—	—	0·3	—	3	—	—	1·14	—	—	·16	7
8	·02	—	—	·12	—	10	—	—	42	16	—	·16	8
9	·05	—	—	·5	·6	20	—	—	5·5	—	·01	—	9
10	·02	—	—	—	4	17	.3	—	—	26	·10	—	10
11	·34	—	—	·7	15	39	—	—	—	—	·03	—	11
12	·23	—	—	—	10	3	—	·34	—	—	·03	—	12
13	·14	—	—	35	8	—	—	—	25	—	·08	·15	13
14	—	—	—	14	7	—	—	12	—	—	—	·01	14
15	—	·07	—	—	[illegible]	—	—	8	—	—	—	·14	15
16	·05	—	—	—	[illegible]	—	—	15	—	10	—	·03	16
17	·03	—	—	—	—	23	8	7	14	—	—	—	17
18	·10	·12	—	—	—	—	2	—	—	5·0	·04	—	18
19	·11	—	—	—	5·0	—	—	—	8	6	—	—	19
20	·25	—	—	—	5·0	—	80	49	6	—	—	—	20
21	·20	—	—	—	2	—	25	6	5·0	67	—	—	21
22	·03	·01	—	·3	6	—	—	26	60	—	04	·46	22
23	—	—	·25	·10	4	—	11	72	21	—	—	·18	23
24	—	·08	—	3	9	—	8	5	4	—	—	·28	24
25	—	—	—	8	—	—	16	2	—	—	·10	·20	25
26	·17	—	—	15	3	—	—	20	7	47	·16	·25	26
27	—	·03	—	7	—	4	·40	2	—	—	·03	·13	27
28	·13	—	—	6	—	9	·70	27	—	10	·06	—	28
29	—	—	—	30	—	6	—	6	—	11	·37	·31	29
30	—	X	—	—	38		3	6	14	20	·01	·22	30
31	·01	X	—	X	1·40	X		2	X		X	·08	31
TOTAL	1·98	·41	·83	1·68	5·52	1·99	3·18	4·03	4·25	3·32	1·15	3·35	YEAR'S TOTAL
Days with ·01 in. or more	16	7	5	14	15	15	15	22	14	13	15	18	29·49 171
Days with ·04 in. or more	11	5	4	11	13	13	12	19	14	13	10	15	140

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

FORM 1090. METEOROLOGICAL [illegible] N.

3698 A

JAN 1925

REGISTER OF RAINFALL IN 1924.

Kept at (Brynasaph) St Asaph

in the County of Flint

by Mrs R G Birch

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station St Asaph

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 7½ in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·28	—	—	·40	—	·50	—	—	·29	—	1
2	·01	—	·14	—	—	6	—	—	—	19	15	·01	2
3	—	—	·02	—	—	7	26	·27	—	—	—	—	3
4	—	·08	—	—	—	—	6	·12	—	—	—	·49	4
5	—	—	·14	—	—	5	11	7	—	15	4	·09	5
6	—	·05	—	—	—	·5	9	8	·5	35	·10	·16	6
7	—	—	—	0·3	—	3	—	—	1·14	—	—	·16	7
8	·02	—	—	·12	—	10	—	—	42	16	—	·16	8
9	·05	—	—	·5	·06	20	—	—	5·5	—	·01	—	9
10	·02	—	—	—	4	17	.3	—	—	26	·10	—	10
11	·34	—	—	·7	15	39	—	—	—	—	·03	—	11
12	·23	—	—	—	10	3	—	·34	—	—	03	—	12
13	·14	—	—	35	8	—	—	—	25	—	03	·15	13
14	—	—	—	14	7	—	—	12	—	—	—	·01	14
15	—	·07	—	—	[illegible]	—	—	8	—	—	—	·14	15
16	·05	—	—	—	[illegible]	—	—	15	—	10	—	·03	16
17	·03	—	—	—	—	23	8	7	14	—	—	—	17
18	·10	·12	—	—	—	—	2	—	—	5·0	·04	—	18
19	·11	—	—	—	5·0	—	—	—	8	6	—	—	19
20	·25	—	—	—	5·0	—	80	49	6	—	—	—	20
21	·20	—	—	—	2	—	25	6	5·0	67	—	—	21
22	·03	·01	—	·3	6	—	—	26	60	—	04	·46	22
23	—	—	·25	·10	4	—	11	72	21	—	—	·18	23
24	—	·08	—	3	9	—	8	5	4	—	—	·28	24
25	—	—	—	8	—	—	16	2	—	—	·10	·20	25
26	·17	—	—	15	3	—	—	20	7	47	·16	·25	26
27	—	·03	—	7	—	4	·40	2	—	—	·03	·13	27
28	·13	—	—	6	—	9	·70	27	—	10	·06	—	28
29	—	—	—	30	—	6	—	6	—	21	·37	·31	29
30	—	X	—	—	38		3	6	14	20	·01	·22	30
31	·01	X	—	X	1·40	X		2	X		X	·08	31
TOTAL	1·98	·41	·83	1·68	5·52	1·91	3·18	4·03	4·25	3·32	1·15	3·36	29·49 YEAR'S TOTAL
Days with ·01 in. or more	16	7	5	14	15	15	15	22	14	13	15	18	171
Days with ·04 in. or more	11	5	4	11	13	13	12	19	14	13	10	15	140

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

AIR MINISTRY.

Form 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

3728

Kept at Bryn Asaph Stasaph

in the County of Flint

by Mrs R. E. Birch

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station St Asaph

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. 3 in.

" " " " Sea Level ____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.32	—	.03	—	—	.03	—	X	.04	.01	.10	—	1
2	.08	.01	—	—	—	—	.06	X .29	.09	—	.07	—	2
3	.29	—	—	—	—	—	.01	✓	.03	—	.30	—	3
4	.04	—	—		.09	—	—	.02	—	.07	.05	—	4
5	—	.23	—	.32	.06	—	.01	.68	.04	—	.08	—	5
6	—	.10	.01	.18	.02	—	.48	.08	.58	.02	.10	.07	6
7	—	—	X	—	.25	—	—	.18	.16	.06	.01	.16	7
8	.06	.15	.36	—	.04	—	.04	.19	.31	—	.10	—	8
9	—	.78	.02	—	.24	—	.03		.50	.01	.42	.04	9
10	—	.69	.02	—	—	—	—	.70	.20	—	.01	—	10
11	—	.41	—	—	.03	—	—	.01	—	.01	✓	—	11
12	—	.19	—	—	—	.01	—	.22	—	.55	✓	.51	12
13	.02	.01	.10	.05	—	.01	—	—	.01	.01	✓	.03	13
14	.06	—	↑	.11	—	—	.01	—	—	—	✓	✓	14
15	—	—	.02	.02	—	.01	.06	—	.08	.63	✓	✓	15
16	—	.12	—	.12	—	—	.02	—	—	—	✓	.19	16
17	—	.09	—	.01	.29	—	—	—	.08	—	✓	—	17
18	—	.24	—	.17	.01	.01	—	—	—		✓	.02	18
19	—	.01	.03	—	.19	—	—	—	.42	.53	✓	.01	19
20	—	—	.28	—	.35	—	.01	—	.06	.08	✓	—	20
21	—	.23	.07	—	.03	—	.12	.34	.13	.13	✓		21
22	—	.11	—	.11	—	.01	.91	.98	.17	.27	✓		22
23	.06	.03	.06	.05	—	—	.01	—	.27	.41	✓		23
24	—	.08	.04	—	.02	.01	—	.23	.07	—	.28	.86	24
25	—	.51	.07	.17	.01	—	.30	.01	.22	.30			25
26	—	.18	—	—	.19	—		—	.17	.75	.15		26
27	.02	.13	—	—	.17	—	.34	—		—	.19		27
28	.12	—	—	—	.07	—	.31	—	—	.08	.21		28
29	.17		—	—	.04	.01	.04	—	—	.04	—	.29	29
30	.06	X	.01	.02	.08	.01	—	.02	.02	.06	—	.15	30
31	.38	X	.07	X	.01	X	.32	.20	X	.22	X	.06	31
TOTAL	1.67	4.30	1.19	1.33	2.95	.11	3.07	4.15	3.65	4.29	3.03	2.47	YEAR'S TOTAL 32.21
Days with .01 in. or more	13	20	16	12	21	9	19	21	22	20	14	(18) ?	(205)
Days with .04 in or more	11	16	9	8	14	—	11	13	18	16	13	(15) ?	(144)

Accordnst Vaughan daily & mashuladay 818

(*237) Wt. 10569—9158. 9,000. 8/23. T. S. 128.

FORM A/1. METEOR ORGANIZATION.

ST ASAPH
ST. BEUNO'S COLLEGE
FLINTSHIRE
1921 - 23, 25, 28 - 1930

192 1 .

Kept at St B

in the County of

by Rll

Long 3° 22' 44" W.

9.0 a.m

ation St Asaph

of Rain Gauge 8 in.

uge above Ground 1 ft. — in.

„ Sea Level 480 ft.

IMPORTANT N

esult entered to the previous day.

If an Observer prefer
the reading at 9 a.m.
this paragraph. Full
and particulars as to
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

y requested to add
for it at the end of
cing of rain gauges,
Rainfall Observers,"

Jan. 1, following. ×

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·53	0·05	0·10	—	—	—	—	0·34	0;03	—	0·06	0·03	1
2	0·22	—	—	—	0·18	—	—	0·81	—	0·27	0·52	—	2
3	0·01	—	0·11	—	—	0·01	—	0·01	—	0·86	0·32	—	3
4	0·03	—	0·01	—	—	0·01	—	0·19	—	0·07	0·11	0·02	4
5	—	—	0·11	0·06	0·02	—	—	0·26	—	—	0·21	0·06	5
6	0·01	—	0·03	—	0·01	—	—	0·01	—	0·39	0·15	0·07	6
7	0·22	—	0·02	—	—	—	—	0·34	—	—	0·25	0·01	7
8	0·03	0·02	—	—	0·05	0·01	—	—	—	—	0·12	—	8
9	—	—	—	0·06	—	—	—	0·11	0·10	—	—	0·01	9
10	0·13	—	—	—	—	—	—	0·08	0·03	—	—	0·10	10
11	0·08	0·01	0·03	—	0·07	—	—	0·24	0·31	0·05	—	0·01	11
12	0·50	0·04	—	—	—	0·05	—	0·21	0·31	—	—	0·06	12
13	0·06	0·01	0·24	0·48	—	0·02	—	0·09	0·11	0·31	0·10	—	13
14	—	—	0·10	0·06	0·15	—	0·05	0·04	0·04	—	0·06	0·30	14
15	0·02	—	0·14	0·12	—	—	0·21	—	—	—	0·02	0·02	15
16	0·24	0·01	0·25	0·21	0·02	—	0·08	0·11	—	0·01	0·01	0·02	16
17	0·22	—	0·03	0·03	—	—	—	0·03	—	—	—	—	17
18	0·01	—	0·05	—	—	—	—	—	—	—	—	—	18
19	0·02	—	0·03	—	—	0·14	—	—	—	0·12	—	0·04	19
20	—	—	0·02	—	—	0·05	0·03	0·04	0·01	—	0·03	0·02	20
21	0·05	—	—	0·12	—	0·03	—	—	—	0·02	0·25	0·12	21
22	—	—	0·13	0·15	—	—	0·21	—	—	0·37	—	0·21	22
23	—	—	—	—	—	—	0·11	—	0·10	0·04	—	—	23
24	0·01	0·33	—	—	—	—	0·05	—		—	—	0·73	24
25	0·17	0·04	0·15	0·06	—	0·11	0·07	0·08	0·01		—	0·01	25
26	0·04	—	0·11	—	0·15	0·07	—	0·01	—	—	0·03	0·23	26
27	0·01	—	0·04	—	0·20	—	0·02	0·05	—	0·01	0·04	0·47	27
28	—	—	0·14	—	0·40	—	0·34	0·40	—	—	—	0·08	28
29	0·02	×	0·01	—	0·02	—	0·06	0·06	—	—	—	0·06	29
30	0·06	×	—	—	0·06	—	—	—	—	—	—	0·36	30
31	1·20	×	—	×	0·07	×	0·05	0·06	×	0·13	×	—	31
TOTAL	3·89	0·51	1·85	1·35	1·40	0·50	1·28	3·57	1·05	2·65	2·28	3·04	YEAR'S TOTAL 23·37 ✓
Days with ·01 in. or more	24	8	21	10	13	10	12	22	10	13	16	23	182 ✓
Days with ·04 in. or more	14	4	~~12~~ 13	9	9	5	10	18	6	10	12	14	123 4 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3766

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at St Beuno's College, St Asaph

in the County of Flint. North Wales

by R Llewish

Lat. 53° 15' 22" N. Long. 3° 22' 44" W.
Time of Observation 9.0 a.m.
Nearest Railway Station St Asaph
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ×

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·53	0·05	0·10	—	—	—	—	0·34	0·03	—	0·06	0·03	1
2	0·22	—	—	—	0·18	—	—	0·81	—	0·27	0·52	—	2
3	0·01	—	0·11	—	—	0·01	—	0·01	—	0·86	0·32	—	3
4	0·03	—	0·01	—	—	0·01	—	0·19	—	0·07	0·11	0·02	4
5	—	—	0·11	0·06	0·02	—	—	0·26	—	—	0·21	0·06	5
6	0·01	—	0·03	—	0·01	—	—	0·01	—	0·39	0·15	0·07	6
7	0·22	—	0·02	—	—	—	—	0·34	—	—	0·25	0·01	7
8	0·03	0·02	—	—	0·05	0·01	—	—	—	—	0·12	—	8
9	—	—	—	0·06	—	—	—	0·11	0·10	—	—	0·01	9
10	0·13	—	—	—	—	—	—	0·08	0·03	—	—	0·10	10
11	0·08	0·01	0·03	—	0·07	—	—	0·24	0·31	0·05	—	0·01	11
12	0·50	0·04	—	—	—	0·05	—	0·21	0·31	—	—	0·06	12
13	0·06	0·01	0·24	0·48	—	0·02	—	0·09	0·11	0·31	0·10	—	13
14	—	—	0·10	0·06	0·15	—	0·05	0·04	0·04	—	0·06	0·30	14
15	0·02	—	0·14	0·12	—	—	0·21	—	—	—	0·02	0·02	15
16	0·24	0·01	0·25	0·21	0·02	—	0·08	0·11	—	0·01	0·01	0·02	16
17	0·22	—	0·03	0·03	—	—	—	0·03	—	—	—	—	17
18	0·01	—	0·05	—	—	—	—	—	—	—	—	—	18
19	0·02	—	0·03	—	—	0·14	—	—	—	0·12	—	0·04	19
20	—	—	0·02	—	—	0·05	0·03	0·04	0·01	—	0·03	0·02	20
21	0·05	—	—	0·12	—	0·03	—	—	—	0·02	0·25	0·12	21
22	—	—	0·13	0·15	—	—	0·21	—	—	0·37	—	0·21	22
23	—	—	—	—	—	—	0·14	—	0·10	0·04	—	—	23
24	0·01	0·33	—	—	—	—	0·05	—		—	—	0·73	24
25	0·17	0·04	0·15	0·06	—	0·11	0·07	0·08	0·01		—	0·01	25
26	0·04	—	0·11	—	0·15	0·07	—	0·01	—	—	0·03	0·23	26
27	0·01	—	0·04	—	0·20	—	0·02	0·05	—	0·01	0·04	0·47	27
28	—	—	0·14	—	0·40	—	0·34	0·40	—	—	—	0·08	28
29	0·02	×	0·01	—	0·02	—	0·06	0·06	—	—	—	0·06	29
30	0·06	×	—	—	0·06	—	—	—	—	—	—	0·36	30
31	1·20	×	—	×	0·07	×	0·05	0·06	×	0·13	×	—	31
TOTAL	3·89	0·51	1·85	1·35	1·40	0·50	1·28	3·57	1·05	2·65	2·28	3·04	YEAR'S TOTAL 23·37 ✓
Days with ·01 in. or more	24	8	21	10	13	10	12	22	10	13	16	23	182 ✓
Days with ·04 in. or more	14	4	13 12	9	9	5	10	18	6	10	12	14	123 4 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3874

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at St. Beuno's College

in the County of (St. Asaph) Flint

by (Rev.) L. Cardwell S.J.

Lat. 53° 15' 22" N Long. 3° 22' 46" W.

Time of Observation 9.0 a.m.

Nearest Railway Station St. Asaph 3m.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	
1	·06	·10	·26	—	·14	01	·14	—	·29	01	·11	06	1
2	04	·48	·01	—	03	—	—	—	—	—	~~·41~~	05	2
3	17	·22	—	—	02	—	·10	·12	—	01	·41	01	3
4	—	·40	·09	—	03	—	02	—	—	—	·06	—	4
5	33	—	·11	·35	—	—	1·37	—	—	·18	·38	—	5
6	58	—	·27	—	—	—	13		—	—	·29	—	6
7	07	—	·04	·07	—	—	12	12	—	—	·03	01	7
8	—	—	·04	—	—	—	51	51	01	—	01	09	8
9	04	—	·03	03	—	01	02	05	—	—	—	01	9
10	~~—~~	—	—	—	—	—	—	—	—	—	01	—	10
11	12	—	—	—	—	—	—	47	05	—	—	—	11
12	—	—	—	38	—	·27	13	—	38	07	—	—	12
13	52	·05	—	19	—	26	14	—	04	—	—	—	13
14	—	—	—	14	—	—	—	—	34	—	—	·27	14
15	38	·14	—	24	—	—	15	—	01	—	—	02	15
16	35	·18	—	07	·02	02	09	16	02	—	—	01	16
17	06	—	—	—	11	—	06	—	11	—	—	14	17
18	30	·10	—	—	02	06	—	08	18	—	—	26	18
19	—	·09	·44	—	—	—	—	—	30	04	—	17	19
20	03	·17	—	—	—	—	—	—	—	~~·04~~	05	31	20
21	04	·19	—	·18	04		09	—	—	—	—	11	21
22	—	·15	—	02	22	08	01	22	02	—	04	55	22
23	—	·01	—	11	—	02	18	01	—	01	02	53	23
24	—	·04	·21	03	—	42	—	14	—	~~·01~~	—	02	24
25	15	·10	·09	55	—	14	01	07	·10	—	01	01	25
26	20	—	·05	04	—	10	14	07	02	02	01	41	26
27	09	·36	·11	03	—	09	—	~~—~~	43	(·01) ~~·01~~	·10	12	27
28	03	·01	—	—	—	01	—	18	25	—	·03	01	28
29	04		—	—	—	08	09	—	—	—	~~·01~~	39	29
30	—	X	·13	04	—	—	—	02	23	·11	·11	32	30
31	25	X	·11	X	—	X	03	45	X	·23	X	01	31
TOTAL	3·85	2·79"	1·99	2·47	·63	1·57	3·53	~~3·67~~ 2·54"	2·78	·69	1·67	3·89	~~28·53~~
Days with ·01 in. or more	21	17	15	16	9	14	20	15	17	10	16	24	~~28·38~~ 194
Days with ·04 in. or more	19	15	13	12	34	9	15	13	12	5	9	14	~~139~~ 141

(*237) Wt. 15497—7987. 8,000. 9/22. T. S. 128.

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

3904

5 JAN 1924

Kept at St. Bennet's College, St. Asaph

in the County of Flint.

by L. Cardwell. S.J.

Lat. 53 15 22 Long. 3 22 64 W

Time of Observation 9.0 hr.

Nearest Railway Station St. Asaph.

Diameter of Funnel of Rain Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 480. ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.19	.11	—	—	—	.08	—	.13	.08	.24	.03	1
2	.08	tr	.11	—	—	—	tr	.12	—	.24	.05	.26	2
3	.01	—	.11	—	—	tr	—	—	.20	.46	.15	.09	3
4	—	—	.03	.31	—	—	—	—	—	.06	.03	.04	4
5	.36	—	.01	.01	.35	.04	—	—	—	.04	.08	.01	5
6	.18	.11	.04	—	.01	.17	—	—	.17	.26	.21	.01	6
7	.07	.70	.11	—	—	—	.02	—	—	—	.03	.05	7
8	.13	.05	.01	—	.01	.02	.03	—	—	.24	.71	.16	8
9	.05	.15	—	—	.13	tr	.03	.02	.02	—	.11	.02	9
10	.17	.07	—	.29	.18	.01	tr	—	—	.07	.02	—	10
11	.02	.04	—	.08	.24	—	—	—	.12	—	—	—	11
12	.07	.09	.02	.12	.04	.21	—	—	—	.43	.22	.09	12
13	.02	.36	—	.02	.04	—	—	.03	.17	1.13	.41	tr	13
14	tr	.05	—	.04	.08	—	—	—	—	.23	—	.01	14
15	.04	—	.02	.01	.16	.05	.30	—	.08	tr	.34	.01	15
16	—	.04	—	—	.14	—	—	.08	.30	.01	.44	—	16
17	.04	.26	—	—	.03	—	tr	.04	.44	—	.02	tr	17
18	.01	.19	—	—	.02	.03	.01	.28	.13	.08	.09	.14	18
19	.08	.02	—	—	.03	—	.14	.20	(.29)	—	.15	.13	19
20	.02	.05	—	—	tr	—	—	.11	(.20)	.08	.02	.19	20
21	.01	.01	—	—	.07	.01	—	.15	.08	.14	—	.46	21
22	.05	.01	—	—	.80	—	—	.09	.01	.02	.01	.31	22
23	—	—	—	.01	—	—	.18	.16	.54	.11	—	.31	23
24	—	.24	tr	.06	.02	—	.07	.03	.14	.20	.01	.06	24
25	—	.23	tr	.08	.02	.21	.01	.07	.07	.20	—	.29	25
26	—	.26	tr	tr	.03	.01	—	.03	—	.46	—	.20	26
27	—	.20	.05	.02	.39	.01	.55	.01	—	.80	—	.36	27
28	.02	.06	tr	.02	.12	—	.72	.05	.02	.10	.23	.01	28
29	(.19)		—	.07	—	—	.55	.40	—	.15	.02	.15	29
30	.13	X	.10	.09	—	.03	.19	.08	—	tr	.01	.31	30
31	.10	X	—	X	—	X	—	.24	X	—	X	.86	31
TOTAL	1.94	3.37	.72	1.23	2.91	.80	2.88	2.19	2.94	5.59	3.60	4.56	YEAR'S TOTAL 32.73
Days with .01 in or more	23	22	12	15	21	12	14	19	18	23	23	26	228
Days with .04 in or more	16	19	7	9	13	5	9	14	15	21	14	19	161

tr = a trace = < .005".

(*237) Wt. 10569—9158. 9,000. 8/23. T. S. 128.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at St. Beuno's College St. Asaph

in the County of Flint Wales

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 479 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	-	·04	tr	-	·01	-	·63	·03	tr	·08	tr	1
2	·16	tr	-	·09	tr	-	·13	·04	·12	-	·04	-	2
3	·36	tr	-	-	-	-	tr	·02	·05	·06	·06	-	3
4	·05	tr	-	·15	·12	-	-	tr	·06	·05	·22	-	4
5	tr	·24	tr	·09	·06	-	-	·59	·50	-	·26	-	5
6	·03	·09	tr	·11	·02	-	·65	·21	·02	·02	·54	-	6
7	-	·15	·24	-	·16	-	tr	·12	·17	·03	·91	·03	7
8	·04	·06	·09	·01	·17	-	·06	·17	·40	-	tr	·19	8
9	·01	·80	·02	tr	·21	-	·13	·02	·85	-	·44	·06	9
10	-	·52	·01	tr	·03	-	tr	·50	·23	-	-	·02	10
11	-	·50	-	-	·05	-	tr	-	·17	-	-	·05	11
12	-	·16	-	·02	-	-	-	·33	-	·73	-	tr	12
13	·02	·02	·08	·02	-	·01	-	tr	-	·14	-	·11	13
14	·07	-	·02	·11	-	-	tr	-	-	·06	-	-	14
15	-	-	tr	·04	-	·01	·04	-	·09	·71	-	·08	15
16	tr	·15	-	·09	-	·01	·02	-	tr	tr	-	·01	16
17	-	·10	-	-	·17	-	-	-	·09	·01	-	·04	17
18	-	·34	-	·19	·25	-	-	-	-	-	-	-	18
19	-	-	-	-	·39	-	tr	-	·33	·65	-	·34	19
20	-	-	·24	-	·13	·01	tr	·19	·05	·05	-	tr	20
21	-	·32	·16	tr	·06	tr	·08	·61	·15	·15	-	tr	21
22	-	·03	-	·12	·03	-	·84	·19	·11	·29	-	·25	22
23	·05	·03	·05	·04	·83	-	-	-	·14	·41	-	·06	23
24	·02	·05	·04	-	·10	-	-	·07	·06	·09	·20	·10	24
25	tr	·34	·04	·05	tr	tr	·26	tr	·32	·16	-	·39	25
26	-	·18	tr	·02	·26	tr	·02	·01	·09	·57	·05	tr	26
27	·01	·13	-	-	·17	-	·30	tr	·03	·08	·03	tr	27
28	·17	-	tr	·02	·04	-	·39	-	tr	·02	tr	·20	28
29	·26	X	-	·01	·03	-	·06	-	tr	tr	·38	·50	29
30	·08	X	·02	·02	·06	-	-	·01	·03	·02	·38	·05	30
31	·34	X	·05	X	·03	X	·29	·20	X	·02	X	·05	31
TOTAL	2.21	*4.21	1.10	1.20	*3.37	*·05	3.27	3.91	4.09	4.32	3.59	2.53	YEAR'S TOTAL
Days with ·01 in. or more.	16	19	14	18	22	5	14	17	23	21	13	18	33·85
Days with ·04 in. or more.	11	16	10	11	17	-	12	13	19	15	12	15	200
													151

* Record for Feb since 1890

*Record

(Signed) Richard Dea (Rev.)

[P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at (St. Beuno's College)

in the County of Flint N. Wales.

Diameter of Funnel of Gauge 6 in. (at reverse)

Height of top of Gauge above Ground 1 ft. 2 in.

„ Ground „ Sea Level 479 ft. + cf Previous Registers.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following. nil

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·10	·17	–	–	·80	·05	1
2							·01	·02	–	h	–	·01	2
3							–	–	–	h	·13	·10	3
4							–	–	·04	–	–	–	4
5							·24	–	–	·15	·15	·01	5
6							·05	–	·41	·09	·02	·01	6
7							–	·18	–	h	–	·09	7
8							–	·13	–	·58	h	·26	8
9							·03	·02	·30	h	h	·11	9
10							–	–	·05	·02	h		10
11							–	·37	·04	·39	·07	h	11
12							–	–	–	·04	·24	·12	12
13							–	·11	–	–	·02	·01	13
14							–	·14	–	–	·21	·02	14
15							–	·10	·05	·74			15
16							·02	·05	–	·01	·12		16
17							–	–	·01	·02	·41	·09	17
18							–	–	·10	–	h	h	18
19							–	·13	·02	·18	·04	·16	19
20							–	·10	·07	·13	·29	·29	20
21							–	·03	–	·25	·10	h	21
22							–	·29	·12	·14	·08		22
23							·05	·07	h	·01	·22		23
24							·15	·09	·19	·10	·15		24
25							·18	·38	1·27	·13	·30	·22	25
26							·02	–	h		·02	·02	26
27							–	·17	–	·24	·49	–	27
28							–	·05	·13	·01	·09	·08	28
29							·09	·37	·01	h	·04	·09	29
30		×					·03	–	–	·04	·07		30
31		×		×		×	·09	–	×	·04.	×	·40	31
TOTAL	3·51	2·16	1·44	1·03	1·90	4·17	1·06	2·97	2·81	3·31	4·06	2·14	YEAR'S TOTAL 30·56
Days with ·01 in. or more.							13	20	15	20	22	19	
Days with ·04 in. or more.							8	17	12	14	19	13	

40-9999

(Signed) Rev. Richard Dea. [P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE. 3861

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at St. Beuno's College

in the County of Flintshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	tr	tr.	·01	·16	—	·03	—	·25	tr	·09	1
2	—	·03	—	tr.	—	·01	tr	·10	—	·07	·14	·14	2
3	—	·02	—	tr.	·01	·19	·24	·29	·16	·01	tr	·16	3
4	—	tr	—	·22	·29	·03	·01	·06	·01	·07	·02	·40	4
5	—	—	—	—	·30	·19	·21	·12	—	·26	·13	·09	5
6	—	—	—	—	·12	·07	·39	·17	—	·48	·18	·57	6
7	—	·08	—	—	·18	·06	—	—	—	·07	·33	·22	7
8	—	·14	—	·10	·07	·50	—	·02	—	·19	·05	·24	8
9	·28	·18	—	—	—	—	·14	·07	—	·05	·53	·32	9
10	·03	·03	—	—	·09	—	·01	·01	—	·14	·08	·18	10
11	—	—	—	—	·06	—	·02	·05	—	·02	·97	·01	11
12	—	—	—	—	tr.	·30	·12	—	·23	—	·03	·02	12
13	·06	—	—	—	·12	·02	—	·12	—	tr	·37	·01	13
14	·07	—	—	—	·07	·08	—	—	·05	—	·34	·06	14
15	·01	—	—	—	tr	·02	—	—	—	tr	·22	—	15
16	tr	—	—	—	—	tr	—	·20	—	·06	tr	—	16
17	·07	—	—	tr.	—	—	—	·41	·02	·17	—	—	17
18	tr	—	—	—	—	—	—	·02	·05	·14	·03	tr	18
19	—	·03	—	—	—	·04	—	tr	tr	·04	·15	·02	19
20	—	·15	—	—	—	—	—	·13	·05	·32	·06	·29	20
21	—	—	tr	—	—	·15	·33	·03	·01	·03	—	tr	21
22	tr.	—	—	—	tr.	·14	·55	·09	—	tr	·10	·08	22
23	—	·03	—	—	tr.	tr	tr	·39	—	·47	·22	·18	23
24	—	—	—	·02	—	·01	—	·27	—	·17	·15	·02	24
25	—	—	·02	·20	—	tr	tr	—	—	·14	·43	·24	25
26	—	·04	—	·09	—	—	—	—	—	·11	·11	·02	26
27	·26	—	—	·05	tr.	—	·03	·06	—	·19	·01	·17	27
28	·18	—	—	·14	—	—	·46	·02	·89	·12	·40	·39	28
29	·02		—	—	—	—	·02	—	tr	·05	·06	·27	29
30	—	×	—	·01	—	—	·03	—	·41	tr	·28	·08	30
31	tr.	×	tr.	×	—	×	·52	—	×	tr	×	·03	31
TOTAL	·98	·81	·02	·83	1·32	1·97	3·08	2·66	1·88	3·62	5·39	4·30	YEAR'S TOTAL 26·86
Days with ·01 in. or more.	9	11	1	8	11	16	15	21	10	24	25	26	177
Days with ·04 in. or more.	6	6	0	6	9	11	9	16	7	21	20	19	136

40-9999

(*Signed*) E. Turner. R.T.O.

3954

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

3954

Kept at St. Beuno's College

in the County of Flintshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 480 ft.

Isel
Tile
7a 33.7/27
before reference
to Meteor

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr.	.15	–	.28	–	–	.01	.16	tr.	–	.85	–	1
2	.08	.04	–	.02	–	–	tr.	.30	–	–	.53	–	2
3	.22	tr.	.01	.38	–	–	.03	.58	–	.62	.07	–	3
4	.20	–	.12	snow .62	.08	–	.06	.08	.01	.13	tr.	tr.	4
5	.17	–	.27	.08	.30	–	–	.21	–	.26	Frost	tr.	5
6	–	tr.	.24	–	–	–	tr.	.03	.18	.20	.03	.04	6
7	.05	tr.	–	–	–	–	.02	.04	.04	.14	.35	.33	7
8	.25	tr.	–	.44	.02	–	.05	tr.	.08	.29	tr.	snow .19	8
9	.30	–	.58	.59	.35	.23	–	–	.15	tr.	.01	Frost .22	9
10	.51	–	.09	tr.	.29	.04	tr.	.30	.01	tr.	.02	.37	10
11	tr.	–	.08	.02	.06	.07	tr.	.34	.33	.17	.05	.24	11
12	.15	–	.02	–	.05	–	–	.23	–	tr.	–	.31	12
13	.23	–	snow .50	.22	tr.	–	.28	.12	.36	–	–	tr.	13
14	.42	.06	snow .62	–	tr.	–	.16	–	tr.	.02	.04	.24	14
15	–	.15	snow .33	tr.	.01	–	.11	.04	–	.08	.17	.21	15
16	.01	–	snow –	–	–	–	.39	–	.27	.09	Frost –	.14	16
17	–	–	snow .04	–	.03	–	.30	.21	.39	.09	–	tr.	17
18	tr.	–	snow .50	.02	–	.15	.15	.07	–	.02	.47	–	18
19	tr.	–	snow –	.05	tr.	.10	.01	.02	.25	.04	.05	tr.	19
20	–	–	snow .18	.04	.06	tr.	1.03	.41	.24	.03	.04	tr.	20
21	tr.	–	snow .22	tr.	tr.	.30	.01	.16	–	.16	.36	–	21
22	.08	–	.02	–	–	tr.	.47	.06	.10	.43	.56	tr.	22
23	tr.	–	–	.04	.03	.15	.06	.10	.03	.12	.22	.10	23
24	.14	tr.	–	.56	.02	.30	–	–	.01	.56	.25	tr.	24
25	–	.02	–	.09	–	tr.	–	–	.36	.34	.12	.06	25
26	1.18	tr.	–	.03	tr.	.01	–	Thunder .02	.02	.02	tr.	.20	26
27	tr.	–	.05	tr.	tr.	tr.	.04	–	.01	tr.	–	.02	27
28	.01	–	.03	–	–	tr.	tr.	Thunder .03	–	.08	–	.63	28
29	tr.		–	–	–	–	.20	.18	–	.08	–	.09	29
30	–	×	–	–	tr.	tr.	.02	.12	Dew –	.11	–	snow .73	30
31	.49	×	.02	×	–	×	.03	tr	×	.17	×	.04	31
TOTAL	4.49	.42	3.92	3.48	1.30	1.35	3.43	3.81	2.84	4.25	4.19	4.16	YEAR'S TOTAL 37.64
*Days with .01 in. or more.	17	5	19	15	12	9	20	23	18	24	18	18	198
*Days with .04 in. or more.	15	4	14	12	7	8	13	19	12	20	15	17	156

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) THE PROCURATOR W. J. Hartley Sec.

P.T.O.

FORM A. 2 METEOROLO... NIZATION.

RE...

4280.
SHOTWICK AERODROME
SEALAND
1922 – 30

35.10A

Kept at Shotwick a...

in the County of Fl...

by Meteorologi...

...o'W
...18 hrs. 0900
...d Road Halt. L.N.W.R.
Gauge ... in.
Ground ... ft. 9 in.
Sea Level 18 ft.

IMPORTANT NOTE.—...ered to the previous day.
If an Observer prefers not t... ...ed to add
the reading at 9 a.m. on 1st ... ...the end of
this paragraph. Full instructi... ...in gauges,
and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·9	4·8	14·1	—	0·1	0·2	1·6	0·3	9·2	Trace	3·1	1·0	1
2	6·2	6·5	0·2	—	Trace	—	Trace	Trace	Trace	Trace	—	0·5	2
3	3·6	5·5	0·3	Trace	0·3	—	0·5	5·3	—	0·1	5·5	Trace	3
4	0·1	3·2	2·0	—	0·8	—	0·8	—	—	0·3	2·4	—	4
5	2·4	—	0·4	10·3	—	—	32·7	—	—	5·4	4·1	0·1	5
6	7·9	—	13·4	—	—	—	1·5	2·4	—	—	7·9	1·2	6
7	2·2	—	0·1	1·2	—	—	5·5	8·9	—	—	0·5	Trace	7
8	0·7	—	0·3	0·1	—	—	12·2	16·5	Trace	—	0·9	1·8	8
9	0·2	—	0·5	1·0	—	Trace	0·5	0·2	—	—	Trace	—	9
10	0·2	—	Trace	—	—	Trace	—	—	—	—	Trace	Trace	10
11	1·4	—	—	—	0·1	—	—	1·2	Trace	—	—	—	11
12	—	—	—	6·2	—	5·7	7·0	5·3	7·0	2·5	—	Trace	12
13	9·4	Trace	—	5·7	—	4·9	6·2	—	0·1	—	—	—	13
14	0·4	0·1	Trace	0·8	—	—	Trace	—	4·6	—	—	6·2	14
15	7·1	2·5	—	4·7	—	—	—	Trace	0·8	Trace	0·1	0·7	15
16	17·1	3·1	—	0·2	3·3	Trace	1·9	0·9	1·6	—	—	1·1	16
17	Trace	1·6	—	—	0·6	—	2·3	—	2·3	—	Trace	5·6	17
18	3·6	0·3	—	—	0·4	0·7	—	1·1	4·9	Trace	Trace	2·6	18
19	—	2·1	5·1	—	Trace	Trace	—	—	3·6	1·2	Trace	12·8	19
20	0·8	2·3	Trace	—	Trace	0·1	0·7	—	—	Trace	Trace	17·1	20
21	1·0	3·1	Trace	3·4	—	—	3·4	Trace	Trace	Trace	—	4·6	21
22	Trace	3·6	—	0·1	3·9	1·6	Trace	4·0	—	0·1	0·1	5·1	22
23	—	Trace	—	2·7	—	Trace	1·4	0·3	—	—	Trace	7·1	23
24	0·6	1·1	4·6	Trace	—	7·2	—	1·9	—	—	—	0·6	24
25	4·6	0·8	1·5	10·3	—	1·0	Trace	—	5·4	—	—	—	25
26	6·4	2·1	0·1	2·0	—	1·9	7·7	3·0	Trace	Trace	0·4	3·0	26
27	2·2	8·7	3·4	1·3	—	0·8	—	0·6	11·8	Trace	0·4	4·6	27
28	1·8	0·7	0·2	—	—	0·9	—	10·3	2·5	Trace	0·1	0·2	28
29	0·2		Trace	0·4	—	2·2	0·8	—	—	—	Trace	6·6	29
30	—		0·9	1·1	—	3·4	0·1	0·5	6·7	—	1·2	4·8	30
31	7·3		0·3		—		Trace	15·3		1·4		0·1	31
TOTAL	91·3	52·1	47·4	51·5	9·5	30·6	86·8	78·0	60·5	11·0	26·4	87·4	YEAR'S TOTAL 632·8
Days with 0·2 mm. or more	24	17	15	15	6	12	17	18	12	5	10	20	171
Days with 1·0 mm. or more	14	14	7	12	2	8	12	12	11	4	6	16	121

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

FORM A. 2 METEOROLO[redacted]NIZATION.

REGISTER OF RAINFALL IN 192[illegible].

Kept at Shotwick Aerodrome, Chester

in the County of Flintshire

by Meteorological Offices

Lat. 53° 13′ N Long. 3° 0′ W

Time of Observation 07 and 18 hrs. 0900 GMT

Nearest Railway Station Neld Road Halt. L.M.S.R.

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·9	4·8	14·1	—	0·1	0·2	1·6	0·3	9·2	Trace	3·1	1·0	1
2	6·2	6·5	0·2	—	Trace	—	Trace	Trace	Trace	Trace	—	0·5	2
3	3·6	5·5	0·3	Trace	0·3	—	0·5	5·3	—	0·1	5·5	Trace	3
4	0·1	3·2	2·0	—	0·8	—	0·8	—	—	0·3	2·4	—	4
5	2·4	—	0·4	10·3	—	—	32·7	—	—	5·4	4·1	0·1	5
6	7·9	—	13·4	—	—	—	1·5	2·4	—	—	7·9	1·2	6
7	2·2	—	0·1	1·2	—	—	5·5	8·9	—	—	0·5	Trace	7
8	0·7	—	0·3	0·1	—	—	12·2	16·5	Trace	—	0·9	1·8	8
9	0·2	—	0·5	1·0	—	Trace	0·5	0·2	—	—	Trace	—	9
10	0·2	—	Trace	—	—	Trace	—	—	—	—	Trace	Trace	10
11	1·4	—	—	—	0·1	—	—	1·2	Trace	—	—	—	11
12	—	—	—	6·2	—	5·7	7·0	5·3	7·0	2·5	—	Trace	12
13	9·4	Trace	—	5·7	—	4·9	6·2	—	0·1	—	—	—	13
14	0·4	0·1	Trace	0·8	—	—	Trace	—	4·6	—	—	6·2	14
15	7·1	2·5	—	4·7	—	—	—	Trace	0·8	Trace	0·1	0·7	15
16	17·1	3·1	—	0·2	3·3	Trace	1·9	0·9	1·6	—	—	1·1	16
17	Trace	1·6	—	—	0·6	—	2·3	—	2·3	—	Trace	5·6	17
18	3·6	0·3	—	—	0·4	0·7	—	1·1	4·9	Trace	Trace	2·6	18
19	—	2·1	5·1	—	Trace	Trace	—	—	3·6	1·2	Trace	12·8	19
20	0·8	2·3	Trace	—	Trace	0·1	0·7	—	—	Trace	Trace	17·1	20
21	1·0	3·1	Trace	3·4	—	—	3·4	Trace	Trace	Trace	—	4·6	21
22	Trace	3·6	—	0·1	3·9	1·6	Trace	4·0	—	0·1	0·1	5·1	22
23	—	Trace	—	2·7	—	Trace	1·4	0·3	—	—	Trace	7·1	23
24	0·6	1·1	4·6	Trace	—	7·2	—	1·9	—	—	—	0·6	24
25	4·6	0·8	1·5	10·3	—	1·0	Trace	—	5·4	—	—	—	25
26	6·4	2·1	0·1	2·0	—	1·9	7·7	3·0	Trace	Trace	0·4	3·0	26
27	2·2	8·7	3·4	1·3	—	0·8	—	0·6	11·8	Trace	0·4	4·6	27
28	1·8	0·7	0·2	—	—	0·9	—	10·3	2·5	Trace	0·1	0·2	28
29	0·2	X	Trace	0·4	—	2·2	0·8	—	—	—	Trace	6·6	29
30	—	X	0·9	1·1	—	3·4	0·1	0·5	6·7	—	1·2	4·8	30
31	7·3	X	0·3	X	—	X	Trace	15·3	X	1·4	X	0·1	31
TOTAL	91·3	52·1	47·4	51·5	9·5	30·6	86·8	78·0	60·5	11·0	26·7	84·4	YEAR'S TOTAL 632·8
Days with 0·2 mm. or more	24	14	15	15	6	12	17	18	12	5	10	20	171
Days with 1·0 mm. or more	14	14	7	12	2	8	12	12	11	4	6	16	121

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

corrected in reference to hourly evaluation

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1922

Kept at Shotwick

in the County of Flintshire

by H.H. Jackson (Capt.)

Lat. 53° 13' Long. 3° 0'

Time of Observation 7.18 7h.

Nearest Railway Station

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.8	1.9	14.1	–	0.5	0.2	1.6	0.3	9.2	Trace	3.5	1.0	1
2	4.7	8.6	0.2	–	Trace	Trace	Trace	Trace	Trace	Trace	–	0.5	2
3	5.2	6.3	0.3	Trace	0.3	–	0.2	5.3	–	0.1	5.5	Trace	3
4	0.1	3.2	1.0	–	0.8	–	1.1	–	–	0.3	2.4	–	4
5	1.3	–	1.4	10.3	–	–	28.7	–	–	5.4 4.9	4.1	Trace	5
6	9.0	–	9.0	–	–	–	5.5	Trace	–	–	7.6	1.3	6
7	0.2	–	4.5	1.1	–	–	5.4	11.3	–	–	0.8	Trace	7
8	2.7	–	0.3	0.2	–	–	11.7	16.3	Trace	–	0.9	1.8	8
9	0.2	–	0.5	1.0	–	–	1.1	0.4	–	–	Trace	–	9
10	0.2	–	–	–	–	Trace	–	–	–	–	Trace	Trace	10
11	1.4	–	Trace	–	0.1	–	–	0.1	–	–	–	–	11
12	–	–	–	6.2	–	5.0	6.4	6.4	7.0	2.5	–	Trace	12
13	9.4	Trace	–	4.4	–	5.6	6 X.2	–	Trace	–	–	–	13
14	0.3	0.1	Trace	2.1	–	–	0.6	–	4.7	–	–	6.2	14
15	7.1	1.3	–	2.4	–	–	–	Trace	0.4	Trace	0.1	0.1	15
16	17.2	4.3	–	2.5	3.3	Trace	1.9	0.9	2.0	–	–	1.7	16
17	Trace	1.6	–	–	0.6	–	2.3	–	1.8	–	Trace	5.5	17
18	2.4	0.2	–	–	0.4	0.7	–	1.0	2.0	Trace	–	2.7	18
19	1.2	2.2	5.1	–	Trace	Trace	–	0.1	7.0	1.2	Trace	6.8	19
20	0.7	2.2	Trace	–	Trace	0.1	–	–	–	Trace	Trace	23.1	20
21	1.1	3.8	Trace	3.4	–	–	4.1	Trace	–	Trace	–	4.0	21
22	Trace	3.6	–	Trace	3.9	1.6	Trace	4.0	Trace	0.1	0.1	5.7	22
23	–	Trace	–	2.8	Trace	Trace	1.4	0.3	–	–	Trace	7.1	23
24	0.1	1.1	2.9	Trace	–	7.2	–	1.9	–	–	–	0.2	24
25	5.0	0.8	2.2	10.0	–	1.0	Trace	Trace	3.8	–	–	0.4	25
26	6.3	2.1	1.1	2.3	–	1.9	7.7	0.6	1.6	Trace	0.4	3.0	26
27	2.4	8.7	3.4	1.3	–	0.8	–	3.0	9.8	Trace	0.4	4.6	27
28	1.8	0.7	0.2	–	–	0.8	–	10.3	4.5	–	0.1	0.2	28
29	Trace		Trace	0.3	–	2.1	0.8	–	–	Trace	–	6.6	29
30	0.2	X	0.7	0.8	–	3.4 6	0.1	0.5	6.7	–	1.2	4.7	30
31	7.3	X	0.5	X	–	X	Trace	15.3	X	1.0	X	0.2	31
TOTAL	91.3	52.1	47.4	51.1	9.9	30.4 6	86.8	78.0	60.5	10.1 6	27.1	87.4	YEAR'S TOTAL 632.8
Days with 0.2 mm. or more	24	17	17	16	7	12	17	16	13	5	10	21	175
Days with 1.0 mm. or more	18	14	10	13	2	8	14	10	12	4	6	16	127

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

Er. FW

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 1 JAN 1924

(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1923.

Kept at SHOTWICK - CHESTER

in the County of FLINT

by THE METEOROLOGICAL OFFICER

Lat. 53° 13'N Long. 3° 0'W.

Time of Observation 9 a.m.

Nearest Railway Station WELSH ROAD HALT

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 17 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·9	2·9	3·1	—	—	—	3·8	1·8	5·2	1·0	3·0	1·8	1
2	3·2	—	0·4	—	—	—	0·3	0·1	—	1·7	1·9	1·7	2
3	0·3	—	2·2	—	—	—	0·5	—	8·4	7·8	2·1	2·3	3
4	—	—	1·0	—	—	—	—	—	—	0·8	1·0	0·7	4
5	9·3	—	1·4	1·8	11·8	0·7	—	0·3	—	0·7	3·1	0·1	5
6	7·6	6·3	1·7	5·2	—	2·6	—	7·4	—	0·7	2·5	0·5	6
7	0·3	10·1	0·8	0·5	—	—	0·4	—	0·1	0·3	1·0	2·5	7
8	1·4	1·8	0·2	—	—	1·5	—	0·9	—	7·8	7·7	3·3	8
9	0·1	5·3	0·4	—	0·8	—	4·4	2·1	—	—	3·6	—	9
10	5·6	4·1	—	14·5	5·4	—	3·6	—	—	1·1	—	—	10
11	1·5	2·4	—	5·0	13·8	—	—	—	—	—	—	—	11
12	0·2	2·9	—	9·9	0·6	0·6	—	—	—	8·1	2·4	0·6	12
13	0·5	11·1	—	0·8	1·0	—	1·7	—	3·8	12·3	3·9	—	13
14	—	—	—	—	1·5	—	—	3·0	—	2·8	0·4	0·6	14
15	0·6	0·5	0·6	0·2	5·5	2·3	3·1	—	1·3	—	11·9	1·8	15
16	—	1·7	—	0·1	3·6	0·2	—	1·9	1·9	1·1	10·8	—	16
17	0·6	14·0	—	—	0·1	0·2	—	0·1	10·6	—	4·9	—	17
18	0·5	4·7	—	—	—	—	1·2	5·4	2·0	7·2	1·3	1·6	18
19	2·6	0·1	—	—	0·6	0·4	4·3	5·6	5·0	—	—	0·7	19
20	0·6	3·6	—	—	—	—	—	1·5	6·5	4·1	0·6	5·8	20
21	—	—	—	0·1	1·4	0·3	—	1·9	1·0	0·9	—	13·6	21
22	0·1	0·6	—	—	18·5	—	0·5	—	0·5	—	—	3·8	22
23	—	1·3	—	2·0	—	—	2·2	4·5	15·7	7·5	—	6·1	23
24	—	6·1	—	0·9	0·5	—	1·0	0·3	3·3	4·8	—	0·8	24
25	—	9·1	—	0·9	3·0	1·6	0·5	3·9	6·4	5·2	—	9·9	25
26	—	5·3	0·2	—	—	—	—	0·7	—	8·9	—	3·3	26
27	—	4·0	1·1	—	8·8	—	14·7	1·1	—	10·4	—	9·8	27
28	—	0·6	—	0·6	0·9	—	9·8	0·4	—	0·3	0·8	—	28
29	1·6		—	1·8	—	—	16·8	18·7	—	3·9	—	3·3	29
30	1·0		4·5	1·9	—	—	6·6	1·0	—	—	0·4	9·8	30
31	1·2		0·3		—		—	2·8		—		15·8	31
TOTAL	39·7	98·5	17·9	46·2	77·8	10·4	75·4	65·4	71·7	99·4	63·3	100·2	YEAR'S TOTAL 765·9 ✓
Days with 0·2 mm. or more	19	21	14	14	16	10	18	20	14	23	19	23	211 ✓
Days with 1·0 mm. or more	10	18	7	8	11	4	13	15	13	17	15	17	148 ✓

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

3695

AIR MINISTRY.

FORM 1091. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

8 JAN 1925

Kept at SEALAND – CHESTER

in the County of FLINT

by METEOROLOGICAL OFFICER

Lat. 53° 13' N Long. 3° 0' W
Time of Observation 9 a.m.
Nearest Railway Station WELSH ROAD HALT
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 17 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0·2	—	2·6	—	0·9	7·8	0·6	10·9	—	—	5·8	—	1
2	0·8	—	0·5	—	1·5	0·9	—	—	—	0·1	2·8	—	2
3	—	—	0·1	—	—	0·1	4·5	3·9	—	—	—	—	3
4	—	—	0·1	—	0·1	—	2·5	2·5	—	—	—	13·2	4
5	—	0·3	3·3	—	4·6	0·6	3·8	1·0	1·0	1·5	2·9	0·7	5
6	—	1·6	—	—	4·8	2·2	—	2·8	2·5	4·6	—	—	6
7	—	—	—	—	2·7	3·8	—	—	10·4	0·5	—	5·5	7
8	0·2	—	—	1·0	0·6	0·1	—	—	5·4	0·7	—	2·5	8
9	2·9	0·2	—	1·7	1·1	2·5	—	—	13·1	1·7	—	—	9
10	—	0·1	—	0·6	2·8	1·8	0·4	—	—	9·3	—	—	10
11	6·7	—	—	2·8	2·8	9·6	—	—	0·2	—	6·7	—	11
12	3·1	0·1	—	0·1	2·3	5·2	—	3·2	—	—	—	—	12
13	3·0	—	—	7·2	3·2	—	0·1	—	6·7	—	—	4·0	13
14	—	—	—	2·1	—	—	—	5·6	—	—	0·1	0·9	14
15	—	—	—	—	1·9	1·5	0·7	0·2	—	—	—	5·5	15
16	1·0	—	—	—	—	—	0·4	8·2	1·4	0·9	—	—	16
17	2·8	2·7	—	—	—	4·4	1·0	8·9	—	—	—	—	17
18	3·4	0·4	—	—	3·7	—	0·1	—	—	10·9	—	—	18
19	2·1	—	—	—	7·6	—	—	2·3	2·0	0·1	—	—	19
20	7·3	—	—	—	0·4	—	19·4	2·1	0·9	0·8	—	—	20
21	11·9	—	0·2	0·2	3·4	0·4	20·7	0·5	3·7	22·2	—	—	21
22	3·4	—	2·0	0·5	—	—	—	18·3	4·9	—	1·2	5·5	22
23	0·8	—	4·8	5·3	1·4	—	1·7	7·8	13·7	—	0·9	7·5	23
24	0·2	0·8	—	2·2	1·6	—	2·1	3·2	0·8	—	—	0·5	24
25	—	0·1	—	0·6	0·4	—	8·9	1·1	4·6	—	3·5	2·2	25
26	1·3	—	—	1·7	1·4	0·2	11·5	1·7	1·1	11·6	10·7	2·9	26
27	—	0·1	—	2·4	—	—	8·9	0·4	—	2·9	0·3	3·8	27
28	0·5	0·1	—	1·0	—	1·1	35·2	11·2	3·2	7·7	2·0	—	28
29	—	10·5	—	8·5	—	0·7	1·6	2·2	0·1	3·3	1·4	8·8	29
30	—	×	—	1·3	7·8	—	1·7	1·5	7·3	6·9	4·2	3·7	30
31	0·2	×	—	×	63·6	×	0·3	0·9	×	—	×		31
TOTAL	51·8	17·0	13·6	39·2	120·6	42·9	126·1	100·4	83·0	85·7	42·5	67·2	YEAR'S TOTAL 790·0
Days with 0·2 mm. or more.	19	7	6	16	22	15	19	23	18	15	12	15	187
Days with 1·0 mm. or more	12	3	4	12	18	10	14	19	15	11	10	12	140

adopt values on B 31

(*236) Wt. 1050—91579. 375. 8/23. T. S. 128.

Tabulate by. A.W.B – Checked by. E.S.T. & H.F. Jackson SPI.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

FORM 1091. **AIR MINISTRY.** METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3724

Register of Rainfall in 1925.

Kept at SEALAND - CHESTER

in the County of FLINT

Diameter of Funnel of Gauge 1st JAN - 11th AUG. 5" GAUGE; 11th AUG - 31st DEC. 8" GAUGE

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 16 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following. 4·4 m.m.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm	mm.	mm.	mm.	mm.	mm.	
1	6·4	–	0·4	–	–	–	–	7·5	0·5	–	3·7	0·1	1
2	4·2	0·1	–	1·9	–	–	0·9	–	0·9	–	0·5	–	2
3	9·1	–	–	–	–	–	0·2	3·4	–	1·4	0·4	–	3
4	3·9	–	–	1·1	3·5	–	–	–	2·3	0·9	3·8	–	4
5	0·1	5·5	–	7·8	2·6	–	–	4·1	8·3	0·3	9·1	–	5
6	0·2	3·4	–	1·0	–	–	8·2	5·2	–	0·2	9·0	–	6
7	–	3·9	3·7	–	2·4	–	0·1	3·9	1·5	0·2	26·1	1·6	7
8	0·8	1·2	3·1	1·8	3·3	–	–	3·0	14·3	–	–	5·8	8
9	–	11·5	0·2	0·4	3·2	–	0·6	0·7	12·4	–	7·7	1·4	9
10	–	6·8	0·1	–	0·1	–	–	13·4	0·1	–	–	1·2	10
11	–	17·1	–	–	1·1	–	–	0·3	4·1	–	–	–	11
12	–	10·8	–	1·1	–	–	–	2·8	–	9·8	–	–	12
13	0·5	–	1·2	2·0	–	–	–	0·2	–	4·3	–	0·3	13
14	3·2	–	0·2	2·0	–	–	–	–	–	1·3	–	–	14
15	–	0·7	–	1·4	–	–	0·1	–	1·9	14·6	–	0·3	15
16	–	0·9	–	1·2	–	0·9	–	–	–	–	–	0·1	16
17	–	6·2	–	–	1·2	–	–	–	1·7	0·1	0·1	1·3	17
18	–	5·4	–	4·8	2·4	–	–	–	–	–	0·1	0·1	18
19	–	–	–	0·7	1·2	–	–	5·6	11·3	16·9	0·1	6·9	19
20	–	–	4·3	–	1·8	–	–	8·8	2·3	1·6	0·1	5·1	20
21	–	4·5	–	–	0·2	–	1·8	20·1	2·0	8·9	–	0·3	21
22	–	2·4	–	4·9	1·6	–	19·5	9·6	3·0	9·6	–	5·1	22
23	0·3	0·5	0·2	0·9	12·5	–	–	1·7	6·5	5·6	–	2·6	23
24	–	4·4	1·3	0·3	4·8	–	–	3·1	5·3	0·3	8·3	1·3	24
25	–	6·2	1·7	7·2	–	–	9·9	–	4·5	2·0	–	9·7	25
26	–	2·5	–	0·2	6·8	–	–	–	3·4	12·2	1·3	–	26
27	0·6	2·5	–	–	1·5	–	2·0	–	0·3	0·5	0·2	0·2	27
28	4·5	0·2	–	2·3	0·8	–	3·1	–	0·1	1·0	–	4·1	28
29	7·0	×	–	–	2·0	–	0·2	–	–	–	7·8	9·5	29
30	0·7	×	–	–	0·2	–	–	–	0·3	–	5·7	2·1	30
31	6·6	×	1·1	×	0·8	×	2·9	3·5	×	0·9	×	1·0	31
	1·89	3·79	·69	1·69	2·13	·04	1·95	3·82	3·43	3·65	3·31	2·36	28·75 YEAR'S TOTAL
TOTAL	48·1	96·7	17·5	43·0	54·0	0·9	49·5	96·9	87·0	92·6	84·0	60·1	730·3
Days with 0·2 mm. or more.	14	20	11	19	20	1	11	18	20	20	13	19	186
Days with 1·0 mm. or more.	8	16	7	14	16	0	7	15	16	13	10	15	137

(Signed) H. N. Jackson S.O.H. [P.T.O.

Section [A] for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1926.

3720

Kept at Sealand - Chester

in the County of Flint

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 16 feet 0 ins

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.4	5.6	-	-	7.7	-	-	-	8.9	-	12.1	4.3	1
2	2.8	4.0	-	-	-	2.0	-	-	4.0	-	3.4	0.8	2
3	11.1	0.1	6.4	0.2	-	-	-	-	0.1	0.1	0.1	4.7	3
4	-	0.5	2.4	-	3.6	-	0.5	-	1.2	-	9.3	2.2	4
5	0.3	3.0	1.2	-	11.4	0.1	3.2	7.5	5.7	-	0.2	4.9	5
6	6.4	5.9	0.3	-	3.2	-	15.8	1.0	2.5	1.5	5.6	0.1	6
7	1.7	24.1	0.1	0.3	7.4	5.9	-	-	0.7	3.1	4.1	0.1	7
8	-	0.4	1.1	-	3.0	2.1	1.8	0.5	8.6	15.3	2.6	-	8
9	-	-	3.1	-	2.9	5.4	-	18.8	-	1.2	-	-	9
10	-	-	-	-	2.7	0.2	1.1	1.7	-	3.7	9.0	-	10
11	-	-	-	-	1.5	1.4	-	13.0	0.6	0.8	2.1	-	11
12	-	-	-	0.1	12.0	0.2	-	4.3	1.7	11.9	1.7	0.1	12
13	0.2	-	-	-	2.7	5.0	-	-	-	3.8	3.7	0.1	13
14	0.2	9.6	-	2.9	7.6	11.6	-	8.2	1.3	0.3	-	3.3	14
15	-	1.1	0.1	1.1	0.5	0.6	1.7	2.8	-	0.9	12.1	0.2	15
16	-	2.5	-	1.6	-	-	-	-	-	2.2	17.9	0.1	16
17	4.8	0.2	-	2.2	-	0.1	-	0.8	-	-	6.3	4.1	17
18	6.3	1.8	-	4.1	-	-	2.92	0.7	-	-	5.8	0.1	18
19	0.1	-	-	-	-	-	8.4	0.3	16.0	0.1	-	0.1	19
20	-	-	-	0.2	-	-	-	0.1	3.5	-	6.8	0.2	20
21	-	-	-	-	-	0.1	6.6	-	-	3.3	0.4	-	21
22	5.8	5.5	-	2.9	-	0.1	-	-	-	0.4	4.6	-	22
23	0.5	-	-	-	-	-	-	-	1.6	-	-	-	23
24	1.1	-	-	-	2.9	0.5	1.5	1.7	5.6	9.9	0.1	-	24
25	4.5	-	-	1.6	0.2	-	0.7	0.1	10.7	0.1	4.1	0.1	25
26	-	-	-	0.1	3.4	-	-	-	12.2	-	-	-	26
27	2.3	0.2	-	1.4	1.5	-	1.4	-	0.1	0.1	-	0.1	27
28	6.8	-	-	-	2.3	-	16.4	-	-	2.8	0.1	0.4	28
29	3.2	X	-	0.6	3.2	-	2.2	-	0.6	-	-	-	29
30	0.5	X	-	0.4	-	-	-	13.8	-	-	-	-	30
31	2.1	X	2.2	X	0.5	X	-	-	X	-	X	0.3	31
TOTAL	2.56 65.1	2.54 64.5	.67 16.9	.78 19.7	3.16 80.2	1.39 35.3	3.56 90.5	2.96 75.3	3.37 85.6	2.42 61.5	4.41 112.1	1.04 26.3	YEAR'S TOTAL 28.86 733.0
Days with 0·2 mm. or more.	19	14	7	13	20	11	14	14	17	15	19	11	174
Days with 1·0 mm. or more.	14	10	6	8	17	7	12	10	14	11	17	6	132

Please read the Notes and Instructions Overleaf.

(114w) Tabulated by: A.W.B
Checked by: E.L.

(Signed) E. L. Gunstall
for Meteorological Officer

[P.T.O.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1091. 3702

REGISTER OF RAINFALL IN 1927.

Kept at SEALAND- CHESTER.

in the County of FLINT

Rain gauge moved to new site 10.30 hrs. 8-2-27.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	–	–	5·0	–	–	1·1	0·6	2·1	0·7	7·4	9·3	0·2	1
2	2·0	1·3	3·0	2·0	1·3	–	–	–	–	0·6	0·9	–	2
3	1·9	–	0·2	1·7	0·2	3·5	0·2	–	–	–	–	–	3
4	5·2	–	2·0	1·1	6·2	0·5	1·1	–	–	–	4·3	0·1	4
5	1·0	1·8	3·5	2·4	–	9·9	17·4	–	–	–	3·2	–	5
6	0·1	–	1·5	–	–	8·3	0·8	1·4	6·6	–	5·3	0·1	6
7	2·3	3·4	5·3	0·3	–	0·1	3·6	0·4	–	0·3	–	–	7
8	1·1 *	–	2·8	2·2	–	–	1·5	1·9	0·9	–	–	–	8
9	–	–	2·4	23·6	–	–	–	2·5	–	0·1	0·5	0·8	9
10	–	–	–	1·2	–	–	–	3·9	6·4	–	–	–	10
11	0·3	–	–	1·3	–	–	2·5	0·2 *	0·1	–	–	– *	Gauge interfered with. Amount approx 0·1mm period 18-07 11th - 12th
12	1·1	–	–	–	0·2	–	2·5	6·0	–	–	–	–	
13	0·5	–	–	0·5	0·8	–	–	1·8	2·1	3·9	2·4	–	13
14	3·9	–	–	0·8	0·1	–	–	2·0	4·9	–	2·9	2·2	14
15	1·4	0·1	–	–	13·5	–	–	0·8	4·6	3·2	0·2	–	15
16	0·9	0·2	–	–	3·7	17·4	–	8·1	4·9	3·9	–	–	16
17	0·1	–	–	–	–	0·1	–	5·1	3·6	0·7	–	–	17
18	–	–	–	–	–	24·0	–	35·3	1·3	1·6	21·6	–	18
19	0·1	2·0	0·6	–	–	0·2	1·1	1·3	0·1	0·8	7·3	–	19
20	2·4	5·8	–	–	1·5	1·5	3·0	13·3	1·3	1·8	3·5	5·3 *	Snow. 20
21	2·5	2·3	0·1	–	0·5	–	1·3	6·4	15·5	3·7	1·3	11·3	21
22	2·3	1·5	5·1	3·2	–	2·4	1·6	6·1	14·1	16·7	1·9	1·3	22
23	–	0·7	2·6	0·1	–	9·5	0·3	1·4	3·1	–	3·7	6·1	23
24	9·1	–	3·3	0·3	–	2·3	0·3	7·4	16·1	0·8	–	9·5	24
25	4·0	2·2	12·2	1·8	–	8·6	2·9	–	8·5	2·0	–	0·1	25
26	7·0	5·5	18·9	0·6	–	2·4	4·0	–	1·7	5·6	–	–	26
27	2·1	5·6	2·4	4·0	–	3·7	25·9	0·6	–	–	0·2	–	27
28	7·5	2·5	0·4	0·1	–	0·8	–	6·1	1·1	3·0	4·7	–	28
29	1·0	×	3·3	1·0	–	1·3	3·8	–	14·4	0·8	–	–	29
30	2·1	×	0·5	0·1	1·1	10·7	0·5	4·5	0·1	1·9	–	–	30
31	–	×	14·0	×	2·9	×	–	0·1	×	0·7	×	0·1	31
TOTAL	2·44 61·9	1·37 34·9	3·51 89·1	1·90 48·3	1·26 32·0	4·26 108·3	2·95 74·9	4·67 118·7	4·41 112·1	2·34 59·5	3·08 78·2	1·46 37·1	YEAR'S TOTAL 33·65 855·0
Days with 0·2 mm. or more.	22	13	20	17	11	18	20	23	19	19	17	8	207
Days with 1·0 mm. or more.	19	11	16	12	7	15	14	19	17	12	13	6	161

Please read the Notes and Instructions Overleaf.

(144) × Enclosure and instruments removed to a site 300yds East of North of the old site.

(Signed) J. Somerville [P.T.O.

F.E.

3781

AIR MINISTRY.

FORM 1091 **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**
(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL, IN, 1928.

Kept at SEALAND-CHESTER.
in the County of FLINT.
by METEOROLOGICAL OFFICE.

Lat. 53° 13' N. Long. 3° 0' W.
Time of Observation 0700 GMT
Nearest Railway Station Welsh Rd Hack LNERly
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following. 0 mm

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.8.	0.8.	4.1	-	-	-	0.1	0.1	-	0.2.	-	0.1	1
2	2.4.	4.8.	5'.6	0.4	-	-	-	-	-	0.9.	0.4	1.5'	2
3	0.1	2.6	-	0.9.	-	-	-	-	-	-	-	-	3
4	0.5'	4.2.	0.4.	0.1	-	-	4.4	-	-	2.8	0.2.	-	4
5	10.3.	4.4.	1.8	-	-	1.6	5'.0.	-	6.5'.	6.6	-	-	5
6	0.1	-	0.2.	-	-	2.0.	-	4.5'	-	-	-	1.1	6
7	0.4	-	-	6.4	-	19.1.	-	3.6	0.3.	5'.5'.	-	9.8.	7
8	-	-	-	0.1	-	3.8.	1.6.	0.1	8.9.	0.3.	-	0.3.	8
9	0.4	0.4	-	0.2.	-	0.6.	-	-	0.9.	0.4	-	-	9
10	2.8.	6.4.	0.3.	0.9	0.4	0.1	-	-	2.4	18'.2.	2.9.	-	10
11	-	5'.1	0.1	5'.3	-	-	-	12.6	-	5'.2.	9.9.	2.4.	11
12	1.9.	1.2.	3.3.	9.3	-	13.8.	-	3.9.	-	-	1.8.	0.2.	12
13	-	3.3.	-	0.9.	-	14.2.	-	4.6.	-	-	1.1	-	13
14	0.9.	4.6	-	-	-	2.1	-	4.2.	0.9.	12.4.	5'.0.	-	14
15	2.8	5'.1	-	-	-	0.2.	-	0.4	-	0.4.	0.2.	0.4.	15
16	0.1	3.0.	0.4	-	2.5'.	0.8'.	-	Tr.	0.3	2.2.	14.1	2.2	16
17	2.5'.	0.4.	0.2.	0.4	8.2.	0.8.	-	-	0.2.	-	-	-	17
18	10.4.	-	0.2.	0.3.	1.9.	2.1	-	-	1.4	2.6.	-	1.7	18
19	-	-	0.5'.	0.1	14.4	10.6.	-	1.3.	0.9	2.8.	11.0.	5.4	19
20	0.8	-	4.9	-	9.8.	Tr.	-	0.4	3.0	3.4	2.4.	0.1	20
21	8.4	-	4.4	1.8	0.4	2.4	-	0.2.	1.9	0.9	4.4.	0.1 Hoar Frost	21
22	-	0.4	1.1	-	-	-	0.4.	4.4	-	-	1.0	2.6	22
23	11.4	0.1	2.8	1.8	1.2.	0.1	1.0.	0.4	0.1	0.3.	3.8.	-	23
24	1.1	-	0.6	-	-	0.1	2.3.	2.5'	3.8	3.3.	8.3.	5.1	24
25	5.6	-	0.1	-	-	2.9	-	Tr.	-	-	1.9	1.0	25
26	1.4	-	0.4	-	4.3.	1.0.	0.1	6.2.	-	10.5'.	12.4.	-	26
27	0.1	-	0.2.	-	0.1	0.1	-	5'.3.	4.0	0.4	1.4	4.1	27
28	4.2.	-	-	-	-	3.3.	4.6.	2.8	0.5'.	-	-	2.4	28
29	10.8	4.9.	6.6.	-		4.4	1.2.	8.3	-	1.2.	3.4	3.9	29
30	-	X	2.8	0.3.		1.3.	2.6.	-	-	0.8	0.1	4.3	30
31	5'.0.	X	0.3	X		X	2.0	-	X	0.3	X	-	31
TOTAL	3.49 88.7	2.05 52.0.	1.90 48.2.	1.17 29.8.	1.35 44.1	3.44 87.4	1.11 28.3	2.61 66.4	1.51 38.3	3.12 79.2.	3.41 86.6	1.94 49.3	YEARS TOTAL 701.3
Days with 0·2 mm. or more	21.	16.	21.	13.	9.	19.	10.	14.	15'	23.	19.	17	200
Days with 1·0 mm. or more	16.	12.	10.	5'	4.	15'	9.	13.	8.	13.	16.	14	138

27.60

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

3857

AIR MINISTRY.

FORM 1091 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.2).

REGISTER OF RAINFALL IN 1929.

Kept at Sealand.
in the County of Flint.
by Meteorological Office.

Lat. 53° 13' N. Long. 3° 0' W.
Time of Observation 7 + 18
Nearest Railway Station Saughall for Welsh Road Sidings
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 16. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	0·8	-	0·9	-	3·6	-	2·9	0·1	4·7	-	0·5	1
2	-	3·8	-	-	-	0·3	-	3·3	-	0·9	1·6	4·3	2
3	-	Tr	-	3·5	-	2·4	1·2	7·0	0·9	0·3	0·5	2·6	3
4	-	0·6	-	5·5	5·4	0·2	11·1	5·9	0·2	1·1	1·1	10·7	4
5	0·1	-	-	-	6·6	4·1	5·8	1·8	-	11·7	3·9	1·0	5
6	1·5	-	-	-	2·8	2·5	9·8	6·0	-	9·4	1·2	9·6	6
7	0·1	-	-	-	3·7	0·3	-	-	-	1·5	6·7	12·4	7
8	-	6·0	-	2·4	1·5	7·2	-	0·4	-	4·7	0·7	2·5	8
9	3·0	4·7	-	-	-	-	7·5	2·2	-	5·1	15·2	6·1	9
10	3·0	-	-	-	1·8	-	2·7	-	-	2·8	-	3·0	10
11	-	0·1	-	-	3·4	-	-	-	-	0·1	15·2	1·4	11
12	-	-	-	-	1·3	6·5	4·9	-	13·0	-	3·3	0·7	12
13	1·5	-	-	-	9·6	0·5	-	2·7	-	-	11·6	0·5	13
14	-	-	-	-	2·4	4·3	-	-	0·5	-	2·4	2·1	14
15	3·5	0·2	-	-	-	0·4	-	-	0·9	-	3·0	0·2	15
16	0·1	-	-	-	-	-	-	3·3	-	0·4	-	-	16
17	2·2	-	-	0·2	-	-	-	10·9	-	2·0	-	-	17
18	0·3	-	-	-	-	-	-	2·2	0·7	4·0	2·3	-	18
19	0·2	-	-	-	-	0·6	-	0·1	Tr	0·2	4·2	0·7	19
20	-	-	-	-	-	-	-	1·2	1·2	4·1	0·7	9·3	20
21	-	0·6	1·1	-	-	2·1	1·1	0·3	0·3	0·2	-	0·7	21
22	-	-	-	-	-	2·9	2·7	1·4	-	-	0·4	-	22
23	-	0·9	-	-	-	-	-	12·2	-	6·5	7·8	6·2	23
24	-	-	1·0	0·3	-	-	-	5·8	-	11·4	6·5	8·9	24
25	-	0·7	2·0	5·9	-	-	-	-	-	-	7·6	3·5	25
26	-	1·5	-	0·5	-	-	-	-	-	3·5	2·5	1·1	26
27	2·8	-	-	1·8	-	-	0·5	1·2	-	4·8	0·5	2·8	27
28	5·1	-	-	3·9	-	-	3·4	-	14·6	3·1	11·0	10·1	28
29	2·2	X	-	-	-	-	0·4	-	0·4	2·7	1·4	6·6	29
30	-	X	-	-	-	-	0·6	-	8·2	-	5·1	5·2	30
31	5·6	X	-	X	-	X	19·8	-	X	-	X	1·0	31
TOTAL	31·2	19·9	4·1	24·9	38·5	37·9	71·5	70·8	41·0	85·2	116·4	113·7	YEAR'S TOTAL 655·1
Days with 0·2 mm. or more	12	10	3	10	10	15	14	18	11	22	25	27	177
Days with 1·0 mm. or more	10	4	3	6	10	9	11	16	4	17	20	21	131

(65,309). Wt.21,626—6781. 750. 11/21. Gp.133. A.&E.W.

3950

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR 1090.

REGISTER OF RAINFALL IN 1920.

Kept at Sealand A.S.

in the County of Cheshire Flint

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

„ Ground „ Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5					·43								5
6													6
7													7
8													8
9			·41	·58									9
10													10
11													11
12													12
13			·41										13
14													14
15		·12											15
16													16
17													17
18						·54							18
19									·63				19
20							1·64						20
21													21
22													22
23													23
24											·65		24
25										·73			25
26	·66												26
27													27
28													28
29								·65					29
30		×										·63	30
31		×		×		×			×		×		31
TOTAL	3·64	·32	3·49	2·32	1·24	1·13	4·73	3·62	2·93	3·96	3·26	3·74	YEAR'S TOTAL 34·38
Days with ·01 in. or more.	14	6	20	16	13	12	18	19	17	22	14	17	194
Days with ·04 in. or more.	14	4	14	11	7	7	14	16	13	17	11	14	142
	92·4	8·2	88·6	58·9	31·6	28·7	120·2	91·9	74·4	100·6	82·9	95·1	873·5

40-9099

(Signed) ..... [P.T.O.

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1930.

Kept at Meteorological Office, Sealand, Chester

in the County of Flint

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.6	1.9	–	5.9	–	tr	0.1	3.1	–	–	13.4	tr	1
2	–	0.3	–	0.7	–	tr	–	2.6	–	tr	6.4	tr	2
3	7.5	–	0.3	2.8	–	–	tr	9.9	tr	16.6	0.6	–	3
4	3.2	tr	0.2	7.2	0.8	–	0.2	1.4	0.5	1.0	0.3	–	4
5	1.7	tr	5.6	0.1	11.0	–	–	5.1	–	8.0	–	–	5
6	–	0.1	8.9	–	0.2	–	tr	0.2	5.3	6.7	0.3	tr	6
7	4.0	–	–	–	–	–	tr	tr	3.4	2.6	9.2	7.3	7
8	0.2	–	–	6.0	0.1	–	0.7	tr	3.3	3.6	tr	0.2	8
9	8.0	–	10.5	14.7	6.5	1.6	tr	–	1.8	0.1	tr	3.5	9
10	11.8	–	4.7	–	3.9	0.8	4.2	5.7	–	–	0.6	3.5	10
11	0.1	–	1.4	0.2	1.3	1.9	0.4	8.4	4.5	2.6	0.4	10.7	11
12	2.7	–	2.9	0.1	2.4	tr	–	9.1	0.5	0.1	–	5.8	12
13	1.8	–	10.5	3.0	0.8	–	4.3	2.1	14.4	tr	–	0.6	13
14	15.6	0.7	9.7	tr	–	–	8.5	0.8	0.6	–	0.1	4.9	14
15	–	3.0	5.9	–	tr	–	2.1	tr	0.3	2.5	3.1	3.7	15
16	–	–	0.1	–	–	1.1	3.9	–	2.5	2.1	–	5.9	16
17	tr	–	0.3	0.1	0.7	tr	3.3	3.0	11.9	0.7	–	–	17
18	–	tr	1.9	0.2	tr	13.7	12.9	1.7	tr	0.1	9.8	tr (fe)	18
19	–	–	7.9	1.0	tr	3.2	0.1	tr	16.1	1.8	1.2	tr (fe)	19
20	–	–	3.5	0.2	0.1	0.2	41.6	11.7	3.2	0.1	2.6	0.1	20
21	–	–	9.2	–	0.4	0.6	1.5	2.0	tr	3.9	4.4	–	21
22	3.3	–	–	–	tr	0.1	17.8	0.7	1.3	5.5	10.4	tr	22
23	–	–	–	3.0	1.4	2.2	5.1	2.5	1.2	3.1	0.1	0.1	23
24	4.7	tr	–	6.6	0.8	2.4	–	–	0.1	12.4	16.6	0.3	24
25	2.7	1.1	–	3.6	–	0.1	–	tr	3.4	18.6	3.0	tr	25
26	16.7	1.1	–	3.1	tr	–	tr	tr	tr	0.9	0.3	7.4	26
27	0.7	–	4.4	0.4	tr	0.2	1.7	tr	0.1	0.4	tr (f)	1.3	27
28	–	–	0.2	–	1.0	–	2.2	tr	–	0.7	0.1	8.6	28
29	–	×	0.2	–	–	–	9.1	16.5	–	0.3	–	8.2	29
30	0.1	×	–	–	0.1	0.6	0.5	5.4	–	2.1	–	16.1	30
31	7.0	×	0.3	×	0.1	×	tr	tr	×	4.1	×	6.9	31
TOTAL	92.4	8.2	88.6	58.9	31.6	28.7	120.2	91.9	74.4	100.6	82.9	95.1	YEAR'S TOTAL 873.5
Days with 0.2 mm. or more.	17	6	20	16	13	12	18	19	17	22	17	17	194
Days with 1.0 mm. or more.	14	4	14	11	7	7	14	16	13	17	11	14	142

(144w)

40-9999

(*Signed*) J. D. Mennie [P.T.O.